

S28°05.55.0' E027°22.21.7'



**AVELING BONSMARAS &  
VRIENDE PRODUKSEVEILING  
VRYDAG · 15 AUGUSTUS 2025  
11:00 · Welkomspruit · Ventersburg**



**LOT 5 ABM 22-067**



**LOT 6 ABM 22-049**

**32 BONSMARA BULLE  
240 KOMMERSIËLE  
VROULIKE DIERE**

(Koeie + kalwers | dragtige koeie & verse)



**Martiens Aveling 083 309 7355  
Piet Wessels 082 857 7827**

KBCOZA



heet u welkom by

**Aveling Bonsmaras & Vriende Produksieveiling**

**15 Augustus 2025**

te

**Welkomspruit, Ventersburg**


**GENIET DIE DAG SAAM MET ONS!**

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# AVELING BONSMARAS & VRIENDE

Veilingsdatum / Auction Date:  
**15 August 2025**

Data soos op / Data as on:  
**29 July 2025**



## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

### The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

### Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



## ANIMAL AND PEDIGREE INFORMATION

**LOT 1** 1
 **THE RED CATTLE FARM** 2

3

ABC 150029 4  
 2015-02-03 5  
 SP 6

Parentage Sire Dam  
 DNA ☒  
 Genomic ☒



DEF 100066 P

7 DEF 050022

8 GHI 070076 HH(c)  
 AGE/CALV. 14/10  
 AVG. Wt/CALV. 92/10  
 ICP 395

9 JKL 000077 P

10 MNO 030002  
 AGE/CALV. 19/10  
 AVG. Wt/CALV. 109/10  
 ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where all information for the animal is available.
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Intercalving Period


## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109                | 98                | 111             | 99                | 101       | 98           | 103           |
| 1                  | 2                 | 3               | 4                 | 5         | 6            | 7             |



### 2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight  
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



### 6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits  
EBVs: Weaning weight, End weight, ADG and Intake



### 7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits  
EBVs: End weight, Eye Muscle Area and Fat

5 L♀ GIX Cow Value  
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value  
Calf Growth Value  
3 Fertility Value  
Milk Value  
4 Maintenance Value  
EBVs Birth Direct & Maternal  
EBV Wean Direct  
EBVs Cow & Heifer Fertility,  
EBV Longevity  
EBV Wean Maternal  
EBVs Mature weight & Milk

## HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

### AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
  - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


### GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
  - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
  - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

## INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                  |                         |                                                    | Description/Measurement                                                                       | Goal                      | General Guidelines |     |        |        |        |
|------------------|------------------|-------------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|--------------------|-----|--------|--------|--------|
|                  |                  |                         |                                                    |                                                                                               |                           | <80                | <90 | 90-110 | >110   | >120   |
| Selection Values | 5                | Cow Value               | CV                                                 | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow            | Loss               |     |        |        | Profit |
|                  | 1                | Calving Ease Value      | CEV                                                | Risk for calving problems (calf too heavy) vs calf too small                                  | Average birth weight      | High               |     |        |        | Low    |
|                  |                  | Calf Growth Value       | CGrV                                               | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf         | Light              |     |        |        | Heavy  |
|                  |                  | Milk Value              | MlkV                                               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf  | Less               |     |        |        | More   |
|                  | 4                | Maintenance Value       | MntV                                               | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance       | High               |     |        | *      | Low    |
|                  | 3                | Fertility Value         | FertV                                              | Fertility and retention of cows and heifers                                                   | Fertile cows              | Low                |     |        |        | High   |
|                  | 2                | Weaner Calf Value       | WnCV                                               | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves       | Light              |     |        |        | Heavy  |
|                  | 6                | Growth Value            | GV                                                 | Efficient growth on veld and in feedlot (Rand-value)                                          | Profitable growth         | Loss               |     |        |        | Profit |
|                  | 7                | Carcass Value           | VarcV                                              | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass  | Less               |     |        |        | More   |
|                  | Production Value | PV                      | Combination of Cow- and Growth values (Rand-value) | Profitable animals                                                                            | Loss                      |                    |     |        | Profit |        |
| Cow & Heifer     | 8                | Birth Weight Direct     | BD                                                 | Birth weight (Calf's genetic ability)                                                         | Average birth weight      | Heavy              |     |        |        | Light  |
|                  |                  | Birth Weight Maternal   | BM                                                 | Birth weight (Cow's genetic ability)                                                          | Easy calving              | Heavy              |     |        |        | Light  |
|                  | 9                | Weaning Weight Direct   | WD                                                 | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves       | Light              |     |        |        | Heavy  |
|                  | 10               | Weaning Weight Maternal | WM                                                 | Weaning weight (Cow's genetic ability)                                                        | Good mothers              | Poor               |     |        |        | Good   |
|                  | 18               | Mature Cow Weight       | MW                                                 | Cow weight at weaning of first three calves                                                   | Average mature cow weight | Light              |     | *      | *      | Heavy  |
|                  |                  | Cow-Calf Birth          | CCB                                                | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                   | Low                |     |        |        | High   |
|                  | Cow-Calf Wean    | CCW                     | EBV Wean Direct / EBV Mature Cow weight            | High calf-cow ratio                                                                           | Low                       |                    |     |        | High   |        |
| Fertility        | 12               | Heifer Fertility        | HF                                                 | Age at first calving                                                                          | Fertile heifers           | Less               |     |        |        | More   |
|                  | 13               | Cow Fertility           | CFE                                                | First 3 inter-calving periods (ICPs)                                                          | Fertile cows              | Less               |     |        |        | More   |
|                  | 11               | Scrotal Circumference   | SC                                                 | Scrotal circumference as measured during the growth test                                      | Fertile bulls             | Less               |     |        |        | More   |
|                  | 14               | Longevity               | LG                                                 | Retention of progeny                                                                          | Acceptable progeny        | Poor               |     |        |        | Good   |
| Growth & Frame   | 15               | Post-Wean Weight        | PWn                                                | 12- and 18 month weights                                                                      | Good post-wean growth     | Low                |     |        | *      | High   |
|                  | 16               | Average Daily Gain      | ADG                                                | Average daily gain                                                                            | Good growth               | Poor               |     |        |        | Good   |
|                  | 17               | Feed Conversion Ratio   | FCR                                                | 100g feed intake / g weight gain                                                              | Feed efficiency           | Poor               |     |        |        | Good   |
|                  |                  | Final Test Weight       | FW                                                 | Final weight in the growth test                                                               | Heavy carcass             | Light              |     |        | *      | Heavy  |
|                  | 19               | Height                  | H                                                  | Shoulder height in growth test                                                                | Average height            | Short              |     |        |        | Tall   |
|                  | 20               | Length                  | L                                                  | Length in growth test                                                                         | Longer for more muscle    | Short              |     |        |        | Long   |
|                  | 24               | Length-Height Ratio     | LH                                                 | EBV Length / EBV Height                                                                       | Longer rather than tall   | <1                 |     |        |        | >1     |
| Carcass          | 21               | Eye Muscle Area         | EMA                                                | RTU measured eye muscle area                                                                  | Bigger steaks             | Small              |     |        |        | Big    |
|                  | 22               | Fat Thickness           | Fat                                                | RTU measured P8 backfat thickness                                                             | Carcass quality           | Thin               |     |        |        | Thick  |
|                  | 23               | Marbling                | Mar                                                | RTU measured % of intra-muscular fat                                                          | Juicy meat                | Low                |     |        |        | High   |
|                  |                  | Dressing Percentage     | D%                                                 | Carcass weight / Live weight                                                                  | High dressing percentage  | Low                |     |        |        | High   |

\* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |           |           | Fertility    |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|--------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 99        | 90        | 97           | 75           | 92        | 85      | 100              | 94  | 93  | 92            | 123    | 110    | 104     | 100 | 79  |

8      9      10      11      12      13      14      15      16      17      18      19      20      21      22      23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | 104        | 105        | 122       | 117       | 327     | 1.22 |

16      17      11      24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

## BULLS

**LOT 1**
**SPRINGBOKSPRUIT BONSMARAS**



**JH 220060**  
2022-09-22  
B

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |



**LMR 160082**

**JH 090003**  
AGE/CALV. 15/13  
AVG. Wt/CALV. 89/12  
ICP 371

**FCT 120053**

**LMR 110245**  
AGE/CALV. 6/2  
AVG. Wt/CALV. 116/2  
ICP 559

**JH 050001**

**JH 050003**  
AGE/CALV. 8/5  
AVG. Wt/CALV. 96/3  
ICP 467

**FCT 080201**

**FCT 080094**  
AGE/CALV. 9/5  
AVG. Wt/CALV. 101/3

**LMR 070280**

**LMR 080277**  
AGE/CALV. 16/13  
AVG. Wt/CALV. 99/12

♂ **AG J 0008**

**JH 990049**  
AGE/CALV. 13/8  
AVG. Wt/CALV. 99/5

**JH 020062**  
AGE/CALV. 15/13  
AVG. Wt/CALV. 101/8

|                    |     |
|--------------------|-----|
| Calving Ease Value | 136 |
|--------------------|-----|

|                   |    |
|-------------------|----|
| Weaner Calf Value | 76 |
|-------------------|----|

|                 |    |
|-----------------|----|
| Fertility Value | 96 |
|-----------------|----|

|                   |     |
|-------------------|-----|
| Maintenance Value | 131 |
|-------------------|-----|

|           |    |
|-----------|----|
| Cow Value | 85 |
|-----------|----|

|              |    |
|--------------|----|
| Growth Value | 76 |
|--------------|----|

|               |    |
|---------------|----|
| Carcass Value | 76 |
|---------------|----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 136             | 78        | 68        | 100        | 101          | 102       | 88      | 77               | 74  | 68  | 75            | 57     | 64     | 83      | 83  | 97  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 93         | -          | -          | 94        | -         | 338     | 1.27 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:** Geskik vir gebruik op verse

**LOGIX** EBV Analysis: 2025-07-21

**LOT 2**
**MPOLA TRUST**



**ABM 220039**  
2022-09-21  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |



**AGB 180093**

**ABM 190421**  
AGE/CALV. 5/3  
AVG. Wt/CALV. 95/2  
ICP 475

**AG 130456**

**AGB 150171**  
AGE/CALV. 9/5  
AVG. Wt/CALV. 100/5  
ICP 473

♂ **LAR 140173 HH(c)**

**ABM 120330**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 102/6  
ICP 394

**AG 080204**

♂ **AG 040418**  
AGE/CALV. 14/13  
AVG. Wt/CALV. 100/13

**AG 020300**

**AGB 090020**  
AGE/CALV. 11/5  
AVG. Wt/CALV. 98/5

♂ **LAR 120033 HH(c)**

**LAR 100159**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 105/11

**MULTIPLE SIRES**

**ABM 020016**  
AGE/CALV. 10/2  
AVG. Wt/CALV. 108/2

|                    |     |
|--------------------|-----|
| Calving Ease Value | 114 |
|--------------------|-----|

|                   |    |
|-------------------|----|
| Weaner Calf Value | 96 |
|-------------------|----|

|                 |    |
|-----------------|----|
| Fertility Value | 98 |
|-----------------|----|

|                   |     |
|-------------------|-----|
| Maintenance Value | 104 |
|-------------------|-----|

|           |    |
|-----------|----|
| Cow Value | 99 |
|-----------|----|

|              |    |
|--------------|----|
| Growth Value | 86 |
|--------------|----|

|               |    |
|---------------|----|
| Carcass Value | 90 |
|---------------|----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 114             | 95        | 97        | 60         | 115          | 86        | 100     | 95               | 84  | 88  | 94            | 93     | 92     | 102     | 84  | 96  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 106        | -          | -          | 90        | -         | 337     | 1.17 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 1          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:** Gebruik op koeie

**LOGIX** EBV Analysis: 2025-07-21

**LOT 3**
**MPOLA TRUST**



**ABM 220069**  
2022-11-06  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |



♂ **ABM 160088 HH(c)**

**ABM 180038**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 100/4  
ICP 383

**NFS 110101**

**CAM 070047**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 101/11  
ICP 389

**MCU 140127 P**

**ABM 150037**  
AGE/CALV. 7/3  
AVG. Wt/CALV. 100/3  
ICP 451

**NFS 080032**

♂ **NFS 000257**  
AGE/CALV. 15/12  
AVG. Wt/CALV. 98/12

**AG 030418**

**RCO 010150**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 100/8

♂ **MCU 100109 Pp(c)**

♂ **MCU 040096 P**  
AGE/CALV. 16/12  
AVG. Wt/CALV. 103/9

**ABM 090251**

**ABM 110162**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 102/4

|                    |     |
|--------------------|-----|
| Calving Ease Value | 111 |
|--------------------|-----|

|                   |     |
|-------------------|-----|
| Weaner Calf Value | 104 |
|-------------------|-----|

|                 |     |
|-----------------|-----|
| Fertility Value | 108 |
|-----------------|-----|

|                   |     |
|-------------------|-----|
| Maintenance Value | 113 |
|-------------------|-----|

|           |     |
|-----------|-----|
| Cow Value | 109 |
|-----------|-----|

|              |    |
|--------------|----|
| Growth Value | 92 |
|--------------|----|

|               |    |
|---------------|----|
| Carcass Value | 94 |
|---------------|----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 107             | 101       | 91        | 99         | 89           | 120       | 103     | 100              | 96  | 99  | 87            | 96     | 98     | 96      | 93  | 94  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 103        | -          | -          | 100       | -         | 359     | 1.21 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 1          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:** Gebruik op koeie

**LOGIX** EBV Analysis: 2025-07-21

**BULLE**

**LOT 4 SPRINGBOKSPRUIT BONSMARAS**



**JH 220052**  
2022-09-05  
B

Ouerskap Vaar Moer

DNS ✓

Genomies

♂ LAR 170263 HH(c)



**JH 130055**  
OUD/KALW. 11/9  
GEM. SI/KALW. 101/6  
TKP 390

♂ LAR 140173 HH(c)

**LAR 110082**  
OUD/KALW. 14/11  
GEM. SI/KALW. 107/10  
TKP 371

**LDW 090193**

**JH 090068**  
OUD/KALW. 13/11  
GEM. SI/KALW. 102/10  
TKP 372

♂ LAR 120033 HH(c)

**LAR 100159**  
OUD/KALW. 14/11  
GEM. SI/KALW. 105/11

♂ LAR 080050

♂ LAR 020230  
OUD/KALW. 14/12  
GEM. SI/KALW. 98/11

**JRP 060004**

**LDW 060075**  
OUD/KALW. 11/8  
GEM. SI/KALW. 103/8

**JH 010138**

**JH 050029**  
OUD/KALW. 14/12  
GEM. SI/KALW. 96/10

Geboortegemak  
Waarde  
**96**

Speenkalv  
Waarde  
**117**

Vrugbaarheids-  
waarde  
**108**

Onderhouds-  
waarde  
**78**

Koeiwaarde  
**114**

Groei-  
waarde  
**135**

Karkas-  
waarde  
**133**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 100            | 121       | 94        | 104          | 114         | 93          | 114    | 128            | 128 | 114 | 126         | 104    | 124    | 129    | 104 | 119 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 111         | -           | -           | 118        | -          | 347     | 1.23 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Speen direk 26.2

LOGIX EBV Analise: 2025-07-21

**LOT 5 MPOLA TRUST**



♂ ABM 220067 HH(c)  
2022-11-06  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies ✓

♂ NFS 190039 HH(c)



**ABM 130367**  
OUD/KALW. 11/9  
GEM. SI/KALW. 105/9  
TKP 373

♂ LAR 140064 HH(c)

**ZVJ 130068**  
OUD/KALW. 11/10  
GEM. SI/KALW. 99/10  
TKP 367

**LMR 070214**

**CAM 080141**  
OUD/KALW. 6/4  
GEM. SI/KALW. 94/4  
TKP 357

LAR 090281

♂ LAR 110039 HH(c)  
OUD/KALW. 11/8  
GEM. SI/KALW. 107/8

FCT 100248

♂ ZVJ 110012 HH(c)  
OUD/KALW. 14/11  
GEM. SI/KALW. 103/11

**LMR 040221**

**LMR 040298**  
OUD/KALW. 8/5  
GEM. SI/KALW. 100/5

**BHE 040215**

**CAM 050242**  
OUD/KALW. 5/2  
GEM. SI/KALW. 96/2

Geboortegemak  
Waarde  
**99**

Speenkalv  
Waarde  
**96**

Vrugbaarheids-  
waarde  
**126**

Onderhouds-  
waarde  
**109**

Koeiwaarde  
**109**

Groei-  
waarde  
**100**

Karkas-  
waarde  
**96**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 101            | 101       | 88        | 98           | 114         | 115         | 121    | 93             | 108 | 95  | 90          | 74     | 82     | 112    | 109 | 75  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 107         | -           | -           | 101        | -          | 369     | 1.23 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS: In kuddde gebruik, gebruik op koeie en verse

LOGIX EBV Analise: 2025-07-21

**LOT 6 MPOLA TRUST**



**ABM 220049**  
2022-10-09  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

ABM 190479



**ABM 180156**  
OUD/KALW. 5/3  
GEM. SI/KALW. 107/3  
TKP 385

♂ ABM 160088 HH(c)

**NFS 140093**  
OUD/KALW. 11/9  
GEM. SI/KALW. 105/9  
TKP 374

♂ PER 140014 HH(c)

**ABM 140383**  
OUD/KALW. 10/7  
GEM. SI/KALW. 94/6  
TKP 453

NFS 110101

**CAM 070047**  
OUD/KALW. 14/11  
GEM. SI/KALW. 101/11

**FDS 100119**

**NFS 100194**  
OUD/KALW. 5/3  
GEM. SI/KALW. 107/2

**ABB 090196**

**PER 000115**  
OUD/KALW. 14/10  
GEM. SI/KALW. 105/9

Geboortegemak  
Waarde  
**107**

Speenkalv  
Waarde  
**99**

Vrugbaarheids-  
waarde  
**107**

Onderhouds-  
waarde  
**93**

Koeiwaarde  
**104**

Groei-  
waarde  
**105**

Karkas-  
waarde  
**106**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 103            | 100       | 101       | 127          | 92          | 116         | 102    | 106            | 108 | 111 | 106         | 101    | 106    | 113    | 94  | 105 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 101         | -           | -           | 107        | -          | 414     | 1.23 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: In kudde gebruik, behou 2 mede eienaars ge-  
bruike, kan op verse en koeie gebruik word

LOGIX EBV Analise: 2025-07-21

## BULLS

### LOT 7 SPRINGBOKSPRUIT BONSMARAS



**JH 220090**  
2022-10-15  
B

Parentage Sire Dam

DNA

Genomic

LMR 160082



**JH 140084**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 109/6  
ICP 373

FCT 120053

LMR 110245  
AGE/CALV. 6/2  
AVG. Wt/CALV. 116/2  
ICP 559

LDW 090193

**JH 090016**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 102/6  
ICP 369

FCT 080201

FCT 080094  
AGE/CALV. 9/5  
AVG. Wt/CALV. 101/3

LMR 070280

LMR 080277  
AGE/CALV. 16/13  
AVG. Wt/CALV. 99/12

JRP 060004

LDW 060075  
AGE/CALV. 11/8  
AVG. Wt/CALV. 103/8

JH 050001

JH 020001  
AGE/CALV. 9/4  
AVG. Wt/CALV. 117/3

Calving Ease  
Value  
**112**

Weaner Calf  
Value  
**101**

Fertility  
Value  
**88**

Maintenance  
Value  
**90**

Cow Value  
**97**

Growth  
Value  
**104**

Carcass  
Value  
**105**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 112             | 104       | 94        | 114        | 88           | 98        | 89      | 103              | 101 | 93  | 110           | 89     | 97     | 102     | 90  | 110 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | -          | -          | 103       | -         | 343     | 1.23 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Veelsydig. Kan gebruik word op verse.

LOGIX EBV Analysis: 2025-07-21

### LOT 8 MPOLA TRUST



**ABM 220102**  
2022-12-02  
SP

Parentage Sire Dam

DNA

Genomic

ABM 160088 HH(c)



**ABM 180128**  
AGE/CALV. 5/3  
AVG. Wt/CALV. 103/3  
ICP 386

NFS 110101

CAM 070047  
AGE/CALV. 14/11  
AVG. Wt/CALV. 101/11  
ICP 389

WBB 140127 HH(c)

**ABM 080129**  
AGE/CALV. 16/13  
AVG. Wt/CALV. 97/12  
ICP 371

NFS 080032

NFS 000257  
AGE/CALV. 15/12  
AVG. Wt/CALV. 98/12

AG 030418

RCO 010150  
AGE/CALV. 11/9  
AVG. Wt/CALV. 100/8

PAD 100014

AG 020076  
AGE/CALV. 17/14  
AVG. Wt/CALV. 100/14

Calving Ease  
Value  
**100**

Weaner Calf  
Value  
**99**

Fertility  
Value  
**108**

Maintenance  
Value  
**93**

Cow Value  
**103**

Growth  
Value  
**123**

Carcass  
Value  
**111**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 98              | 103       | 98        | 120        | 86           | 121       | 102     | 111              | 127 | 124 | 107           | 118    | 120    | 109     | 92  | 107 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 107        | -          | -          | 123       | -         | 386     | 1.23 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: In kuddde gebruik, gebruik op koeie

LOGIX EBV Analysis: 2025-07-21

### LOT 9 MPOLA TRUST



**ABM 220006**  
2022-04-25  
SP

Parentage Sire Dam

DNA

Genomic

FUZ 170109



**LMR 140035**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 100/8  
ICP 394

LMR 080188

FUZ 130096  
AGE/CALV. 11/9  
AVG. Wt/CALV. 100/9  
ICP 392

PAD 100014

LMR 050145  
AGE/CALV. 14/11  
AVG. Wt/CALV. 96/10  
ICP 390

LAR 030052

LMR 030288  
AGE/CALV. 12/4  
AVG. Wt/CALV. 100/4

FUZ 100131

FUZ 090092  
AGE/CALV. 5/3  
AVG. Wt/CALV. 106/3

CSW 010014

CEF 980117  
AGE/CALV. 18/14  
AVG. Wt/CALV. 106/13

AG 970223

LMR 980061  
AGE/CALV. 14/11  
AVG. Wt/CALV. 93/11

Calving Ease  
Value  
**103**

Weaner Calf  
Value  
**95**

Fertility  
Value  
**108**

Maintenance  
Value  
**96**

Cow Value  
**100**

Growth  
Value  
**90**

Carcass  
Value  
**94**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 100             | 99        | 95        | 112        | 98           | 112       | 107     | 102              | 93  | 92  | 103           | 90     | 93     | 113     | 95  | 123 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 100        | -          | -          | 93        | -         | 368     | 1.18 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Gebruik op koeie en verse

LOGIX EBV Analysis: 2025-07-21

**BULLE**

**LOT 10** *SPRINGBOKSPRUIT BONSMARAS*



**JH 230012**  
2023-02-27  
B

Ouerskap Vaar Moer

DNS ✓

Genomies

☞ LAR 170263 HH(c)



**JH 140048**  
OUD/KALW. 10/9  
GEM. SI/KALW. 96/8  
TKP 361

☞ LAR 140173 HH(c)

**LAR 110082**  
OUD/KALW. 14/11  
GEM. SI/KALW. 107/10  
TKP 371

**THE 100079**

**JH 100051**  
OUD/KALW. 8/6  
GEM. SI/KALW. 110/5  
TKP 378

☞ LAR 120033 HH(c)

**LAR 100159**  
OUD/KALW. 14/11  
GEM. SI/KALW. 105/11

☞ LAR 080050

**LAR 020230**  
OUD/KALW. 14/12  
GEM. SI/KALW. 98/11

☞ THE 060036

**THE 060076**  
OUD/KALW. 5/2  
GEM. SI/KALW. 106/2

**JH 060006**

**JH 050029**  
OUD/KALW. 14/12  
GEM. SI/KALW. 96/10

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|----------------------|------------------|----------------------|-------------------|------------|--------------|---------------|
| 98                   | 116              | 101                  | 84                | 112        | 138          | 137           |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 102            | 121       | 92        | 111          | 113         | 84          | 111    | 126            | 131 | 119 | 118         | 114    | 127    | 130    | 107 | 117 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 104         | -           | -           | 119        | -          | 330     | 1.24 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Speen direk 26.2

LOGIX EBV Analise: 2025-07-21

**LOT 11** *MPOLA TRUST*



**ABM 220051**  
2022-10-15  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

ABM 180206



**ABM 130388**  
OUD/KALW. 11/9  
GEM. SI/KALW. 107/8  
TKP 370

AG 100008

**ABM 130333**  
OUD/KALW. 12/8  
GEM. SI/KALW. 102/8  
TKP 434

☞ CEW 100058

**ABM 100003**  
OUD/KALW. 7/4  
GEM. SI/KALW. 112/3  
TKP 442

☞ AG 060481

**AG 970106**  
OUD/KALW. 15/13  
GEM. SI/KALW. 95/12

LMR 080104 Pp(c)

**ABM 100017**  
OUD/KALW. 5/3  
GEM. SI/KALW. 111/2

LMR 060343

**CEW 050143**  
OUD/KALW. 15/12  
GEM. SI/KALW. 105/11

☞ AG 030256

**CAM 040146**  
OUD/KALW. 9/6  
GEM. SI/KALW. 104/6

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|----------------------|------------------|----------------------|-------------------|------------|--------------|---------------|
| 107                  | 107              | 99                   | 89                | 107        | 105          | 110           |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 107            | 110       | 95        | 92           | 91          | 105         | 101    | 114            | 103 | 89  | 112         | 96     | 105    | 117    | 87  | 87  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 110         | -           | -           | 95         | -          | 365     | 1.25 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Gebruik slegs op koeie

LOGIX EBV Analise: 2025-07-21

**LOT 12** *MPOLA TRUST*



**ABM 220093**  
2022-11-24  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

☞ ABM 160088 HH(c)



**ABM 180064**  
OUD/KALW. 6/4  
GEM. SI/KALW. 98/4  
TKP 389

NFS 110101

**CAM 070047**  
OUD/KALW. 14/11  
GEM. SI/KALW. 101/11  
TKP 389

CSW 140074 P

**CSW 100071**  
OUD/KALW. 9/7  
GEM. SI/KALW. 100/6  
TKP 395

NFS 080032

☞ NFS 000257  
OUD/KALW. 15/12  
GEM. SI/KALW. 98/12

AG 030418

**RCO 010150**  
OUD/KALW. 11/9  
GEM. SI/KALW. 100/8

☞ CSW 090137 Pp(c)

**CSW 110166**  
OUD/KALW. 7/5  
GEM. SI/KALW. 85/5

**LAR 000084**

**CSW 050131**  
OUD/KALW. 7/3  
GEM. SI/KALW. 94/3

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|----------------------|------------------|----------------------|-------------------|------------|--------------|---------------|
| 108                  | 97               | 100                  | 103               | 99         | 99           | 99            |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 104            | 98        | 94        | 95           | 91          | 105         | 101    | 101            | 98  | 98  | 95          | 102    | 99     | 99     | 92  | 90  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 103         | -           | -           | 95         | -          | 359     | 1.19 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Gebruik op koeie

LOGIX EBV Analise: 2025-07-21

## BULLS

### LOT 13 SPRINGBOKSPRUIT BONSMARAS



**JH 220119**  
2022-11-08  
SP

Parentage Sire Dam

DNA

Genomic

LMR 160082



**JH 180022**

AGE/CALV. 5/3  
AVG. Wt/CALV. 103/3  
ICP 392

FCT 120053

LMR 110245  
AGE/CALV. 6/2  
AVG. Wt/CALV. 116/2  
ICP 559

LDW 110191

THE 110140  
AGE/CALV. 9/8  
AVG. Wt/CALV. 89/8  
ICP 383

FCT 080201

FCT 080094  
AGE/CALV. 9/5  
AVG. Wt/CALV. 101/3

LMR 070280

LMR 080277  
AGE/CALV. 16/13  
AVG. Wt/CALV. 99/12

☞ LAR 050159

LDW 060153  
AGE/CALV. 8/6  
AVG. Wt/CALV. 95/5

THE 070088

THE 050126  
AGE/CALV. 10/8  
AVG. Wt/CALV. 107/8

Calving Ease  
Value  
**119**

Weaner Calf  
Value  
**96**

Fertility  
Value  
**98**

Maintenance  
Value  
**110**

Cow Value  
**97**

Growth  
Value  
**91**

Carcass  
Value  
**94**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 115             | 100       | 71        | 103        | 100          | 106       | 89      | 95               | 94  | 94  | 90            | 82     | 89     | 95      | 94  | 106 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 105        | -          | -          | 97        | -         | 326     | 1.28 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Is gebruik in kudde. Goeie versbul.

LOGIX EBV Analysis: 2025-07-21

### LOT 14 MPOLA TRUST



**ABM 220073**  
2022-11-08  
SP

Parentage Sire Dam

DNA ✓

Genomic

☞ NFS 190039 HH(c)



**ABM 150195**

AGE/CALV. 8/6  
AVG. Wt/CALV. 106/5  
ICP 373

☞ LAR 140064 HH(c)

ZVJ 130068  
AGE/CALV. 11/10  
AVG. Wt/CALV. 99/10  
ICP 367

JG 120359

ABM 110122  
AGE/CALV. 13/11  
AVG. Wt/CALV. 97/10  
ICP 366

LAR 090281

☞ LAR 110039 HH(c)  
AGE/CALV. 11/8  
AVG. Wt/CALV. 107/8

FCT 100248

☞ ZVJ 110012 HH(c)  
AGE/CALV. 14/11  
AVG. Wt/CALV. 103/11

VV 080268

JG 100177  
AGE/CALV. 7/5  
AVG. Wt/CALV. 117/5

FUZ 080035

CAM 080147  
AGE/CALV. 5/3  
AVG. Wt/CALV. 99/2

Calving Ease  
Value  
**104**

Weaner Calf  
Value  
**110**

Fertility  
Value  
**93**

Maintenance  
Value  
**93**

Cow Value  
**104**

Growth  
Value  
**105**

Carcass  
Value  
**105**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 111       | 94        | 82         | 85           | 97        | 106     | 107              | 107 | 97  | 106           | 99     | 97     | 123     | 100 | 75  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 114        | -          | -          | 103       | -         | 335     | 1.21 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Gebruik op koeie en groot verse, gebruik in kudde

LOGIX EBV Analysis: 2025-07-21

### LOT 15 MPOLA TRUST



**ABM 220090**  
2022-11-19  
SP

Parentage Sire Dam

DNA ✓

Genomic

☞ NFS 190039 HH(c)



**ABM 090346**

AGE/CALV. 13/11  
AVG. Wt/CALV. 95/11  
ICP 372

☞ LAR 140064 HH(c)

ZVJ 130068  
AGE/CALV. 11/10  
AVG. Wt/CALV. 99/10  
ICP 367

☞ LAR 030357

CAM 000019  
AGE/CALV. 12/8  
AVG. Wt/CALV. 99/8  
ICP 471

LAR 090281

☞ LAR 110039 HH(c)  
AGE/CALV. 11/8  
AVG. Wt/CALV. 107/8

FCT 100248

☞ ZVJ 110012 HH(c)  
AGE/CALV. 14/11  
AVG. Wt/CALV. 103/11

LAR 010110

LAR 990342  
AGE/CALV. 9/6  
AVG. Wt/CALV. 96/6

BHE 960025

CAM 920173  
AGE/CALV. 8/6  
AVG. Wt/CALV. 101/6

Calving Ease  
Value  
**101**

Weaner Calf  
Value  
**86**

Fertility  
Value  
**89**

Maintenance  
Value  
**104**

Cow Value  
**80**

Growth  
Value  
**111**

Carcass  
Value  
**99**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 96              | 96        | 80        | 109        | 83           | 94        | 105     | 98               | 113 | 99  | 95            | 86     | 88     | 118     | 104 | 80  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 92         | -          | -          | 108       | -         | 376     | 1.19 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Gebruik op koeie en verse

LOGIX EBV Analysis: 2025-07-21

## BULLE

## LOT 16 SPRINGBOKSPRUIT BONSMARAS



JH 220076

2022-10-06  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

THE 120163



JH 200007

OUD/KALW. 4/2  
GEM. SI/KALW. 106/1  
TKP 538

☞ THE 070181

THE 030005  
OUD/KALW. 13/11  
GEM. SI/KALW. 97/11  
TKP 395

☞ THE 130012

JH 110002

OUD/KALW. 12/9  
GEM. SI/KALW. 110/7  
TKP 414

CEG 040210

HJS 900041  
OUD/KALW. 18/13  
GEM. SI/KALW. 113/10

VV 960318

THE 970022  
OUD/KALW. 11/8  
GEM. SI/KALW. 91/8

☞ THE 100023

THE 090086  
OUD/KALW. 4/2  
GEM. SI/KALW. 101/2

NFS 060408

JH 060043  
OUD/KALW. 11/8  
GEM. SI/KALW. 108/4Geboortegemak  
Waarde  
**105**Speenkalv  
Waarde  
**90**Vrugbaarheids-  
waarde  
**103**Onderhouds-  
waarde  
**110**Koeiwaarde  
**93**Groei-  
waarde  
**100**Karkas-  
waarde  
**96**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 103            | 96        | 82        | 95           | 111         | 104         | 89     | 91             | 104 | 104 | 90          | 103    | 100    | 99     | 104 | 99  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 106         | -           | -           | 104        | -          | 335     | 1.22 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Geskik vir gebruik op verse

LOGIX EBV Analise: 2025-07-21

## LOT 17 MPOLA TRUST



ABM 220004

2022-04-19  
B

Ouerskap Vaar Moer

DNS ✓

Genomies

FUZ 170109



ABM 140383

OUD/KALW. 10/7  
GEM. SI/KALW. 94/6  
TKP 453

LMR 080188

FUZ 130096  
OUD/KALW. 11/9  
GEM. SI/KALW. 100/9  
TKP 392

LAR 030052

LMR 030288  
OUD/KALW. 12/4  
GEM. SI/KALW. 100/4

FUZ 100131

FUZ 090092  
OUD/KALW. 5/3  
GEM. SI/KALW. 106/3Geboortegemak  
Waarde  
**119**Speenkalv  
Waarde  
**79**Vrugbaarheids-  
waarde  
**110**Onderhouds-  
waarde  
**100**Koeiwaarde  
**93**Groei-  
waarde  
**88**Karkas-  
waarde  
**90**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 115            | 78        | 107       | 87           | 107         | 107         | 104    | 83             | 85  | 72  | 98          | 85     | 87     | 84     | 98  | 99  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 92          | -           | -           | 104        | -          | 338     | 1.20 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Ideale kalwingsgemak bul

LOGIX EBV Analise: 2025-07-21

## LOT 18 MPOLA TRUST



ABM 220079

2022-11-12  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

☞ ABM 160088 HH(c)



NFS 180312

OUD/KALW. 5/3  
GEM. SI/KALW. 106/2  
TKP 431

NFS 110101

CAM 070047  
OUD/KALW. 14/11  
GEM. SI/KALW. 101/11  
TKP 389

JRP 120081

NFS 150113

OUD/KALW. 10/8  
GEM. SI/KALW. 105/8  
TKP 399

NFS 080032

☞ NFS 000257  
OUD/KALW. 15/12  
GEM. SI/KALW. 98/12

AG 030418

RCO 010150  
OUD/KALW. 11/9  
GEM. SI/KALW. 100/8

LAR 070055

JRP 010030  
OUD/KALW. 18/15  
GEM. SI/KALW. 101/14

☞ NFS 110154

NFS 100046  
OUD/KALW. 6/3  
GEM. SI/KALW. 103/3Geboortegemak  
Waarde  
**102**Speenkalv  
Waarde  
**107**Vrugbaarheids-  
waarde  
**115**Onderhouds-  
waarde  
**110**Koeiwaarde  
**113**Groei-  
waarde  
**100**Karkas-  
waarde  
**97**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 102            | 107       | 89        | 109          | 103         | 119         | 104    | 107            | 103 | 114 | 89          | 96     | 102    | 113    | 86  | 102 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 99          | -           | -           | 90         | -          | 379     | 1.19 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Gebruik op koeie

LOGIX EBV Analise: 2025-07-21

**BULLS**

**LOT 19** *SPRINGBOKSPRUIT BONSMARAS*



**JH 200042**  
2020-04-01  
SP

Parentage Sire Dam

DNA

Genomic

LMR 160082



**THE 120154**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 103/7  
ICP 418

FCT 120053

LMR 110245  
AGE/CALV. 6/2  
AVG. Wt/CALV. 116/2  
ICP 559

♂ THE 070181

EI 030203  
AGE/CALV. 13/11  
AVG. Wt/CALV. 94/10  
ICP 369

FCT 080201

FCT 080094  
AGE/CALV. 9/5  
AVG. Wt/CALV. 101/3

LMR 070280

LMR 080277  
AGE/CALV. 16/13  
AVG. Wt/CALV. 99/12

CEG 040210

HJS 900041  
AGE/CALV. 18/13  
AVG. Wt/CALV. 113/10

♂ EI 980080

EI 960175  
AGE/CALV. 18/10  
AVG. Wt/CALV. 102/7

Calving Ease  
Value  
**92**

Weaner Calf  
Value  
**106**

Fertility  
Value  
**87**

Maintenance  
Value  
**94**

Cow Value  
**94**

Growth  
Value  
**106**

Carcass  
Value  
**113**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 90              | 116       | 81        | 117        | 85           | 91        | 100     | 108              | 106 | 98  | 106           | 87     | 99     | 109     | 102 | 110 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 116        | -          | -          | 98        | -         | 350     | 1.21 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 1          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Suksesvol gebruik in kudde. Behou een saad aandeel.

**LOGIX** EBV Analysis: 2025-07-21

**LOT 20** *MPOLA TRUST*



**ABM 220014**  
2022-05-04  
SP

Parentage Sire Dam

DNA ✓

Genomic

FUZ 170109



**ABM 150029**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 104/6  
ICP 410

LMR 080188

FUZ 130096  
AGE/CALV. 11/9  
AVG. Wt/CALV. 100/9  
ICP 392

ABM 090251

ABM 110266  
AGE/CALV. 12/9  
AVG. Wt/CALV. 108/7  
ICP 427

LAR 030052

LMR 030288  
AGE/CALV. 12/4  
AVG. Wt/CALV. 100/4

FUZ 100131

FUZ 090092  
AGE/CALV. 5/3  
AVG. Wt/CALV. 106/3

♂ LAR 030357

CAM 050259  
AGE/CALV. 10/8  
AVG. Wt/CALV. 101/8

MULTIPLE SIREs

ABM 020016  
AGE/CALV. 10/2  
AVG. Wt/CALV. 108/2

Calving Ease  
Value  
**94**

Weaner Calf  
Value  
**97**

Fertility  
Value  
**98**

Maintenance  
Value  
**86**

Cow Value  
**96**

Growth  
Value  
**107**

Carcass  
Value  
**106**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 93              | 100       | 112       | 100        | 97           | 94        | 110     | 104              | 108 | 103 | 115           | 117    | 115    | 99      | 98  | 114 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 104        | -          | -          | 115       | -         | 351     | 1.18 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Gebruik op koeie

**LOGIX** EBV Analysis: 2025-07-21

**LOT 21** *MPOLA TRUST*



**ABM 220045**  
2022-09-25  
SP

Parentage Sire Dam

DNA ✓

Genomic

AGB 180093



**ABM 190428**  
AGE/CALV. 4/2  
AVG. Wt/CALV. 107/1  
ICP 408

AG 130456

AGB 150171  
AGE/CALV. 9/5  
AVG. Wt/CALV. 100/5  
ICP 473

VJ 160020

ABM 160131  
AGE/CALV. 8/6  
AVG. Wt/CALV. 103/6  
ICP 379

AG 080204

♂ AG 040418  
AGE/CALV. 14/13  
AVG. Wt/CALV. 100/13

AG 020300

AGB 090020  
AGE/CALV. 11/5  
AVG. Wt/CALV. 98/5

LMR 120086

WAT 020144  
AGE/CALV. 14/11  
AVG. Wt/CALV. 102/10

LMR 120260

ABM 090335  
AGE/CALV. 10/7  
AVG. Wt/CALV. 103/6

Calving Ease  
Value  
**106**

Weaner Calf  
Value  
**97**

Fertility  
Value  
**101**

Maintenance  
Value  
**101**

Cow Value  
**101**

Growth  
Value  
**91**

Carcass  
Value  
**99**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109             | 95        | 106       | 94         | 109          | 101       | 93      | 98               | 95  | 96  | 97            | 102    | 100    | 103     | 93  | 99  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 107        | -          | -          | 101       | -         | 384     | 1.22 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Gebruik op koeie en verse

**LOGIX** EBV Analysis: 2025-07-21

## BULLE

## LOT 22 SPRINGBOKSPRUIT BONSMARAS

JH 230014  
2023-03-07  
B

Ouerskap Vaar Moer

DNS

Genomies

HKB 190080



JH 170080

OUD/KALW. 7/6  
GEM. SI/KALW. 112/5  
TKP 370

☞ CEF 130317 HH(c)

HKB 150065

OUD/KALW. 9/8  
GEM. SI/KALW. 104/6  
TKP 382

☞ THE 130012

JH 110005

OUD/KALW. 14/12  
GEM. SI/KALW. 103/10  
TKP 366

☞ CEF 110301 HH(c)

CEF 100161

OUD/KALW. 13/9  
GEM. SI/KALW. 103/7

PAD 110076

ZBR 110016

OUD/KALW. 7/5  
GEM. SI/KALW. 108/4

☞ THE 100023

THE 090086

OUD/KALW. 4/2  
GEM. SI/KALW. 101/2

NFS 060408

JH 010083

OUD/KALW. 13/10  
GEM. SI/KALW. 106/8Geboortegemak  
Waarde  
**80**Speenkalv  
Waarde  
**119**Vrugbaarheids-  
waarde  
**114**Onderhouds-  
waarde  
**85**Koeiwaarde  
**117**Groei-  
waarde  
**116**Karkas-  
waarde  
**126**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 81             | 124       | 100       | 123          | 108         | 110         | 110    | 121            | 117 | 111 | 116         | 114    | 120    | 117    | 113 | 107 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 112         | -           | -           | 104        | -          | 346     | 1.22 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2025-07-21

## LOT 23 MPOLA TRUST

ABM 220041  
2022-09-21  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

OPT 190081



ABM 190456

OUD/KALW. 5/3  
GEM. SI/KALW. 97/2  
TKP 449

OPT 170136

DBP 140365

OUD/KALW. 10/8  
GEM. SI/KALW. 101/8  
TKP 388

☞ LAR 140173 HH(c)

ABM 090350

OUD/KALW. 12/9  
GEM. SI/KALW. 105/9  
TKP 390

DBP 130030

DBP 100202

OUD/KALW. 12/10  
GEM. SI/KALW. 99/9

DBP 100041

DBP 110003

OUD/KALW. 12/10  
GEM. SI/KALW. 98/10

☞ LAR 120033 HH(c)

LAR 100159

OUD/KALW. 14/11  
GEM. SI/KALW. 105/11

☞ LAR 030357

AYJ 990056

OUD/KALW. 13/10  
GEM. SI/KALW. 103/10Geboortegemak  
Waarde  
**111**Speenkalv  
Waarde  
**101**Vrugbaarheids-  
waarde  
**100**Onderhouds-  
waarde  
**99**Koeiwaarde  
**103**Groei-  
waarde  
**103**Karkas-  
waarde  
**106**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 110            | 101       | 94        | 92           | 106         | 93          | 109    | 103            | 102 | 95  | 100         | 91     | 102    | 117    | 96  | 99  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 101         | -           | -           | 97         | -          | 362     | 1.21 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: In kudde gebruik, op koeie en verse

LOGIX EBV Analise: 2025-07-21

## LOT 24 MPOLA TRUST

ABM 220008  
2022-04-26  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

FUZ 170109



LMR 120115

OUD/KALW. 13/10  
GEM. SI/KALW. 100/9  
TKP 369

LMR 080188

FUZ 130096

OUD/KALW. 11/9  
GEM. SI/KALW. 100/9  
TKP 392

LMR 080104 Pp(c)

☞ LMR 050177

OUD/KALW. 13/9  
GEM. SI/KALW. 97/10  
TKP 398

LAR 030052

LMR 030288

OUD/KALW. 12/4  
GEM. SI/KALW. 100/4

FUZ 100131

FUZ 090092

OUD/KALW. 5/3  
GEM. SI/KALW. 106/3

☞ LMR 020173

LMR 020171

OUD/KALW. 12/9  
GEM. SI/KALW. 108/9

LAR 990144

LMR 010186

OUD/KALW. 14/11  
GEM. SI/KALW. 96/11Geboortegemak  
Waarde  
**110**Speenkalv  
Waarde  
**96**Vrugbaarheids-  
waarde  
**113**Onderhouds-  
waarde  
**97**Koeiwaarde  
**107**Groei-  
waarde  
**98**Karkas-  
waarde  
**104**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 110            | 93        | 110       | 92           | 108         | 114         | 104    | 98             | 94  | 83  | 101         | 93     | 96     | 101    | 107 | 126 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 105         | -           | -           | 115        | -          | 341     | 1.19 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Gebruik op koeie en verse

LOGIX EBV Analise: 2025-07-21

## BULLS

### LOT 25 SPRINGBOKSPRUIT BONSMARAS



**JH 220057**  
2022-09-19  
SP

Parentage Sire Dam

DNA ✓

Genomic

LMR 160082



**JH 190047**

AGE/CALV. 6/4  
AVG. WJ/CALV. 107/4  
ICP 382

FCT 120053

LMR 110245  
AGE/CALV. 6/2  
AVG. WJ/CALV. 116/2  
ICP 559

THE 120163

JH 130086  
AGE/CALV. 6/5  
AVG. WJ/CALV. 96/3  
ICP 372

FCT 080201

FCT 080094  
AGE/CALV. 9/5  
AVG. WJ/CALV. 101/3

LMR 070280

LMR 080277  
AGE/CALV. 16/13  
AVG. WJ/CALV. 99/12

☞ THE 070181

THE 030005  
AGE/CALV. 13/11  
AVG. WJ/CALV. 97/11

NFS 060408

JH 990103  
AGE/CALV. 16/4  
AVG. WJ/CALV. 107/4

Calving Ease  
Value  
**126**

Weaner Calf  
Value  
**97**

Fertility  
Value  
**89**

Maintenance  
Value  
**104**

Cow Value  
**96**

Growth  
Value  
**93**

Carcass  
Value  
**92**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 122             | 99        | 78        | 109        | 88           | 100       | 89      | 93               | 95  | 96  | 96            | 93     | 93     | 97      | 93  | 107 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 116        | -          | -          | 99        | -         | 340     | 1.20 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Geskik vir gebruik op verse

LOGIX EBV Analysis: 2025-07-21

### LOT 26 MPOLA TRUST



**ABM 220025**  
2022-08-26  
SP

Parentage Sire Dam

DNA ✓

Genomic

OPT 190081



**ABM 190376**

AGE/CALV. 6/3  
AVG. WJ/CALV. 100/2  
ICP 468

OPT 170136

DBP 140365  
AGE/CALV. 10/8  
AVG. WJ/CALV. 101/8  
ICP 388

LMR 140226

ABM 160120  
AGE/CALV. 8/6  
AVG. WJ/CALV. 88/5  
ICP 404

DBP 130030

DBP 100202  
AGE/CALV. 12/10  
AVG. WJ/CALV. 99/9

DBP 100041

DBP 110003  
AGE/CALV. 12/10  
AVG. WJ/CALV. 98/10

WBB 100260

LMR 110063  
AGE/CALV. 12/10  
AVG. WJ/CALV. 99/11

PAD 080146

ABM 080129  
AGE/CALV. 16/13  
AVG. WJ/CALV. 97/12

Calving Ease  
Value  
**103**

Weaner Calf  
Value  
**99**

Fertility  
Value  
**93**

Maintenance  
Value  
**118**

Cow Value  
**97**

Growth  
Value  
**93**

Carcass  
Value  
**97**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 104             | 96        | 98        | 88         | 90           | 95        | 103     | 90               | 94  | 90  | 84            | 87     | 87     | 103     | 105 | 98  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 97         | -          | -          | 108       | -         | 358     | 1.17 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 1          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Gebruik op koeie

LOGIX EBV Analysis: 2025-07-21

### LOT 27 MPOLA TRUST



**ABM 220065**  
2022-11-05  
SP

Parentage Sire Dam

DNA ✓

Genomic

☞ NFS 190039 HH(c)



**ABM 090348**

AGE/CALV. 13/11  
AVG. WJ/CALV. 99/11  
ICP 371

☞ LAR 140064 HH(c)

ZVJ 130068  
AGE/CALV. 11/10  
AVG. WJ/CALV. 99/10  
ICP 367

LAR 050016

CAM 010172  
AGE/CALV. 10/8  
AVG. WJ/CALV. 98/8  
ICP 376

LAR 090281

☞ LAR 110039 HH(c)  
AGE/CALV. 11/8  
AVG. WJ/CALV. 107/8

FCT 100248

☞ ZVJ 110012 HH(c)  
AGE/CALV. 14/11  
AVG. WJ/CALV. 103/11

AG 010299

LAR 990381  
AGE/CALV. 14/10  
AVG. WJ/CALV. 101/7

Calving Ease  
Value  
**94**

Weaner Calf  
Value  
**97**

Fertility  
Value  
**83**

Maintenance  
Value  
**87**

Cow Value  
**84**

Growth  
Value  
**108**

Carcass  
Value  
**101**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 91              | 111       | 81        | 113        | 76           | 87        | 105     | 104              | 113 | 100 | 115           | 104    | 98     | 111     | 95  | 69  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 113        | -          | -          | 111       | -         | 371     | 1.18 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Slegs op koeie, speenkalf produksie

LOGIX EBV Analysis: 2025-07-21

## BULLE

## LOT 28 SPRINGBOKSPRUIT BONSMARAS



JH 220084

2022-10-12  
B

Ouerskap Vaar Moer

DNS

Genomies

LMR 160082



JH 120040

OUD/KALW. 12/10  
GEM. SI/KALW. 103/9  
TKP 392

FCT 120053

LMR 110245

OUD/KALW. 6/2  
GEM. SI/KALW. 116/2  
TKP 559

JH 050001

JH 090068

OUD/KALW. 13/11  
GEM. SI/KALW. 102/10  
TKP 372

FCT 080201

FCT 080094

OUD/KALW. 9/5  
GEM. SI/KALW. 101/3

LMR 070280

LMR 080277

OUD/KALW. 16/13  
GEM. SI/KALW. 99/12

♂ AG J 0008

JH 990049

OUD/KALW. 13/8  
GEM. SI/KALW. 99/5

JH 010138

JH 050029

OUD/KALW. 14/12  
GEM. SI/KALW. 96/10Geboortegemak  
Waarde  
**139**Speenkal  
f Waarde  
**90**Vrugbaarheids-  
waarde  
**91**Onderhouds-  
waarde  
**108**Koeiwaarde  
**95**Groei-  
waarde  
**88**Karkas-  
waarde  
**87**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 135            | 87        | 84        | 85           | 95          | 99          | 87     | 85             | 84  | 81  | 91          | 91     | 83     | 89     | 88  | 103 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 113         | -           | -           | 95         | -          | 305     | 1.19 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Geskik vir gebruik op verse

LOGIX EBV Analise: 2025-07-21

## LOT 29 MPOLA TRUST



ABM 220042

2022-09-26  
SP

Ouerskap Vaar Moer

DNS

Genomies

AGB 180093



ABM 190520

OUD/KALW. 5/2  
GEM. SI/KALW. 104/2  
TKP 564

AG 130456

AGB 150171

OUD/KALW. 9/5  
GEM. SI/KALW. 100/5  
TKP 473

LMR 130014

ABM 100036

OUD/KALW. 13/10  
GEM. SI/KALW. 103/10  
TKP 395

AG 080204

♂ AG 040418

OUD/KALW. 14/13  
GEM. SI/KALW. 100/13

AG 020300

AGB 090020

OUD/KALW. 11/5  
GEM. SI/KALW. 98/5

LMR 080332

LMR 060243

OUD/KALW. 9/7  
GEM. SI/KALW. 107/6

♂ LAR 040172

CAM 070043

OUD/KALW. 6/3  
GEM. SI/KALW. 103/2Geboortegemak  
Waarde  
**101**Speenkal  
f Waarde  
**101**Vrugbaarheids-  
waarde  
**98**Onderhouds-  
waarde  
**99**Koeiwaarde  
**102**Groei-  
waarde  
**100**Karkas-  
waarde  
**102**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 104            | 99        | 110       | 101          | 104         | 98          | 94     | 103            | 109 | 119 | 98          | 115    | 109    | 97     | 91  | 109 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 111         | -           | -           | 113        | -          | 394     | 1.20 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Gebruik op koeie, speenkalf produksie

LOGIX EBV Analise: 2025-07-21

## LOT 30 MPOLA TRUST



ABM 220100

2022-12-02  
SP

Ouerskap Vaar Moer

DNS

Genomies

ABM 190450



ABM 170166

OUD/KALW. 6/4  
GEM. SI/KALW. 100/4  
TKP 384

♂ ABM 160088 HH(c)

LMR 100207

OUD/KALW. 15/12  
GEM. SI/KALW. 102/11  
TKP 398

ABM 130095

ABM 140398

OUD/KALW. 5/3  
GEM. SI/KALW. 107/2  
TKP 418

NFS 110101

CAM 070047

OUD/KALW. 14/11  
GEM. SI/KALW. 101/11

LMR 050223

LMR 070161

OUD/KALW. 12/10  
GEM. SI/KALW. 104/10

LMR 080104 Pp(c)

CAM 080101

OUD/KALW. 11/7  
GEM. SI/KALW. 108/6Geboortegemak  
Waarde  
**98**Speenkal  
f Waarde  
**99**Vrugbaarheids-  
waarde  
**98**Onderhouds-  
waarde  
**94**Koeiwaarde  
**98**Groei-  
waarde  
**100**Karkas-  
waarde  
**98**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 98             | 102       | 102       | 107          | 93          | 103         | 96     | 102            | 102 | 102 | 105         | 108    | 102    | 96     | 90  | 91  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 98          | -           | -           | 101        | -          | 373     | 1.16 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Gebruik op verse en koeie

LOGIX EBV Analise: 2025-07-21

## BULLS

## LOT 31 SPRINGBOKSPRUIT BONSMARAS



JH 220110

2022-10-31  
B

Parentage Sire Dam

DNA

Genomic

HKB 190080



JH 120077

AGE/CALV. 10/8  
AVG. WJ/CALV. 98/6  
ICP 376

CEF 130317 HH(c)

HKB 150065

AGE/CALV. 9/8  
AVG. WJ/CALV. 104/6  
ICP 382

JH 060006

JH 000001

AGE/CALV. 14/8  
AVG. WJ/CALV. 97/7  
ICP 362

CEF 110301 HH(c)

CEF 100161

AGE/CALV. 13/9  
AVG. WJ/CALV. 103/7

PAD 110076

ZBR 110016

AGE/CALV. 7/5  
AVG. WJ/CALV. 108/4

JH 000065

AGE/CALV. 13/8  
AVG. WJ/CALV. 114/5Calving Ease  
Value  
100Weaner Calf  
Value  
101Fertility  
Value  
102Maintenance  
Value  
91Cow Value  
101Growth  
Value  
105Carcass  
Value  
118

| Calf and Mother |           |            | Fertility  |              |           |         | Post-Wean Growth |                  |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|------------|------------|--------------|-----------|---------|------------------|------------------|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat.  | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG              | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 100             | 109       | 89         | 139        | 104          | 102       | 96      | 107              | 109              | 108 | 110           | 105    | 107    | 99      | 125 | 119 |
| Wean Index      |           | 365D Index | 540D Index | ADG Index    | FCR Index | Scrotum | LH               | Myostatin        |     |               |        |        |         |     |     |
| 98              |           | -          | -          | 106          | -         | 383     | 1.23             | Q204X 0          |     |               |        |        |         |     |     |
|                 |           |            |            |              |           |         |                  | NT821 Not Tested |     |               |        |        |         |     |     |
|                 |           |            |            |              |           |         |                  | F94L Not Tested  |     |               |        |        |         |     |     |

REMARKS:

LOGIX EBV Analysis: 2025-07-21

## LOT 32 SPRINGBOKSPRUIT BONSMARAS



JH 230026

2023-03-20  
B

Parentage Sire Dam

DNA

Genomic

LMR 160082



JH 130098

AGE/CALV. 11/10  
AVG. WJ/CALV. 98/7  
ICP 366

FCT 120053

LMR 110245

AGE/CALV. 6/2  
AVG. WJ/CALV. 116/2  
ICP 559

JH 050001

JH 060015

AGE/CALV. 12/10  
AVG. WJ/CALV. 91/8  
ICP 369

FCT 080201

FCT 080094

AGE/CALV. 9/5  
AVG. WJ/CALV. 101/3

LMR 070280

LMR 080277

AGE/CALV. 16/13  
AVG. WJ/CALV. 99/12

AG J 0008

JH 990049

AGE/CALV. 13/8  
AVG. WJ/CALV. 99/5

JH 010138

JH 930036

AGE/CALV. 17/4  
AVG. WJ/CALV. 92/4Calving Ease  
Value  
106Weaner Calf  
Value  
88Fertility  
Value  
89Maintenance  
Value  
103Cow Value  
85Growth  
Value  
89Carcass  
Value  
93

| Calf and Mother |           |            | Fertility  |              |           |         | Post-Wean Growth |                  |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|------------|------------|--------------|-----------|---------|------------------|------------------|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat.  | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG              | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 107             | 96        | 84         | 95         | 90           | 99        | 91      | 96               | 84               | 78  | 96            | 87     | 85     | 92      | 85  | 106 |
| Wean Index      |           | 365D Index | 540D Index | ADG Index    | FCR Index | Scrotum | LH               | Myostatin        |     |               |        |        |         |     |     |
| 103             |           | -          | -          | 99           | -         | 312     | 1.22             | Q204X 0          |     |               |        |        |         |     |     |
|                 |           |            |            |              |           |         |                  | NT821 Not Tested |     |               |        |        |         |     |     |
|                 |           |            |            |              |           |         |                  | F94L Not Tested  |     |               |        |        |         |     |     |

REMARKS:

LOGIX EBV Analysis: 2025-07-21

## LOT 33 SPRINGBOKSPRUIT BONSMARAS



JH 230027

2023-03-21  
B

Parentage Sire Dam

DNA

Genomic

HKB 190080



JH 140065

AGE/CALV. 9/6  
AVG. WJ/CALV. 102/5  
ICP 414

CEF 130317 HH(c)

HKB 150065

AGE/CALV. 9/8  
AVG. WJ/CALV. 104/6  
ICP 382

THE 100079

JH 100074

AGE/CALV. 13/10  
AVG. WJ/CALV. 97/10  
ICP 394

CEF 110301 HH(c)

CEF 100161

AGE/CALV. 13/9  
AVG. WJ/CALV. 103/7

PAD 110076

ZBR 110016

AGE/CALV. 7/5  
AVG. WJ/CALV. 108/4

THE 060036

THE 060076

AGE/CALV. 5/2  
AVG. WJ/CALV. 106/2

NFS 060408

JH 050006

AGE/CALV. 11/9  
AVG. WJ/CALV. 106/8Calving Ease  
Value  
97Weaner Calf  
Value  
102Fertility  
Value  
102Maintenance  
Value  
107Cow Value  
102Growth  
Value  
99Carcass  
Value  
105

| Calf and Mother |           |            | Fertility  |              |           |         | Post-Wean Growth |                  |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|------------|------------|--------------|-----------|---------|------------------|------------------|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat.  | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG              | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 95              | 103       | 95         | 99         | 101          | 101       | 104     | 101              | 102              | 101 | 92            | 103    | 105    | 94      | 108 | 105 |
| Wean Index      |           | 365D Index | 540D Index | ADG Index    | FCR Index | Scrotum | LH               | Myostatin        |     |               |        |        |         |     |     |
| 92              |           | -          | -          | 94           | -         | 315     | 1.22             | Q204X 0          |     |               |        |        |         |     |     |
|                 |           |            |            |              |           |         |                  | NT821 Not Tested |     |               |        |        |         |     |     |
|                 |           |            |            |              |           |         |                  | F94L Not Tested  |     |               |        |        |         |     |     |

REMARKS: Geskik vir gebruik op verse

LOGIX EBV Analysis: 2025-07-21

| Dier Info                     |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     |            | Dam             |            |             |
|-------------------------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                           | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average Auction Average |            |     |     | 36            | 233          | -         | 45.2      | 1.21                | 354             | 0.98 0.47                | -0.30 -0.55    | 14.5 15.4     | 3.6 1.3       | 24 29          | 22 22               | 77 85     | -36 -33     | 12.5 13.7       | -3.0 -6      | 13.0 13     | 104  | 103 | 102        | 102             | 6.0        | 105         |
| 1                             | JH 220060  | M   | B   | 27            | 193          | -         | 40.6      | 1.27                | 338             | -2.78                    | -0.76          | 2.2           | -6.3          | 4.9            | -15.0               | -20       | 16          | 12.5            | -36          | -18         | 93   | 94  | 100        | 89              | 13         | 115         |
| 2                             | ABM 220039 | M   | SP  | 34            | 259          | -         | 45.8      | 1.17                | 337             | -0.44                    | -0.38          | 11.6          | 2.7           | 22.6           | 13.3                | 18        | -16         | -11             | -8           | 6           | 106  | 90  | 60         | 95              | 3          | 91          |
| 3                             | ABM 220069 | M   | SP  | 35            | 247          | -         | 51.1      | 1.21                | 359             | 0.30                     | -1.27          | 14.9          | 0.8           | 28.1           | 2.1                 | 63        | -35         | 11.7            | -5           | 12          | 103  | 100 | 99         | 100             | 4          | 100         |
| 4                             | JH 220052  | M   | B   | 38            | 235          | -         | 41        | 1.23                | 347             | 0.98                     | 0.31           | 26.1          | 1.8           | 55.1           | 60.7                | 182       | -59         | 14.6            | 1            | 34          | 111  | 118 | 104        | 101             | 9          | 110         |
| 5                             | ABM 220067 | M   | SP  | 39            | 259          | -         | 48.1      | 1.23                | 369             | 0.87                     | 0.09           | 15.0          | -0.1          | 20.6           | 6.6                 | 106       | -29         | 11.6            | -23          | -3          | 107  | 101 | 98         | 105             | 9          | 109         |
| 6                             | ABM 220049 | M   | SP  | 36            | 248          | -         | 49        | 1.23                | 414             | 0.63                     | -0.85          | 14.5          | 3.9           | 34.0           | 31.0                | 106       | -54         | 28.3            | -2           | 18          | 101  | 107 | 127        | 107             | 3          | 102         |
| 7                             | JH 220090  | M   | B   | 36            | 230          | -         | 36.2      | 1.23                | 343             | -0.25                    | -0.38          | 16.8          | 1.7           | 30.0           | 36.8                | 81        | -26         | 20.7            | -12          | 10          | 109  | 103 | 114        | 109             | 8          | 114         |
| 8                             | ABM 220102 | M   | SP  | 37            | 232          | -         | 46.7      | 1.23                | 386             | 1.22                     | -0.57          | 16.1          | 3.1           | 38.0           | 31.5                | 179       | -75         | 24.1            | 12           | 31          | 107  | 123 | 120        | 103             | 3          | 101         |
| 9                             | ABM 220006 | M   | SP  | 37            | 208          | -         | 45.8      | 1.18                | 368             | 1.03                     | -0.88          | 14.1          | 2.2           | 29.4           | 26.6                | 51        | -23         | 19.6            | -11          | 8           | 100  | 93  | 112        | 100             | 8          | 105         |
| 10                            | JH 230012  | M   | B   | 38            | 216          | -         | 41.6      | 1.24                | 330             | 0.81                     | 0.32           | 26.1          | 1.1           | 52.5           | 49.0                | 192       | -67         | 18.9            | 8            | 37          | 104  | 119 | 111        | 96              | 9          | 117         |
| 11                            | ABM 220051 | M   | SP  | 36            | 267          | -         | 42.6      | 1.25                | 365             | 0.24                     | -0.26          | 20.0          | 2.2           | 41.2           | 38.8                | 90        | -18         | 8               | -6           | 17          | 110  | 95  | 92         | 107             | 9          | 110         |
| 12                            | ABM 220093 | M   | SP  | 38            | 225          | -         | 46.7      | 1.19                | 359             | 0.52                     | -0.89          | 13.3          | 1.9           | 29.2           | 14.4                | 72        | -33         | 9.3             | -1           | 13          | 103  | 95  | 95         | 98              | 4          | 103         |
| 13                            | JH 220119  | M   | SP  | 30            | 217          | -         | 42.3      | 1.28                | 326             | -0.62                    | -0.95          | 14.8          | -5.3          | 22.7           | 6.5                 | 56        | -26         | 14.5            | -17          | 4           | 105  | 97  | 103        | 103             | 3          | 109         |
| 14                            | ABM 220073 | M   | SP  | 36            | 271          | -         | 48.1      | 1.21                | 335             | 1.11                     | -1.07          | 20.5          | 1.8           | 35.3           | 31.2                | 102       | -32         | 1.9             | -4           | 11          | 114  | 103 | 82         | 106             | 6          | 107         |
| 15                            | ABM 220090 | M   | SP  | 37            | 226          | -         | 32.5      | 1.19                | 376             | 1.37                     | -1.02          | 12.5          | -2.7          | 26.6           | 14.3                | 126       | -35         | 17.5            | -14          | 3           | 92   | 108 | 109        | 95              | 11         | 110         |
| 16                            | JH 220076  | M   | SP  | 32            | 220          | -         | 46.5      | 1.22                | 335             | 0.62                     | -0.60          | 12.4          | -1.9          | 18.1           | 6.7                 | 92        | -43         | 9.5             | -0           | 14          | 106  | 104 | 95         | 106             | 2          | 96          |
| 17                            | ABM 220004 | M   | B   | 32            | 189          | -         | 39.4      | 1.20                | 338             | -0.59                    | -0.97          | 2.4           | 5.8           | 11.1           | 18.2                | 19        | 8           | 4.7             | -15          | 2           | 92   | 104 | 87         | 94              | 7          | 96          |
| 18                            | ABM 220079 | M   | SP  | 35            | 215          | -         | 50        | 1.19                | 379             | 0.79                     | -1.89          | 18.5          | 0.1           | 35.6           | 6.0                 | 89        | -60         | 17.5            | -6           | 15          | 99   | 90  | 109        | 106             | 3          | 100         |
| 19                            | JH 200042  | M   | SP  | 40            | 269          | -         | 51        | 1.21                | 350             | 2.08                     | -0.64          | 23.5          | -2.2          | 34.6           | 30.8                | 100       | -33         | 22.3            | -13          | 13          | 116  | 98  | 117        | 103             | 9          | 102         |
| 20                            | ABM 220014 | M   | SP  | 38            | 215          | -         | 39.3      | 1.18                | 351             | 1.75                     | -0.51          | 14.5          | 7.3           | 31.3           | 43.9                | 106       | -42         | 12.6            | 11           | 26          | 104  | 115 | 100        | 104             | 7          | 99          |
| 21                            | ABM 220045 | M   | SP  | 36            | 263          | -         | 52.4      | 1.22                | 384             | 0.05                     | 0.13           | 11.8          | 5.6           | 25.3           | 17.2                | 58        | -29         | 8.8             | -2           | 13          | 107  | 101 | 94         | 107             | 2          | 96          |
| 22                            | JH 230014  | M   | B   | 43            | 234          | -         | 51.5      | 1.22                | 346             | 3.03                     | -0.13          | 27.7          | 3.6           | 47.7           | 46.0                | 142       | -54         | 25.9            | 8            | 31          | 112  | 104 | 123        | 112             | 6          | 115         |
| 23                            | ABM 220041 | M   | SP  | 34            | 248          | -         | 42        | 1.21                | 362             | -0.09                    | -0.47          | 15.2          | 1.9           | 30.7           | 21.7                | 86        | -29         | 7.8             | -10          | 15          | 101  | 97  | 92         | 97              | 3          | 95          |
| 24                            | ABM 220008 | M   | SP  | 36            | 215          | -         | 46.8      | 1.19                | 341             | -0.11                    | -0.23          | 10.6          | 6.8           | 25.3           | 22.5                | 55        | -9          | 8.1             | -8           | 10          | 105  | 115 | 92         | 100             | 10         | 110         |
| 25                            | JH 220057  | M   | SP  | 31            | 238          | -         | 50.8      | 1.20                | 340             | -1.34                    | -0.99          | 14.1          | -3.1          | 21.7           | 15.1                | 57        | -30         | 17.9            | -8           | 7           | 116  | 99  | 109        | 107             | 4          | 113         |

| Dier Info                         |            |        |     | Werklike Syfers    |                    |              |              |                        |                    | Verwagte Teelwaardes |                 |                 |                 |                |                     |              |                |                    |                | Indekse        |      |     | Moeder     |                  |             |              |
|-----------------------------------|------------|--------|-----|--------------------|--------------------|--------------|--------------|------------------------|--------------------|----------------------|-----------------|-----------------|-----------------|----------------|---------------------|--------------|----------------|--------------------|----------------|----------------|------|-----|------------|------------------|-------------|--------------|
| LOT                               | Dier ID    | Geslag | AFD | Geb. Gewig<br>(kg) | 205d Gewig<br>(kg) | KKG<br>Verh. | KKS<br>Verh. | Lengte Hoogte<br>Verh. | Skr. Omtr.<br>(mm) | Geb Dir<br>(kg)      | Geb Mat<br>(kg) | Spn Dir<br>(kg) | Spn Mat<br>(kg) | Na-Spn<br>(kg) | Volw. Gewig<br>(kg) | GDT<br>(g/d) | VOV<br>(kg:kg) | Skr. Omtr.<br>(mm) | Hoogte<br>(mm) | Lengte<br>(mm) | Spn. | GDT | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
| Ras Gemiddeld<br>Aanbod Gemiddeld |            |        |     | 36                 | 233                | -            | 45.2         | 1.21                   | 354                | 0.98<br>0.47         | -0.30<br>-0.55  | 14.5<br>15.4    | 3.6<br>1.3      | 24<br>29       | 22<br>22            | 77<br>85     | -36<br>-33     | 12.5<br>13.7       | -3.0<br>-6     | 13.0<br>13     | 104  | 103 | 102        | 102              | 6.0         | 105          |
| 26                                | ABM 220025 | M      | SP  | 34                 | 239                | -            | 54.8         | 1.17                   | 358                | 0.60                 | -0.23           | 12.2            | 3.0             | 17.7           | -1.4                | 56           | -21            | 5.3                | -13            | 2              | 97   | 108 | 88         | 100              | 3           | 86           |
| 27                                | ABM 220065 | M      | SP  | 38                 | 270                | -            | 41.8         | 1.18                   | 371                | 1.98                 | -0.76           | 20.4            | -2.4            | 32.1           | 44.6                | 127          | -37            | 20                 | 0              | 12             | 113  | 111 | 113        | 99               | 11          | 111          |
| 28                                | JH 220084  | M      | B   | 27                 | 228                | -            | 41.1         | 1.19                   | 305                | -2.73                | -1.05           | 7.4             | -1.2            | 13.6           | 8.7                 | 18           | -5             | 3.8                | -10            | -2             | 113  | 95  | 85         | 103              | 10          | 110          |
| 29                                | ABM 220042 | M      | SP  | 36                 | 270                | -            | 57           | 1.20                   | 394                | 0.58                 | 0.11            | 13.9            | 6.6             | 30.8           | 19.4                | 111          | -66            | 13.3               | 9              | 22             | 111  | 113 | 101        | 104              | 2           | 90           |
| 30                                | ABM 220100 | M      | SP  | 40                 | 219                | -            | 41.2         | 1.16                   | 373                | 1.16                 | -0.30           | 15.6            | 4.2             | 29.9           | 29.6                | 83           | -40            | 16.4               | 3              | 15             | 98   | 101 | 107        | 100              | 4           | 105          |
| 31                                | JH 220110  | M      | B   | 38                 | 212                | -            | 37.1         | 1.23                   | 383                | 1.03                 | -0.31           | 19.4            | 0.3             | 34.0           | 36.0                | 109          | -49            | 34.8               | 1              | 20             | 98   | 106 | 139        | 98               | 8           | 114          |
| 32                                | JH 230026  | M      | B   | 40                 | 215                | -            | 44.1         | 1.22                   | 312                | 0.30                 | -0.25           | 12.6            | -1.3            | 22.6           | 15.9                | 18           | -1             | 9.7                | -13            | -0             | 103  | 99  | 95         | 98               | 10          | 116          |
| 33                                | JH 230027  | M      | B   | 40                 | 196                | -            | 45.6         | 1.22                   | 315                | 1.50                 | -0.58           | 16.4            | 2.0             | 28.3           | 9.4                 | 86           | -38            | 12                 | -0             | 18             | 92   | 94  | 99         | 102              | 6           | 105          |

| EXPLANATION OF CATALOGUE ABBREVIATIONS                  |                 | VERDUIDELIKING VAN KATALOGUS AFKORTINGS |                                                             |
|---------------------------------------------------------|-----------------|-----------------------------------------|-------------------------------------------------------------|
| Lot Number                                              | LOT             | LOT                                     | Lot Nommer                                                  |
| Estimated breeding value                                | EBV             | EBV                                     | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage       | Ouerskap                                | Ouerskap verifikasie                                        |
| Age in years / Number of calvings                       | AGE. / CALV.    | OOD. / KALF.                            | Ouderdom in jaar / Aantal kalwings                          |
| Average Wean index / Number of calves weaned            | Ave WI / CALV.  | GEM SI / KALF.                          | Gemiddelde speen indeks / Aantal kalwers gespeen            |
| Animal identification number                            | ID              | ID                                      | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC             | AFD                                     | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN             | PEN                                     | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR             | NFR                                     | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO              | FO                                      | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A               | A                                       | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B               | B                                       | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP              | SP                                      | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT              | GT                                      | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)           | HH(c)                                   | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)           | PP(c)                                   | Homosigotiets Poena (Celtic toets)                          |
| Heterozygous Polled (Celtic test)                       | Pp(c)           | Pp(c)                                   | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P               | P                                       | Fenotopies Poena                                            |
| Intercalving Period                                     | ICP             | TKP                                     | Tussen-Kalf Periode                                         |
| Birth Direct breeding value                             | Birth Dir.      | Geb. Dir                                | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.       | Spn. Dir.                               | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.       | SPn. Mat.                               | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.      | Skr. Omt.                               | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert.    | Vers Vrugb.                             | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.       | Koei Vrugb.                             | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.         | Lankl.                                  | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.        | Volw. Gewig                             | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG             | GDT                                     | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR             | VOV                                     | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA             | OSO                                     | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat             | Vet                                     | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar             | Mar                                     | Marmering (binne-spiers vet)                                |
| 365-day weight index                                    | 365D Index      | 365D Indeks                             | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index      | 540D Indeks                             | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH              | LH                                      | Lengte-Hoogte Verhouding                                    |
| Actual Birth weight                                     | Birth Wt.       | Geb. gewig                              | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.        | 205d gewig                              | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| Cow-Calf Birth Ratio                                    | CCG             | KKG                                     | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW             | KKS                                     | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. Wean Index | Gem. Spn. Indeks                        | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves      | Aant. Kalw.                             | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index     | Repr. Indeks                            | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F           | M / V                                   | Dier geslag: M - Manlik, V - Vroulik                        |

## AVELING BONSMARAS & VRIENDE - 15 AUGUSTUS 2025

| <u>LOT</u> | <u>GETAL</u> | <u>ITEM</u> | <u>OUDERDOM</u> | <u>STATUS</u> | <u>OPMERKING</u> | <u>VERKOPER</u>              | <u>PRYS</u> |
|------------|--------------|-------------|-----------------|---------------|------------------|------------------------------|-------------|
| 35         | 4 + 4        | Vers + Kalf | 2023            | Dragtig       |                  | BOSSIESLAAGTE                | R           |
| 36         | 2 + 2        | Vers + Kalf | 2021-2022       | Dragtig       |                  | SPRINGBOKSPRUIT<br>BONSMARAS | R           |
| 37         | 5 + 5        | Vers + Kalf | 2023            | By bul geloop |                  | BOSSIESLAAGTE                | R           |
| 38         | 4 + 4        | Vers + Kalf | 2022            | Dragtig       |                  | SPRINGBOKSPRUIT<br>BONSMARAS | R           |
| 39         | 4 + 4        | Vers + Kalf | 2022            | Dragtig       |                  | SPRINGBOKSPRUIT<br>BONSMARAS | R           |
| 40         | 5 + 5        | Vers + Kalf | 2023            |               |                  | BOSSIESLAAGTE                | R           |
| 41         | 5 + 5        | Vers + Kalf | 2023            |               |                  | BOSSIESLAAGTE                | R           |
| 42         | 3 + 3        | Koei + Kalf | 2017-2018       | 2 Maande      |                  | AVELING<br>BONSMARAS         | R           |
| 43         | 4 + 4        | Koei + Kalf | 2020-2022       | 2 Maande      |                  | SPRINGBOKSPRUIT<br>BONSMARAS | R           |
| 44         | 2 + 2        | Koei + Kalf | 2022            |               |                  | BOSSIESLAAGTE                | R           |
| 45         | 5 + 5        | Koei + Kalf | 2022            | 2 Maande      |                  | RAUCOR BOERDERY              | R           |
| 46         | 1 + 1        | Vers + Kalf | 2022            | 6-7 Maande    |                  | AVELING<br>BONSMARAS         | R           |

| <u>LOT</u> | <u>GETAL</u> | <u>ITEM</u>   | <u>OUDERDOM</u> | <u>STATUS</u> | <u>OPMERKING</u> | <u>VERKOPER</u>              | <u>PRYS</u> |
|------------|--------------|---------------|-----------------|---------------|------------------|------------------------------|-------------|
| 47         | 5            | Dragtige Koei | 2020-2022       |               |                  | SERNICK                      | R           |
| 48         | 4            | Dragtige Koei | 2022            | 7 Maande      |                  | SPRINGBOKSPRUIT<br>BONSMARAS | R           |
| 49         | 7            | Dragtige Koei | 2022            | 7 Maande      |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 50         | 4            | Dragtige Koei | 2017-2020       | 6-7 Maande    |                  | AVELING<br>BONSMARAS         | R           |
| 51         | 5            | Dragtige Koei | 2020-2021       | 6-7 Maande    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 52         | 5            | Dragtige Koei | 2020-2021       | 6-7 Maande    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 53         | 5            | Dragtige Koei | 2020-2021       | 6-7 Maande    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 54         | 5            | Dragtige Koei | 2020-2022       | 5-6 Maande    |                  | SERNICK                      | R           |
| 55         | 5            | Dragtige Koei | 2020-2021       | 3-4 Maande    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 56         | 4            | Dragtige Koei | 2020-2021       | 3-4 Maande    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 57         | 6            | Dragtige Koei | 2022            | 2 Maande      |                  | BOSSIESLAAGTE                | R           |
| 58         | 4            | Dragtige Koei | 2017/2020       | 2-3 Maande    |                  | AVELING<br>BONSMARAS         | R           |
| 59         | 5            | Dragtige Vers | 2022            | 6-7 Maande    |                  | PUREKRANS                    | R           |

| <u>LOT</u> | <u>GETAL</u> | <u>ITEM</u>   | <u>OUDERDOM</u> | <u>STATUS</u> | <u>OPMERKING</u> | <u>VERKOPER</u>              | <u>PRYS</u> |
|------------|--------------|---------------|-----------------|---------------|------------------|------------------------------|-------------|
| 60         | 5            | Dragtige Vers | 2022            | 6-7 Maande    |                  | PUREKRANS                    | R           |
| 61         | 3            | Dragtige Vers | 2022            | 6-7 Maande    |                  | AVELING<br>BONSMARAS         | R           |
| 62         | 6            | Dragtige Vers | 2022            | 7-8 Maande    |                  | SPRINGBOKSPRUIT<br>BONSMARAS | R           |
| 63         | 5            | Dragtige Vers | 2022            | 6-7 Maande    |                  | PUREKRANS                    | R           |
| 64         | 5            | Dragtige Vers | 2022            | 6-7 Maande    |                  | PUREKRANS                    | R           |
| 65         | 5            | Dragtige Vers | 2022            | 2-3 Maande    |                  | AVELING<br>BONSMARAS         | R           |
| 66         | 3 + 3        | Koei + Kalf   | 2014-2019       |               |                  | RAUCOR BOERDERY              | R           |
| 67         | 5            | Dragtige Koei | 2015-2019       |               |                  | RAUCOR BOERDERY              | R           |
| 68         | 5            | Verse         |                 | Bul Gereed    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 69         | 5            | Verse         |                 | Bul Gereed    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 70         | 5            | Verse         |                 | Bul Gereed    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |
| 71         | 5            | Verse         |                 | Bul Gereed    |                  | DONALD & CHRIS<br>SWANEPOEL  | R           |

## AVELING BONSMARAS & VRIENDE BEDANK DIE VOLGENDE BORGE:

**COUNTRY MEAT**  
*Our farm. Our meat. Our pleasure.*



MOTUS FORD KROONSTAD



Authorised Financial Service Provider FSB - 37941

**RICKUS SCHOEMAN**  
Broker

address: 35 Murray Street • Bethlehem  
phone: 058 303 3698  
cell: 082 293 1144  
mail: rickus@schoemanbrokers.co.za



## NOTAS

[illegible]

**RULES OF AUCTION**  
**TERMS AND CONDITIONS**

1. This auction will be held under the control of BKB Limited (hereinafter referred to as "the Auctioneer") with business premises situate at:  
**61 Grahamstown Road, North End, Port Elizabeth, 6001**
2. The Auctioneer is hereby appointed by the Purchaser and Seller to act for and on behalf of the Purchaser and Seller as agent in accordance with Section 54 of the Value-Added Tax Act, 1991, in respect of all tax invoices, credit and/or debit notes in respect of all livestock, game and/or goods offered at the auction or any costs of transport and insurances premiums paid for on behalf of the Purchaser and Seller.
3. The rules of this auction shall comply with the provisions of Section 45 and all relevant regulations to the Consumer Protection Act 68 of 2008.
4. For greater clarity Section 45(1-4) states as follows:
  - 4.1 In this section, "auction" includes a sale in execution of or pursuant to a court order, to the extent that the order contemplates that the sale is to be conducted by an auction.
  - 4.2 When goods are put up for sale by auction, each lot is, unless there is evidence to the contrary, regarded to be the subject of a separate transaction.
  - 4.3 A sale by auction is complete when the auctioneer announces its completion by the fall of the hammer, or in any other customary manner, and until that announcement is made, a bid may be retracted.
  - 4.4 Notice must be given in advance that a lot or sale by auction is subject to:
    - 4.4.1 A reserved or upset price; or
    - 4.4.2 A right to bid by or on behalf of the owner or auctioneer, in which case the owner or auctioneer, or any one person on behalf of the owner or auctioneer, as the case may be, may bid at the auction.
5. Until the fall of the hammer as contemplated in Section 45(3) of the Act, any bid may be retracted or declined by the Auctioneer if not compliant with the regulations of the Consumer Protection Act.
6. The auction is not an absolute auction but subject to reserved prices settled by the sellers and as pointed out by the Auctioneer prior to the sale of the set asset or lot.
7. The auction shall take place at the date and time as advertised or publicised and will not be postponed or delayed to enable any member or group of the public to partake in the auction.
8. Should the Auctioneer become aware of any fault on advertising material or any other publication or amendment to these Rules of Auction, the Auctioneer will prior to the auction point out and when necessary amend such mistakes in the advertisement or publication.
9. Any person attending the auction to enter a bid, must prior to the auction register as a buyer on the bidders' roll and comply with the conditions as set out in Chapter 1 of FICA 2001. The purchaser shall sign the bidders' roll/card.
10. Any person who attends the auction to enter a bid on behalf of another person must be duly authorised thereto by means of a written letter of authority from its principal and such a person together with his principal must both register prior to the auction on the bidders' roll and provide all necessary information as required in Chapter 1 of the regulations issued in terms of FICA 2001 with regard to proof of its identity. The bidders' roll must be signed by such a person and on behalf of its principal.

11. Where the principal is a company the letters of authority shall appear on the letterhead of the company together with a certified copy of a resolution authorizing the person to bid on behalf of the company. (For purposes of this rule any reference to a company will include any reference to juristic person including partnerships, trusts or incorporated entities).
12. All purchasers have a right of inspection of all goods put up for sale and the auctioneer shall provide reasonable time and access prior to the start of the auction for such an inspection.
13. All livestock and goods are sold "voetstoots" and the purchasers do not enjoy the protection of Section 55 and 56 of the Consumer Protection Act.
14. Any information provided regarding the quality, breeding, age, date of insemination, condition, reproductive status or any information regarding health, production or mass or any other aspect of the livestock, is provided by the seller and any misrepresentation by the seller is without the cooperation or knowledge of the Auctioneer. Any right of recourse as a result of such misrepresentation shall be against the seller.
15. Any bid made does not include VAT which, where applicable, will be added to the bidding price for which a VAT invoice will be issued.
16. All sales are for cash and purchase price is payable immediately to the Auctioneer on acceptance of the bid unless otherwise arranged prior to the auction with the Auctioneer. Any payment made in cash is further subject to cash or any other handling fees. Should the Purchaser however fail to make payment within 7 days from date of delivery, BKB will be entitled to add interest calculated at the current bank prime rate plus 5% to the capital amount outstanding. The interest will be calculated monthly and capitalised.
17. Should the purchaser not pay the purchase price immediately and has failed to make arrangements for payment with the Auctioneer, then the Auctioneer can/will cancel the sale and treat the assets or lots as unsold lots which may again be presented on the auction for sale or be sold out of hand by means of liaison services, depending on the seller's mandate to the auctioneer.
18. Ownership in the lot or assets will remain that of the seller until the purchase price has been paid in full to the seller with the provision that the risk in the assets or lot passes to the purchaser at the fall of the hammer as set out in clause 24.
19. In the event that Purchaser has made necessary finance arrangements with BKB, the Purchaser hereby authorises BKB to pay the purchase price or costs of transport, insurance and any other agreed cost, minus BKB's commissions, on behalf of the Purchaser to the Seller and other service providers, in which event the said payment by BKB on behalf of the Purchaser will be deemed to be monies lent and advanced, the terms and conditions thereof being agreed with the Purchaser in a separate credit agreement or sale agreement. All payments made by BKB to the Seller on behalf of the Purchaser in terms of this clause will be made after the lapse of 5 (Five) working days from date of delivery of the asset to the Purchaser. Any payment made by BKB to the Seller prior to the lapse of the 5 (Five) working day period is made at the sole discretion of BKB and not an enforceable indulgence.
20. For as long as any amount is owing to BKB by the Purchaser, the Purchaser may not, where the assets are the subject of security of the Purchaser's credit facility with BKB, relinquish possession of the said asset, nor may he cede the asset or any of its rights and obligations in terms of this agreement to a third party or otherwise encumber, sell or dispossess the said asset or allow it to become the subject of any right of retention, hypothec, pledge or any encumbrance, whatever the cause thereof may be. BKB may be entitled to cede its rights and obligations without affecting its rights of recourse for any monies still due to it.
21. In the event of the Seller already being indebted to BKB or any of its affiliates at the time of this auction, the Seller hereby irrevocably authorises BKB to set off the purchase price due to the Seller by BKB (minus BKB's commission) against the amounts due by the Seller to BKB.
22. Where BKB, in terms of a credit agreement, lent and advanced monies to the Purchaser for payment of the purchase price of any asset or payment of any transport costs or insurance premiums, no defence of whatsoever nature which the Purchaser may raise against the Seller or the transport contractor or the insurance company may be

raised against BKB and the Purchaser shall still be obligated to pay all amounts owing, together with further interest and costs thereon raised in terms of the credit agreement or sale agreement, to be BKB. The conditions of this clause do not interfere with the rights, entitlements or remedies the Purchaser may have against the Seller, transport contractor or insurance company.

23. Neither the Purchaser, nor the Seller, shall be entitled to apply set-off or to retain any monies owing arising from any claim they may have against each other or BKB with regards to any amount owing in terms hereof.
24. Each lot shall immediately after the fall of the hammer deemed to be delivered to the purchaser at which time the risk will pass to the purchaser who will at his own risk and cost remove the lots or assets from the auction terrain. Removal of any assets or lots however will not be allowed by the Auctioneer until payment of the purchase price by the purchaser or acceptable arrangements for payment thereof have been made by the purchaser with the Auctioneer.
25. The Auctioneer will only be obliged to give reasons of the auction if such reasons are other than the voluntary sale of goods by its owners.
26. The bidders' roll and vendor roll will be available for inspection during the normal office hours at the business premises of the Auctioneer.
27. The rules of auction will only be read out at the auction if they were not available to the public at the place of business of the Auctioneer. In the event of livestock and game auctions, the rules of auction remain unchanged and are in general available at the business premises of the Auctioneer or on the website of the Auctioneer.
28. Under no circumstances will BKB be held liable for any loss or damage of any cause whatsoever albeit direct or indirect damages suffered by anyone if the livestock at the auction premises have to be placed under quarantine as a result of the presence of a livestock disease present. In such event BKB will have the right to cancel the auction as well as any already complete sales and no party will be entitled or have a right of recourse against BKB.
29. Any party requiring permits, removal certificate, documentation of identification or any other statutory prescribed document will solely be responsible for obtaining same. Any instructions to an auctioneer with regards to the loading, transporting, choice of transport contractors, insurance or choice of insurers will be executed at the sole risk of the person acquiring such services and the Auctioneer will not be held responsible for any losses whether direct or indirect which may be suffered as a result of giving effect to the instructions by the Auctioneer. The Auctioneer however does accept responsibility as contemplated in Section 35(2) of the Consumer Protection Act whilst the goods or lots are in the possession of the auctioneer. Any agreement entered into by the Auctioneer with a transport company or insurer is done so in its representative capacity of the seller or buyer. All transport costs or insurance premiums are therefore payable to the Auctioneer in cash except if acceptable alternative arrangements were made with the Auctioneer.
30. Both the seller and the buyer consent to the jurisdiction of the Magistrate's Court as contemplated in Section 45 of Act 32 of 1944 having regard to any action which the Auctioneer may institute against the buyer or seller irrespective of the cause of action. Notwithstanding the aforesaid the Auctioneer will have the sole and absolute discretion to institute action in any High Court with appropriate jurisdiction.
31. Any legal costs that BKB may have or will incur as a result of the non-compliance of the Purchaser and/or Seller in terms of its or their obligations herein, shall be recoverable by BKB, together with collection commissions from the Purchaser and/or Seller on a scale as between attorney and own client.
32. No variation, amendment, novation or addition to these terms and conditions will have the effect of BKB renouncing any of its rights in terms hereof, unless it is reduced to writing and signed by BKB.
33. No relaxation or indulgence by the Auctioneer must be interpreted as a waiver of any of the Auctioneer's rights in terms hereof. Such relaxation or indulgence must also not be interpreted as a novation hereof.

34. Should any condition be unlawful or become retrospectively unlawful, that unlawful condition shall be deemed to be amended to the extent and in the manner as is necessary to make it lawful or should such amendment be impossible, the unlawful conditions shall be deemed devisable from the remainder of the conditions and *pro non scripto*.
35. The cattle scale despite being calibrated, is not verified in term of the Legal Metrology Act.
36. The weight as displayed for each lot is an unverified indication of average weight and may not be relied on for purposes of entering a bid.
37. All sales of livestock are sales per head of cattle and not per kilogram
38. Rules of auctions and term and conditions in other languages can be asked for.



**The Trusted Home of Agriculture**  
**Die Betroubare Tuiste van Landbou**

**Baie dankie vir u  
ondersteuning!**