

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# FRANKFORT BONSMARA GROEP

Veilingsdatum / Auction Date:  
**28 August 2026**

Data soos op / Data as on:  
**06 August 2026**



## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

### The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

### Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



## ANIMAL AND PEDIGREE INFORMATION

**LOT 1**

**THE RED CATTLE FARM**

3

ABC 150029

2015-02-03

SP

Parentage

Sire

Dam

DNA

Genomic

DEF 100066 P

ABC 080011

AGE/CALV. 13/9

AVG. Wt/CALV. 105/9

ICP 417

DEF 050022

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

GHI 070076 HH(c)

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

JKL 000077 P

MNO 030002

AGE/CALV. 19/10

AVG. Wt/CALV. 109/10

ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where all information for the animal is available.
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Intercalving Period


## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109                | 98                | 111             | 99                | 101       | 98           | 103           |
| 1                  | 2                 | 3               | 4                 | 5         | 6            | 7             |



### 2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight  
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



### 6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits  
EBVs: Weaning weight, End weight, ADG and Intake



### 7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits  
EBVs: End weight, Eye Muscle Area and Fat

## HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

### AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
  - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


### GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
  - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
  - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

## INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                  |                         |                                                    | Description/Measurement                                                                       | Goal                      | General Guidelines |     |        |        |        |       |
|------------------|------------------|-------------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|--------------------|-----|--------|--------|--------|-------|
|                  |                  |                         |                                                    |                                                                                               |                           | <80                | <90 | 90-110 | >110   | >120   |       |
| Selection Values | 5                | Cow Value               | CV                                                 | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow            | Loss               |     |        |        | Profit |       |
|                  | 1                | Calving Ease Value      | CEV                                                | Risk for calving problems (calf too heavy) vs calf too small                                  | Average birth weight      | High               |     |        |        | Low    |       |
|                  |                  | Calf Growth Value       | CGrV                                               | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf         | Light              |     |        |        | Heavy  |       |
|                  |                  | Milk Value              | MlkV                                               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf  | Less               |     |        |        | More   |       |
|                  | 4                | Maintenance Value       | MntV                                               | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance       | High               |     |        | *      | Low    |       |
|                  | 3                | Fertility Value         | FertV                                              | Fertility and retention of cows and heifers                                                   | Fertile cows              | Low                |     |        |        | High   |       |
|                  | 2                | Weaner Calf Value       | WnCV                                               | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves       | Light              |     |        |        | Heavy  |       |
|                  | 6                | Growth Value            | GV                                                 | Efficient growth on veld and in feedlot (Rand-value)                                          | Profitable growth         | Loss               |     |        |        | Profit |       |
|                  | 7                | Carcass Value           | VarcV                                              | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass  | Less               |     |        |        | More   |       |
|                  | Production Value | PV                      | Combination of Cow- and Growth values (Rand-value) | Profitable animals                                                                            | Loss                      |                    |     |        | Profit |        |       |
| Cow & Heifer     | 8                | Birth Weight Direct     | BD                                                 | Birth weight (Calf's genetic ability)                                                         | Average birth weight      | Heavy              |     |        |        | Light  |       |
|                  |                  | Birth Weight Maternal   | BM                                                 | Birth weight (Cow's genetic ability)                                                          | Easy calving              | Heavy              |     |        |        | Light  |       |
|                  | 9                | Weaning Weight Direct   | WD                                                 | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves       | Light              |     |        |        | Heavy  |       |
|                  | 10               | Weaning Weight Maternal | WM                                                 | Weaning weight (Cow's genetic ability)                                                        | Good mothers              | Poor               |     |        |        | Good   |       |
|                  | 18               | Mature Cow Weight       | MW                                                 | Cow weight at weaning of first three calves                                                   | Average mature cow weight | Light              |     |        | *      | Heavy  |       |
|                  |                  | Cow-Calf Birth          | CCB                                                | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                   | Low                |     |        | *      | High   |       |
|                  | Cow-Calf Wean    | CCW                     | EBV Wean Direct / EBV Mature Cow weight            | High calf-cow ratio                                                                           | Low                       |                    |     |        | High   |        |       |
| Fertility        | 12               | Heifer Fertility        | HF                                                 | Age at first calving                                                                          | Fertile heifers           | Less               |     |        |        | More   |       |
|                  | 13               | Cow Fertility           | CFE                                                | First 3 inter-calving periods (ICPs)                                                          | Fertile cows              | Less               |     |        |        | More   |       |
|                  | 11               | Scrotal Circumference   | SC                                                 | Scrotal circumference as measured during the growth test                                      | Fertile bulls             | Less               |     |        |        | More   |       |
|                  | 14               | Longevity               | LG                                                 | Retention of progeny                                                                          | Acceptable progeny        | Poor               |     |        |        | Good   |       |
| Growth & Frame   | 15               | Post-Wean Weight        | PWn                                                | 12- and 18 month weights                                                                      | Good post-wean growth     | Low                |     |        |        | *      | High  |
|                  | 16               | Average Daily Gain      | ADG                                                | Average daily gain                                                                            | Good growth               | Poor               |     |        |        |        | Good  |
|                  | 17               | Feed Conversion Ratio   | FCR                                                | 100g feed intake / g weight gain                                                              | Feed efficiency           | Poor               |     |        |        |        | Good  |
|                  |                  | Final Test Weight       | FW                                                 | Final weight in the growth test                                                               | Heavy carcass             | Light              |     |        |        | *      | Heavy |
|                  | 19               | Height                  | H                                                  | Shoulder height in growth test                                                                | Average height            | Short              |     |        |        |        | Tall  |
|                  | 20               | Length                  | L                                                  | Length in growth test                                                                         | Longer for more muscle    | Short              |     |        |        |        | Long  |
|                  | 24               | Length-Height Ratio     | LH                                                 | EBV Length / EBV Height                                                                       | Longer rather than tall   | <1                 |     |        |        |        | >1    |
| Carcass          | 21               | Eye Muscle Area         | EMA                                                | RTU measured eye muscle area                                                                  | Bigger steaks             | Small              |     |        |        |        | Big   |
|                  | 22               | Fat Thickness           | Fat                                                | RTU measured P8 backfat thickness                                                             | Carcass quality           | Thin               |     |        |        |        | Thick |
|                  | 23               | Marbling                | Mar                                                | RTU measured % of intra-muscular fat                                                          | Juicy meat                | Low                |     |        |        |        | High  |
|                  |                  | Dressing Percentage     | D%                                                 | Carcass weight / Live weight                                                                  | High dressing percentage  | Low                |     |        |        |        | High  |

\* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |           |           | Fertility    |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|--------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 99        | 90        | 97           | 75           | 92        | 85      | 100              | 94  | 93  | 92            | 123    | 110    | 104     | 100 | 79  |

8      9      10      11      12      13      14      15      16      17      18      19      20      21      22      23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | 104        | 105        | 122       | 117       | 327     | 1.22 |

16      17      11      24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

**BULLS**

**LOT 1**

**C. CILLIERS**

  
**CCW 230069**  
 2023-08-31  
 SP

Parentage Sire Dam  
 DNA  
 Genomic

**NFS 190405 Pp(c)**

  
**CCW 170013**  
 AGE/CALV. 7/3  
 AVG. Wt/CALV. 110/3  
 ICP 679

**MCU 140048 Pp(c)**

**MCU 100109 Pp(c)**

**MCU 110151 PP(c)**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 114/7

**DKN 090345**

**ZVJ 110143**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 107/10

**GCD 020109**

**LMR 020231**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 110/8

**CCW 070048**

**CCW 030106**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 103/7

|                                  |                                 |                              |                                |                        |                            |                             |
|----------------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|----------------------------|-----------------------------|
| Calving Ease Value<br><b>101</b> | Weaner Calf Value<br><b>101</b> | Fertility Value<br><b>86</b> | Maintenance Value<br><b>91</b> | Cow Value<br><b>95</b> | Growth Value<br><b>104</b> | Carcass Value<br><b>118</b> |
|----------------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|----------------------------|-----------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 101             | 101       | 108       | 104        | 78           | 101       | 95      | 101              | 101 | 95  | 108           | 98     | 100    | 98      | 144 | 126 |

|                          |                 |                 |                         |                |                       |                   |
|--------------------------|-----------------|-----------------|-------------------------|----------------|-----------------------|-------------------|
| Wean Index<br><b>113</b> | 365D Index<br>- | 540D Index<br>- | ADG Index<br><b>121</b> | FCR Index<br>- | Scrotum<br><b>330</b> | LH<br><b>1.22</b> |
|--------------------------|-----------------|-----------------|-------------------------|----------------|-----------------------|-------------------|

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**LOT 2**

**ADRIËL BONSMARAS**

  
**WEB 230065**  
 2023-08-14  
 SP

Parentage Sire Dam  
 DNA ✓  
 Genomic

**LAR 150380**

  
**WEB 190240**  
 AGE/CALV. 6/4  
 AVG. Wt/CALV. 101/3  
 ICP 426

**JRP 110073**

**LAR 110113**  
AGE/CALV. 6/4  
AVG. Wt/CALV. 100/3  
ICP 405

**LAR 150339**

**WEB 120240**  
AGE/CALV. 9/5  
AVG. Wt/CALV. 100/5  
ICP 358

|                                 |                                 |                              |                                |                        |                           |                             |
|---------------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|---------------------------|-----------------------------|
| Calving Ease Value<br><b>96</b> | Weaner Calf Value<br><b>103</b> | Fertility Value<br><b>98</b> | Maintenance Value<br><b>91</b> | Cow Value<br><b>98</b> | Growth Value<br><b>87</b> | Carcass Value<br><b>103</b> |
|---------------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|---------------------------|-----------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 92              | 113       | 84        | 118        | 100          | 101       | 97      | 107              | 86  | 83  | 109           | 92     | 93     | 106     | 95  | 87  |

|                          |                 |                 |                        |                |                       |                   |
|--------------------------|-----------------|-----------------|------------------------|----------------|-----------------------|-------------------|
| Wean Index<br><b>109</b> | 365D Index<br>- | 540D Index<br>- | ADG Index<br><b>96</b> | FCR Index<br>- | Scrotum<br><b>341</b> | LH<br><b>1.19</b> |
|--------------------------|-----------------|-----------------|------------------------|----------------|-----------------------|-------------------|

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-07-17

**LOT 3**

**C. CILLIERS**

  
**CCW 230072 Pp(c)**  
 2023-09-10  
 SP

Parentage Sire Dam  
 DNA  
 Genomic

**MCU 180180 PP(c)**

  
**CCW 190008**  
 AGE/CALV. 7/4  
 AVG. Wt/CALV. 106/3  
 ICP 498

**MCU 160014 Pp(c)**

**MCU 150192 Pp(c)**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408

**MCU 160063 P**

**CCW 130133**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 100/8  
ICP 418

|                                 |                                |                              |                                 |                        |                           |                             |
|---------------------------------|--------------------------------|------------------------------|---------------------------------|------------------------|---------------------------|-----------------------------|
| Calving Ease Value<br><b>93</b> | Weaner Calf Value<br><b>97</b> | Fertility Value<br><b>96</b> | Maintenance Value<br><b>111</b> | Cow Value<br><b>94</b> | Growth Value<br><b>96</b> | Carcass Value<br><b>108</b> |
|---------------------------------|--------------------------------|------------------------------|---------------------------------|------------------------|---------------------------|-----------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 93              | 97        | 103       | 131        | 82           | 104       | 105     | 95               | 101 | 103 | 88            | 99     | 103    | 101     | 133 | 123 |

|                          |                 |                 |                         |                |                       |                   |
|--------------------------|-----------------|-----------------|-------------------------|----------------|-----------------------|-------------------|
| Wean Index<br><b>112</b> | 365D Index<br>- | 540D Index<br>- | ADG Index<br><b>101</b> | FCR Index<br>- | Scrotum<br><b>357</b> | LH<br><b>1.22</b> |
|--------------------------|-----------------|-----------------|-------------------------|----------------|-----------------------|-------------------|

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-07-17

## BULLE

## LOT 4

C. CILLIERS

CCW 230085 PP(c)  
2023-09-22  
SP

Ouerskap Vaar Moer

DNS

Genomies

MCU 180180 PP(c)



CCW 180095

OUD/KALW. 7/4  
GEM. SI/KALW. 106/4  
TKP 500

MCU 160014 PP(c)



MCU 150192 Pp(c)

OUD/KALW. 9/6  
GEM. SI/KALW. 93/6  
TKP 408

MCU 160063 P

CCW 100059

OUD/KALW. 8/6  
GEM. SI/KALW. 99/6  
TKP 379

MCU 120006 PP



MCU 090012 PP(c)

OUD/KALW. 14/9  
GEM. SI/KALW. 102/8

JPL 090116 P

MCU 110028 PP(c)

OUD/KALW. 11/8  
GEM. SI/KALW. 103/7

MCU 140048 Pp(c)



MCU 130133

OUD/KALW. 11/9  
GEM. SI/KALW. 104/9

TGR 050060

CCW 070044

OUD/KALW. 7/4  
GEM. SI/KALW. 101/3Geboortegemak  
Waarde  
**88**Speenkalv  
Waarde  
**93**Vrugbaarheids-  
waarde  
**110**Onderhouds-  
waarde  
**107**Koeiwaarde  
**98**Groei-  
waarde  
**109**Karkas-  
waarde  
**111**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 92             | 96        | 106       | 132          | 97          | 116         | 103    | 97             | 105 | 106 | 91          | 94     | 96     | 100    | 135 | 124 |

| Spn. Indeks |  | 365D Indeks | 540D Indeks | GDT Indeks |  | VOV Indeks | Skrotum | LH   | Miostation |  |  |  |  |  |
|-------------|--|-------------|-------------|------------|--|------------|---------|------|------------|--|--|--|--|--|
| 103         |  | -           | -           | 121        |  | -          | 349     | 1.19 | Q204X 0    |  |  |  |  |  |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 5

ADRIËL BONSMARAS

WEB 230060  
2023-06-24  
SP

Ouerskap Vaar Moer

DNS

Genomies

LAR 150380



WEB 190280

OUD/KALW. 6/4  
GEM. SI/KALW. 107/3  
TKP 407

JRP 110073

LAR 110113

OUD/KALW. 6/4  
GEM. SI/KALW. 100/3  
TKP 405

CCW 120019

WEB 150280

OUD/KALW. 10/8  
GEM. SI/KALW. 93/4  
TKP 361

LAR 060015

JRP 070008

OUD/KALW. 5/3  
GEM. SI/KALW. 106/3

WBB 070042

LAR 040209

OUD/KALW. 19/16  
GEM. SI/KALW. 98/15

FCT 020082

CCW 080003

OUD/KALW. 8/4  
GEM. SI/KALW. 94/4Geboortegemak  
Waarde  
**124**Speenkalv  
Waarde  
**93**Vrugbaarheids-  
waarde  
**94**Onderhouds-  
waarde  
**104**Koeiwaarde  
**96**Groei-  
waarde  
**84**Karkas-  
waarde  
**96**

| Kalf en Moeder |           |             | Vrugbaarheid |             |             |            | Na-Speen Groei |            |     | Raam        |        |        | Karkas |            |     |
|----------------|-----------|-------------|--------------|-------------|-------------|------------|----------------|------------|-----|-------------|--------|--------|--------|------------|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat.   | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl.     | Na-Speen       | GDT        | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet        | Mar |
| 122            | 92        | 90          | 142          | 105         | 93          | 93         | 87             | 90         | 92  | 95          | 80     | 82     | 102    | 96         | 88  |
| Spn. Indeks    |           | 365D Indeks |              | 540D Indeks |             | GDT Indeks |                | VOV Indeks |     | Skrotum     |        | LH     |        | Miostation |     |
| 112            |           | -           |              | -           |             | 105        |                | -          |     | 389         |        | 1.19   |        | Q204X 0    |     |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 6

C. CILLIERS

CCW 230049 Pp(c)  
2023-08-11  
SP

Ouerskap Vaar Moer

DNS

Genomies

NFS 190405 Pp(c)



CCW 140096 P

OUD/KALW. 11/7  
GEM. SI/KALW. 99/7  
TKP 498

MCU 140048 Pp(c)



NFS 160011

OUD/KALW. 10/8  
GEM. SI/KALW. 98/6  
TKP 361

MCU 110122 P

CCW 100064

OUD/KALW. 10/7  
GEM. SI/KALW. 100/7  
TKP 455

MCU 100109 Pp(c)



MCU 110151 PP(c)

OUD/KALW. 10/7  
GEM. SI/KALW. 114/7

DKN 090345

ZVJ 110143

OUD/KALW. 12/10  
GEM. SI/KALW. 107/10

MCU 070007 P



MCU 080082 P

OUD/KALW. 13/12  
GEM. SI/KALW. 92/12

TGR 050060

CCW 070076

OUD/KALW. 4/1  
GEM. SI/KALW. 111/1Geboortegemak  
Waarde  
**86**Speenkalv  
Waarde  
**94**Vrugbaarheids-  
waarde  
**110**Onderhouds-  
waarde  
**90**Koeiwaarde  
**98**Groei-  
waarde  
**106**Karkas-  
waarde  
**120**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 91             | 104       | 100       | 112          | 96          | 118         | 102    | 104            | 102 | 98  | 109         | 99     | 104    | 91     | 144 | 128 |

| Spn. Indeks |  | 365D Indeks | 540D Indeks | GDT Indeks |  | VOV Indeks | Skrotum |  | LH   | Miostation |  |
|-------------|--|-------------|-------------|------------|--|------------|---------|--|------|------------|--|
| 107         |  | -           | -           | 124        |  | -          | 341     |  | 1.22 | Q204X 0    |  |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

**BULLS**

**LOT 7**

**C. CILLIERS**



**CCW 230067 PP(c)**  
2023-08-29  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |



**MCU 180180 PP(c)**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408

**MCU 150192 Pp(c)**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408

**MCU 160210 PP(c)**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 102/7

**CCW 200043**  
AGE/CALV. 6/3  
AVG. Wt/CALV. 119/2  
ICP 433

**CCW 100031**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 105/7  
ICP 413

**MCU 120006 PP**  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8

**MCU 090012 PP(c)**  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8

**JPL 090116 P**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 103/7

**MCU 110028 PP(c)**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 103/7

**MCU 140134 Pp(c)**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 102/7

**MCU 140065 Pp(c)**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 102/7

**JMP 070119**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 103/7

**CCW 040069**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 103/7

|                           |                          |                        |                          |                  |                     |                      |
|---------------------------|--------------------------|------------------------|--------------------------|------------------|---------------------|----------------------|
| <b>Calving Ease Value</b> | <b>Weaner Calf Value</b> | <b>Fertility Value</b> | <b>Maintenance Value</b> | <b>Cow Value</b> | <b>Growth Value</b> | <b>Carcass Value</b> |
| <b>90</b>                 | <b>100</b>               | <b>105</b>             | <b>113</b>               | <b>99</b>        | <b>89</b>           | <b>96</b>            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 86              | 101       | 95        | 129        | 87           | 115       | 104     | 91               | 93  | 104 | 87            | 93     | 85     | 98      | 119 | 105 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 122        | -          | -          | 108       | -         | 354     | 1.16 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-07-17

**LOT 8**

**ADRIËL BONSMARAS**



**WEB 230046**  
2023-05-04  
B

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |



**LAR 190170 HH(c)**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 102/8  
ICP 383

**LAR 150111**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 102/8  
ICP 383

**LAR 120455**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 98/6

**LAR 120413**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 98/6

**LAR 120026 HH(c)**  
AGE/CALV. 13/8  
AVG. Wt/CALV. 106/8

**LAR 080188 HH(c)**  
AGE/CALV. 13/8  
AVG. Wt/CALV. 106/8

|                           |                          |                        |                          |                  |                     |                      |
|---------------------------|--------------------------|------------------------|--------------------------|------------------|---------------------|----------------------|
| <b>Calving Ease Value</b> | <b>Weaner Calf Value</b> | <b>Fertility Value</b> | <b>Maintenance Value</b> | <b>Cow Value</b> | <b>Growth Value</b> | <b>Carcass Value</b> |
| <b>103</b>                | <b>94</b>                | <b>102</b>             | <b>96</b>                | <b>97</b>        | <b>97</b>           | <b>103</b>           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 93        | 108       | 98         | 106          | 94        | 103     | 86               | 92  | 88  | 102           | 87     | 99     | 108     | 93  | 94  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 91         | -          | -          | 101       | -         | 325     | 1.23 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 1 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-07-17

**LOT 9**

**C. CILLIERS**



**CCW 230030 Pp(c)**  
2023-08-02  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |



**NFS 190405 Pp(c)**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 114/7

**NFS 160011**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 98/6  
ICP 361

**MCU 140023 P**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 95/6

**CCW 170077**  
AGE/CALV. 8/5  
AVG. Wt/CALV. 103/3  
ICP 518

**FCT 100049**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 101/9  
ICP 417

**MCU 100109 Pp(c)**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 114/7

**MCU 110151 PP(c)**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 114/7

**DKN 090345**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 107/10

**ZVJ 110143**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 107/10

**MCU 100127 HH(c)**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 95/6

**MCU 100037 Pp(c)**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 95/6

**FCT 070121**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 94/4

**FCT 050147**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 94/4

|                           |                          |                        |                          |                  |                     |                      |
|---------------------------|--------------------------|------------------------|--------------------------|------------------|---------------------|----------------------|
| <b>Calving Ease Value</b> | <b>Weaner Calf Value</b> | <b>Fertility Value</b> | <b>Maintenance Value</b> | <b>Cow Value</b> | <b>Growth Value</b> | <b>Carcass Value</b> |
| <b>94</b>                 | <b>91</b>                | <b>110</b>             | <b>101</b>               | <b>95</b>        | <b>94</b>           | <b>110</b>           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 91              | 100       | 89        | 100        | 98           | 118       | 101     | 99               | 93  | 90  | 97            | 92     | 94     | 100     | 144 | 125 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 91         | -          | -          | 97        | -         | 335     | 1.16 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-07-17

## BULLE

## LOT 10

C. CILLIERS

CCW 230107 Pp(c)  
2023-11-19  
SP

Ouerskap Vaar Moer

DNS

Genomies

CCW 160109  
OUD/KALW. 7/4  
GEM. SI/KALW. 101/3  
TKP 493

MCU 120006 PP

MCU 120145  
OUD/KALW. 9/6  
GEM. SI/KALW. 109/5  
TKP 439

GBS 080132

CCW 090102  
OUD/KALW. 10/7  
GEM. SI/KALW. 99/7  
TKP 409

VV 080060 P

MCU 090052 Pp(c)  
OUD/KALW. 12/9  
GEM. SI/KALW. 104/9

AEJ 100020

MCU 050092  
OUD/KALW. 7/4  
GEM. SI/KALW. 104/4

GBS 060059

GBS 050134  
OUD/KALW. 11/7  
GEM. SI/KALW. 100/7

TGR 050060

BHE 000072  
OUD/KALW. 9/6  
GEM. SI/KALW. 114/6Geboortegemak  
Waarde  
95Speenkalv  
Waarde  
100Vrugbaarheids-  
waarde  
104Onderhouds-  
waarde  
98Koeiwaarde  
100Groei-  
waarde  
109Karkas-  
waarde  
103

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 93             | 104       | 97        | 119          | 100         | 109         | 94     | 102            | 110 | 124 | 101         | 118    | 112    | 92     | 107 | 118 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 101         | -           | -           | 97         | -          | 344     | 1.17 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 11

ADRIËL BONSMARAS

WEB 230015  
2023-05-26  
SP

Ouerskap Vaar Moer

DNS

Genomies

WEB 200074  
OUD/KALW. 6/3  
GEM. SI/KALW. 99/2  
TKP 452

LAR 140173 HH(c)

LAR 110007  
OUD/KALW. 11/9  
GEM. SI/KALW. 96/8  
TKP 381

LAR 160348

WEB 160188  
OUD/KALW. 9/7  
GEM. SI/KALW. 99/7  
TKP 361

LAR 120033 HH(c)

LAR 100159  
OUD/KALW. 15/11  
GEM. SI/KALW. 105/11

WBB 070042

LAR 030266  
OUD/KALW. 10/8  
GEM. SI/KALW. 100/7

LAR 130032 HH(c)

LAR 120049  
OUD/KALW. 9/6  
GEM. SI/KALW. 101/5Geboortegemak  
Waarde  
120Speenkalv  
Waarde  
89Vrugbaarheids-  
waarde  
99Onderhouds-  
waarde  
107Koeiwaarde  
96Groei-  
waarde  
105Karkas-  
waarde  
100

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 123            | 87        | 97        | 96           | 114         | 86          | 107    | 91             | 101 | 97  | 91          | 78     | 90     | 107    | 89  | 101 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 91          | -           | -           | 100        | -          | 318     | 1.21 |

| Miostatien |   |
|------------|---|
| Q204X      | 1 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 12

C. CILLIERS

CCW 230091 PP(c)  
2023-10-03  
SP

Ouerskap Vaar Moer

DNS

Genomies

CCW 160005 SC  
OUD/KALW. 8/5  
GEM. SI/KALW. 98/5  
TKP 453

MCU 160014 PP(c)

MCU 150192 Pp(c)  
OUD/KALW. 9/6  
GEM. SI/KALW. 93/6  
TKP 408

JPL 120054 P

CCW 090020  
OUD/KALW. 7/4  
GEM. SI/KALW. 100/4  
TKP 510

MCU 120006 PP

MCU 090012 PP(c)  
OUD/KALW. 14/9  
GEM. SI/KALW. 102/8

JPL 090116 P

MCU 110028 PP(c)  
OUD/KALW. 11/8  
GEM. SI/KALW. 103/7

JJ 050138

JPL 020055  
OUD/KALW. 14/12  
GEM. SI/KALW. 101/12

MRW 030176

RCO 920160  
OUD/KALW. 17/14  
GEM. SI/KALW. 103/11Geboortegemak  
Waarde  
83Speenkalv  
Waarde  
83Vrugbaarheids-  
waarde  
93Onderhouds-  
waarde  
123Koeiwaarde  
78Groei-  
waarde  
92Karkas-  
waarde  
88

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 86             | 90        | 91        | 127          | 88          | 103         | 96     | 88             | 97  | 106 | 82          | 89     | 82     | 93     | 118 | 112 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 92          | -           | -           | 116        | -          | 379     | 1.17 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

**BULLS**

**LOT 13**

**C. CILLIERS**



**CCW 230094** Pp(c)  
2023-10-06  
SP

Parentage Sire Dam

DNA

Genomic



**MCU 180180** PP(c)  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408

**MCU 150192** Pp(c)  
AGE/CALV. 11/7  
AVG. Wt/CALV. 103/7  
ICP 408

**GBS 080132**

**CCW 160025**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 105/5  
ICP 450

**CCW 130051**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 108/7  
ICP 474

**MCU 120006** PP  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8

**MCU 090012** PP(c)  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8

**JPL 090116** P

**MCU 110028** PP(c)  
AGE/CALV. 11/8  
AVG. Wt/CALV. 103/7

**GBS 060059**

**GBS 050134**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 100/7

**CCW 080124**

**CCW 040076**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 96/6

|                           |                          |                        |                          |                  |                     |                      |
|---------------------------|--------------------------|------------------------|--------------------------|------------------|---------------------|----------------------|
| <b>Calving Ease Value</b> | <b>Weaner Calf Value</b> | <b>Fertility Value</b> | <b>Maintenance Value</b> | <b>Cow Value</b> | <b>Growth Value</b> | <b>Carcass Value</b> |
| <b>100</b>                | <b>96</b>                | <b>94</b>              | <b>123</b>               | <b>94</b>        | <b>88</b>           | <b>91</b>            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 92        | 97        | 114        | 83           | 103       | 101     | 86               | 88  | 93  | 81            | 77     | 76     | 91      | 115 | 109 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 112        | -          | -          | 120       | -         | 352     | 1.20 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-07-17

**LOT 14**

**ADRIËL BONSMARAS**



**WEB 230045**  
2023-05-23  
SP

Parentage Sire Dam

DNA

Genomic



**LAR 190170** HH(c)  
AGE/CALV. 11/8  
AVG. Wt/CALV. 102/8  
ICP 383

**LAR 150111**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 102/8  
ICP 383

**CCW 120019**

**WEB 190256**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 105/2  
ICP 399

**WEB 150256**  
AGE/CALV. 4/2  
AVG. Wt/CALV. 98/2  
ICP 468

**LAR 120455**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 98/6

**LAR 120413**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 98/6

**LAR 120026** HH(c)  
AGE/CALV. 13/8  
AVG. Wt/CALV. 106/8

**LAR 080188** HH(c)  
AGE/CALV. 13/8  
AVG. Wt/CALV. 106/8

**FCT 020082**

**CCW 080003**  
AGE/CALV. 8/4  
AVG. Wt/CALV. 94/4

|                           |                          |                        |                          |                  |                     |                      |
|---------------------------|--------------------------|------------------------|--------------------------|------------------|---------------------|----------------------|
| <b>Calving Ease Value</b> | <b>Weaner Calf Value</b> | <b>Fertility Value</b> | <b>Maintenance Value</b> | <b>Cow Value</b> | <b>Growth Value</b> | <b>Carcass Value</b> |
| <b>94</b>                 | <b>100</b>               | <b>98</b>              | <b>88</b>                | <b>98</b>        | <b>103</b>          | <b>108</b>           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 93              | 104       | 105       | 105        | 103          | 96        | 99      | 100              | 103 | 104 | 112           | 97     | 108    | 114     | 96  | 93  |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 113        | -          | -          | 112       | -         | 326     | 1.22 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 1 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-07-17

**LOT 15**

**C. CILLIERS**



**CCW 230058** PP(c)  
2023-08-21  
SP

Parentage Sire Dam

DNA

Genomic



**MCU 180180** PP(c)  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408

**MCU 150192** Pp(c)  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408

**MCU 160210** PP(c)

**CCW 200053**  
AGE/CALV. 3/1  
AVG. Wt/CALV. 99/1  
ICP -

**CCW 170075**  
AGE/CALV. 3/1  
AVG. Wt/CALV. 96/1  
ICP -

**MCU 120006** PP  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8

**MCU 090012** PP(c)  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8

**JPL 090116** P

**MCU 110028** PP(c)  
AGE/CALV. 11/8  
AVG. Wt/CALV. 103/7

**MCU 140134** Pp(c)  
AGE/CALV. 9/7  
AVG. Wt/CALV. 102/7

**MCU 140065** Pp(c)  
AGE/CALV. 9/7  
AVG. Wt/CALV. 102/7

**JPL 120054** P

**CCW 100068**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 98/8

|                           |                          |                        |                          |                  |                     |                      |
|---------------------------|--------------------------|------------------------|--------------------------|------------------|---------------------|----------------------|
| <b>Calving Ease Value</b> | <b>Weaner Calf Value</b> | <b>Fertility Value</b> | <b>Maintenance Value</b> | <b>Cow Value</b> | <b>Growth Value</b> | <b>Carcass Value</b> |
| <b>115</b>                | <b>87</b>                | <b>104</b>             | <b>134</b>               | <b>94</b>        | <b>88</b>           | <b>86</b>            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 112             | 85        | 80        | 110        | 93           | 114       | 98      | 80               | 91  | 97  | 72            | 79     | 72     | 89      | 121 | 105 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 99         | -          | -          | 101       | -         | 327     | 1.17 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-07-17

## BULLE

## LOT 16


C. CILLIERS

CCW 230068 Pp(c)  
2023-08-31  
SP

Ouerskap Vaar Moer

DNS

Genomies

CCW 180085  
OUD/KALW. 7/4  
GEM. SI/KALW. 107/3  
TKP 533

|                                |           |                  |                           |                  |             |                                 |                |                 |                              |                |        |                   |        |            |                        |  |  |                          |  |  |
|--------------------------------|-----------|------------------|---------------------------|------------------|-------------|---------------------------------|----------------|-----------------|------------------------------|----------------|--------|-------------------|--------|------------|------------------------|--|--|--------------------------|--|--|
| Geboortegemak<br>Waarde<br>108 |           |                  | Speenkalf<br>Waarde<br>98 |                  |             | Vrugbaarheids-<br>waarde<br>106 |                |                 | Onderhouds-<br>waarde<br>105 |                |        | Koeiwaarde<br>103 |        |            | Groei-<br>waarde<br>91 |  |  | Karkas-<br>waarde<br>103 |  |  |
| Kalf en Moeder                 |           |                  | Vrugbaarheid              |                  |             |                                 | Na-Speen Groei |                 |                              | Raam           |        |                   | Karkas |            |                        |  |  |                          |  |  |
| Geb. Dir.                      | Spn. Dir. | Spn. Mat.        | Skr. Omtr.                | Vers Vrugb.      | Koei Vrugb. | Lankl.                          | Na-Speen       | GDT             | VOV                          | Volw. Gewig    | Hoogte | Lengte            | OSO    | Vet        | Mar                    |  |  |                          |  |  |
| 105                            | 95        | 103              | 108                       | 91               | 114         | 106                             | 90             | 94              | 97                           | 93             | 91     | 89                | 85     | 144        | 115                    |  |  |                          |  |  |
| Spn. Indeks<br>104             |           | 365D Indeks<br>- |                           | 540D Indeks<br>- |             | GDT Indeks<br>103               |                | VOV Indeks<br>- |                              | Skrotum<br>349 |        | LH<br>1.16        |        |            |                        |  |  |                          |  |  |
|                                |           |                  |                           |                  |             |                                 |                |                 |                              |                |        |                   |        | Miostatien |                        |  |  |                          |  |  |
|                                |           |                  |                           |                  |             |                                 |                |                 |                              |                |        |                   |        | Q204X 0    |                        |  |  |                          |  |  |
|                                |           |                  |                           |                  |             |                                 |                |                 |                              |                |        |                   |        | NT821 0    |                        |  |  |                          |  |  |
|                                |           |                  |                           |                  |             |                                 |                |                 |                              |                |        |                   |        | F94L 0     |                        |  |  |                          |  |  |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 17


ADRIËL BONSMARAS

WEB 230049  
2023-05-17  
B

Ouerskap Vaar Moer

DNS

Genomies

WEB 170232  
OUD/KALW. 8/5  
GEM. SI/KALW. 100/3  
TKP 434

|                               |           |                  |                            |                  |             |                                 |                |                 |                             |                |        |                      |        |            |                         |  |  |                          |  |  |
|-------------------------------|-----------|------------------|----------------------------|------------------|-------------|---------------------------------|----------------|-----------------|-----------------------------|----------------|--------|----------------------|--------|------------|-------------------------|--|--|--------------------------|--|--|
| Geboortegemak<br>Waarde<br>80 |           |                  | Speenkalf<br>Waarde<br>102 |                  |             | Vrugbaarheids-<br>waarde<br>102 |                |                 | Onderhouds-<br>waarde<br>87 |                |        | Koeiwaarde<br><br>98 |        |            | Groei-<br>waarde<br>102 |  |  | Karkas-<br>waarde<br>106 |  |  |
| Kalf en Moeder                |           |                  | Vrugbaarheid               |                  |             |                                 | Na-Speen Groei |                 |                             | Raam           |        |                      | Karkas |            |                         |  |  |                          |  |  |
| Geb. Dir.                     | Spn. Dir. | Spn. Mat.        | Skr. Omtr.                 | Vers Vrugb.      | Koei Vrugb. | Lankl.                          | Na-Speen       | GDT             | VOV                         | Volw. Gewig    | Hoogte | Lengte               | OSO    | Vet        | Mar                     |  |  |                          |  |  |
| 72                            | 109       | 107              | 88                         | 101              | 108         | 92                              | 107            | 104             | 103                         | 113            | 114    | 118                  | 109    | 92         | 95                      |  |  |                          |  |  |
| Spn. Indeks<br>100            |           | 365D Indeks<br>- |                            | 540D Indeks<br>- |             | GDT Indeks<br>108               |                | VOV Indeks<br>- |                             | Skrotum<br>308 |        | LH<br>1.23           |        |            |                         |  |  |                          |  |  |
|                               |           |                  |                            |                  |             |                                 |                |                 |                             |                |        |                      |        | Miostatien |                         |  |  |                          |  |  |
|                               |           |                  |                            |                  |             |                                 |                |                 |                             |                |        |                      |        | Q204X 0    |                         |  |  |                          |  |  |
|                               |           |                  |                            |                  |             |                                 |                |                 |                             |                |        |                      |        | NT821 1    |                         |  |  |                          |  |  |
|                               |           |                  |                            |                  |             |                                 |                |                 |                             |                |        |                      |        | F94L 0     |                         |  |  |                          |  |  |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 18


C. CILLIERS

CCW 230037  
2023-08-05  
SP

Ouerskap Vaar Moer

DNS

Genomies

CCW 150043  
OUD/KALW. 8/4  
GEM. SI/KALW. 98/4  
TKP 572

|                               |           |           |                           |             |             |                                 |                |     |                             |             |        |                  |        |             |                         |            |   |                          |  |         |  |      |  |
|-------------------------------|-----------|-----------|---------------------------|-------------|-------------|---------------------------------|----------------|-----|-----------------------------|-------------|--------|------------------|--------|-------------|-------------------------|------------|---|--------------------------|--|---------|--|------|--|
| Geboortegemak<br>Waarde<br>95 |           |           | Speenkalf<br>Waarde<br>90 |             |             | Vrugbaarheids-<br>waarde<br>100 |                |     | Onderhouds-<br>waarde<br>98 |             |        | Koeiwaarde<br>91 |        |             | Groei-<br>waarde<br>100 |            |   | Karkas-<br>waarde<br>114 |  |         |  |      |  |
| Kalf en Moeder                |           |           | Vrugbaarheid              |             |             |                                 | Na-Speen Groei |     |                             | Raam        |        |                  | Karkas |             |                         |            |   |                          |  |         |  |      |  |
| Geb. Dir.                     | Spn. Dir. | Spn. Mat. | Skr. Omtr.                | Vers Vrugb. | Koei Vrugb. | Lankl.                          | Na-Speen       | GDT | VOV                         | Volw. Gewig | Hoogte | Lengte           | OSO    | Vet         | Mar                     |            |   |                          |  |         |  |      |  |
| 96                            | 95        | 102       | 106                       | 92          | 109         | 98                              | 97             | 100 | 99                          | 101         | 115    | 105              | 92     | 144         | 123                     |            |   |                          |  |         |  |      |  |
| Spn. Indeks                   |           |           |                           |             |             |                                 |                |     |                             |             |        | 365D Indeks      |        | 540D Indeks |                         | GDT Indeks |   | VOV Indeks               |  | Skrotum |  | LH   |  |
| 95                            |           |           |                           |             |             |                                 |                |     |                             |             |        | -                |        | -           |                         | 106        |   | -                        |  | 335     |  | 1.15 |  |
|                               |           |           |                           |             |             |                                 |                |     |                             |             |        |                  |        |             | Miostatien              |            |   |                          |  |         |  |      |  |
|                               |           |           |                           |             |             |                                 |                |     |                             |             |        |                  |        |             | Q204X                   |            | 0 |                          |  |         |  |      |  |
|                               |           |           |                           |             |             |                                 |                |     |                             |             |        |                  |        |             | NT821                   |            | 0 |                          |  |         |  |      |  |
|                               |           |           |                           |             |             |                                 |                |     |                             |             |        |                  |        |             | F94L                    |            | 0 |                          |  |         |  |      |  |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

**BULLS**

**LOT 19**



**CCW 240018**  
2024-01-27  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

**C. CILLIERS**



**NFS 190405** Pp(c)

**CCW 170028**  
AGE/CALV. 9/5  
AVG. Wt/CALV. 102/4  
ICP 505

**JPL 120054** P

**CCW 110058**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 103/9  
ICP 391

**MCU 140048** Pp(c)

**MCU 110151** PP(c)  
AGE/CALV. 10/7  
AVG. Wt/CALV. 114/7

**DKN 090345**

**ZVJ 110143**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 107/10

**JJ 050138**

**JPL 020055**  
AGE/CALV. 14/12  
AVG. Wt/CALV. 101/12

**CAM 070141**

**CCW 080059**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 106/7

|                    |
|--------------------|
| Calving Ease Value |
| <b>96</b>          |

|                   |
|-------------------|
| Weaner Calf Value |
| <b>89</b>         |

|                 |
|-----------------|
| Fertility Value |
| <b>101</b>      |

|                   |
|-------------------|
| Maintenance Value |
| <b>100</b>        |

|           |
|-----------|
| Cow Value |
| <b>92</b> |

|              |
|--------------|
| Growth Value |
| <b>94</b>    |

|               |
|---------------|
| Carcass Value |
| <b>104</b>    |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 102             | 94        | 103       | 103        | 89           | 108       | 108     | 97               | 97  | 100 | 98            | 103    | 98     | 92      | 143 | 120 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|----|
| 103        | 112        | 112        | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2026-07-17

**LOT 20**



**WEB 230157**  
2023-09-04  
B

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |

**ADRIËL BONSMARAS**



**LAR 180203**

**WEB 130086**  
AGE/CALV. 12/7  
AVG. Wt/CALV. 97/7  
ICP 361

**LAR 150029**

**LAR 080256**  
AGE/CALV. 15/10  
AVG. Wt/CALV. 98/9  
ICP 431

**ADV 100321** HH(c)

**LAR 120368**  
AGE/CALV. 13/10  
AVG. Wt/CALV. 100/9

**LAR 060224**

**LAR 040160**  
AGE/CALV. 4/2  
AVG. Wt/CALV. 100/2

|                    |
|--------------------|
| Calving Ease Value |
| <b>80</b>          |

|                   |
|-------------------|
| Weaner Calf Value |
| <b>85</b>         |

|                 |
|-----------------|
| Fertility Value |
| <b>85</b>       |

|                   |
|-------------------|
| Maintenance Value |
| <b>102</b>        |

|           |
|-----------|
| Cow Value |
| <b>74</b> |

|              |
|--------------|
| Growth Value |
| <b>96</b>    |

|               |
|---------------|
| Carcass Value |
| <b>93</b>     |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 78              | 96        | 96        | 88         | 91           | 90        | 91      | 97               | 99  | 101 | 96            | 112    | 102    | 101     | 92  | 92  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 101        | -          | -          | 108       | -         | 309     | 1.17 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS:

LOGIX EBV Analysis: 2026-07-17

**LOT 21**



**CCW 230052**  
2023-08-15  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

**C. CILLIERS**



**MCU 190256** Pp(c)

**CCW 200028**  
AGE/CALV. 6/3  
AVG. Wt/CALV. 88/2  
ICP 407

**HDT 100131** P

**MCU 150203** Pp(c)  
AGE/CALV. 4/2  
AVG. Wt/CALV. 102/2  
ICP 523

**MCU 160210** PP(c)

**CCW 080067**  
AGE/CALV. 13/10  
AVG. Wt/CALV. 96/8  
ICP 386

|                    |
|--------------------|
| Calving Ease Value |
| <b>100</b>         |

|                   |
|-------------------|
| Weaner Calf Value |
| <b>93</b>         |

|                 |
|-----------------|
| Fertility Value |
| <b>114</b>      |

|                   |
|-------------------|
| Maintenance Value |
| <b>98</b>         |

|            |
|------------|
| Cow Value  |
| <b>100</b> |

|              |
|--------------|
| Growth Value |
| <b>107</b>   |

|               |
|---------------|
| Carcass Value |
| <b>107</b>    |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 104       | 80        | 107        | 106          | 122       | 93      | 106              | 108 | 106 | 102           | 111    | 108    | 99      | 107 | 109 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 104        | -          | -          | 101       | -         | 343     | 1.19 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2026-07-17

## BULLE

## LOT 22

C. CILLIERS

CCW 230088 Pp(c)  
2023-09-25  
SP

Ouerskap Vaar Moer

DNS

Genomies

MCU 180180 PP(c)



CCW 120055

OUD/KALW. 12/8  
GEM. SI/KALW. 109/8  
TKP 476

MCU 160014 PP(c)

MCU 150192 Pp(c)

OUD/KALW. 9/6  
GEM. SI/KALW. 93/6  
TKP 408

CCW 090133

CCW 030050

OUD/KALW. 15/12  
GEM. SI/KALW. 96/11  
TKP 402

MCU 120006 PP

MCU 090012 PP(c)  
OUD/KALW. 14/9  
GEM. SI/KALW. 102/8

JPL 090116 P

MCU 110028 PP(c)

OUD/KALW. 11/8  
GEM. SI/KALW. 103/7

BHE 040215

NFS 950061

OUD/KALW. 14/12  
GEM. SI/KALW. 98/12

BHE 010094

CCW 960004

OUD/KALW. 12/9  
GEM. SI/KALW. 107/8Geboortegemak  
Waarde  
**75**Speenkalv  
Waarde  
**100**Vrugbaarheids-  
waarde  
**98**Onderhouds-  
waarde  
**90**Koeiwaarde  
**94**Groei-  
waarde  
**92**Karkas-  
waarde  
**112**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 66             | 109       | 104       | 144          | 93          | 104         | 99     | 104            | 99  | 101 | 109         | 112    | 110    | 102    | 128 | 121 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 112         | -           | -           | 93         | -          | 365     | 1.20 |

Miostatien

|       |   |
|-------|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L  | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 23

ADRIËL BONSMARAS

WEB 230128  
2023-10-30  
B

Ouerskap Vaar Moer

DNS

Genomies

ABM 190455



WEB 170064

OUD/KALW. 8/6  
GEM. SI/KALW. 95/4  
TKP 394

LAR 140173 HH(c)

ABM 120246

OUD/KALW. 13/10  
GEM. SI/KALW. 102/9  
TKP 393

MULTIPLE SIRES

WEB 140064

OUD/KALW. 8/4  
GEM. SI/KALW. 111/4  
TKP 436

LAR 120033 HH(c)

LAR 100159  
OUD/KALW. 15/11  
GEM. SI/KALW. 105/11

LMR 080104 Pp(c)

LTS 070105

OUD/KALW. 8/5  
GEM. SI/KALW. 98/6Geboortegemak  
Waarde  
**109**Speenkalv  
Waarde  
**89**Vrugbaarheids-  
waarde  
**103**Onderhouds-  
waarde  
**116**Koeiwaarde  
**96**Groei-  
waarde  
**97**Karkas-  
waarde  
**93**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 107            | 84        | 105       | 114          | 110         | 105         | 90     | 87             | 102 | 97  | 85          | 87     | 93     | 106    | 86  | 97  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 95          | -           | -           | 101        | -          | 310     | 1.23 |

Miostatien

|       |             |
|-------|-------------|
| Q204X | 0           |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 24

C. CILLIERS

CCW 230073 Pp(c)  
2023-09-10  
SP

Ouerskap Vaar Moer

DNS

Genomies

NFS 190405 Pp(c)



CCW 190009

OUD/KALW. 7/4  
GEM. SI/KALW. 100/3  
TKP 523

MCU 140048 Pp(c)

NFS 160011

OUD/KALW. 10/8  
GEM. SI/KALW. 98/6  
TKP 361

MCU 150145 Pp(c)

CCW 140024

OUD/KALW. 11/6  
GEM. SI/KALW. 105/6  
TKP 506

MCU 100109 Pp(c)

MCU 110151 PP(c)  
OUD/KALW. 10/7  
GEM. SI/KALW. 114/7

DKN 090345

ZVJ 110143

OUD/KALW. 12/10  
GEM. SI/KALW. 107/10

MCU 120006 PP

MCU 120145

OUD/KALW. 9/6  
GEM. SI/KALW. 109/5

RCO 980037

CCW 100005

OUD/KALW. 4/2  
GEM. SI/KALW. 102/2Geboortegemak  
Waarde  
**110**Speenkalv  
Waarde  
**101**Vrugbaarheids-  
waarde  
**113**Onderhouds-  
waarde  
**103**Koeiwaarde  
**110**Groei-  
waarde  
**103**Karkas-  
waarde  
**109**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 108            | 99        | 98        | 108          | 102         | 116         | 107    | 96             | 105 | 110 | 95          | 113    | 103    | 89     | 144 | 128 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 109         | -           | -           | 105        | -          | 329     | 1.15 |

Miostatien

|       |   |
|-------|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L  | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## BULLS


**LOT 25**

C. CILLIERS

  
CCW 230060 Pp(c)  
2023-08-22  
SP

  
MCU 180180 PP(c)

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

  
CCW 200047  
AGE/CALV. 6/3  
AVG. Wt/CALV. 114/2  
ICP 435

  
MCU 160014 PP(c)

  
MCU 150192 Pp(c)  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408

  
MCU 160210 PP(c)

  
CCW 170112  
AGE/CALV. 8/5  
AVG. Wt/CALV. 99/4  
ICP 522

  
MCU 120006 PP

  
MCU 090012 PP(c)  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8

JPL 090116 P

  
MCU 110028 PP(c)  
AGE/CALV. 11/8  
AVG. Wt/CALV. 103/7

  
MCU 140134 Pp(c)

  
MCU 140065 Pp(c)  
AGE/CALV. 9/7  
AVG. Wt/CALV. 102/7

  
MCU 140023 P

  
CCW 140011  
AGE/CALV. 11/8  
AVG. Wt/CALV. 102/8

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 98                 | 97                | 116             | 135               | 104       | 82           | 88            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 93              | 94        | 85        | 118        | 98           | 123       | 103     | 84               | 87  | 92  | 70            | 77     | 72     | 93      | 120 | 107 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 108        | -          | -          | 98        | -         | 344     | 1.15 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2026-07-17

**LOT 26**

ADRIËL BONSMARAS

  
WEB 230078  
2023-05-06  
SP

  
LAR 190170 HH(c)

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |

  
WEB 180243  
AGE/CALV. 4/2  
AVG. Wt/CALV. 96/2  
ICP 783

LAR 160080

LAR 150111  
AGE/CALV. 11/8  
AVG. Wt/CALV. 102/8  
ICP 383

ABM 140140

WEB 120243  
AGE/CALV. 11/6  
AVG. Wt/CALV. 110/6  
ICP 444

LAR 120455

LAR 120413  
AGE/CALV. 11/8  
AVG. Wt/CALV. 98/6

  
LAR 120026 HH(c)

  
LAR 080188 HH(c)  
AGE/CALV. 13/8  
AVG. Wt/CALV. 106/8

  
WAT 050078 Pp(c)

ABM 100062  
AGE/CALV. 4/2  
AVG. Wt/CALV. 112/2

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 78                 | 109               | 93              | 88                | 99        | 101          | 111           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 64              | 114       | 111       | 99         | 98           | 91        | 100     | 111              | 101 | 103 | 112           | 111    | 116    | 112     | 96  | 86  |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 99         | -          | -          | 98        | -         | 327     | 1.24 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS:

LOGIX EBV Analysis: 2026-07-17


**LOT 27**

C. CILLIERS

  
CCW 230087 Pp(c)  
2023-09-23  
SP

  
MCU 180180 PP(c)

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

  
CCW 160067  
AGE/CALV. 9/6  
AVG. Wt/CALV. 107/6  
ICP 443

  
MCU 160014 PP(c)

  
MCU 150192 Pp(c)  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408

FCT 120222

CCW 100114  
AGE/CALV. 10/7  
AVG. Wt/CALV. 106/6  
ICP 453

MCU 120006 PP

  
MCU 090012 PP(c)  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8

JPL 090116 P

  
MCU 110028 PP(c)  
AGE/CALV. 11/8  
AVG. Wt/CALV. 103/7

FCT 080218

  
FCT 100049  
AGE/CALV. 12/9  
AVG. Wt/CALV. 101/9

CCW 070053

  
CCW 060064  
AGE/CALV. 10/8  
AVG. Wt/CALV. 101/8

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 97                 | 96                | 101             | 105               | 97        | 91           | 100           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 96              | 96        | 104       | 99         | 90           | 106       | 105     | 94               | 87  | 88  | 93            | 89     |        | 99      | 124 | 106 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 113        | -          | -          | 104       | -         | 308     | 1.15 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2026-07-17

## BULLE

## LOT 28

C. CILLIERS

CCW 230070 Pp(c)  
2023-09-01  
SP

Ouerskap Vaar Moer

DNS

Genomies

MCU 180180 PP(c)



CCW 150028

OUD/KALW. 8/5  
GEM. SI/KALW. 92/5  
TKP 539

MCU 150192 Pp(c)

OUD/KALW. 9/6  
GEM. SI/KALW. 93/6  
TKP 408

JPL 120054 P

CCW 100104

OUD/KALW. 6/3  
GEM. SI/KALW. 102/2  
TKP 517

MCU 160014 PP(c)

MCU 120006 PP

MCU 090012 PP(c)

OUD/KALW. 14/9  
GEM. SI/KALW. 102/8

JPL 090116 P

MCU 110028 PP(c)

OUD/KALW. 11/8  
GEM. SI/KALW. 103/7

JJ 050138

JPL 020055

OUD/KALW. 14/12  
GEM. SI/KALW. 101/12

CCW 070053

CCW 060043

OUD/KALW. 8/4  
GEM. SI/KALW. 97/4Geboortegemak  
Waarde  
**76**Speenkalv  
Waarde  
**79**Vrugbaarheids-  
waarde  
**85**Onderhouds-  
waarde  
**126**Koeiwaarde  
**69**Groei-  
waarde  
**87**Karkas-  
waarde  
**87**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 80             | 91        | 82        | 114          | 82          | 92          | 100    | 87             | 90  | 96  | 80          | 83     | 79     | 93     | 116 | 108 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 91          | -           | -           | 96         | -          | 335     | 1.17 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 29

ADRIËL BONSMARAS

WEB 230059  
2023-05-22  
B

Ouerskap Vaar Moer

DNS

Genomies

LAR 190170 HH(c)



WEB 140196

OUD/KALW. 11/7  
GEM. SI/KALW. 98/7  
TKP 387

LAR 160080

LAR 150111

OUD/KALW. 11/8  
GEM. SI/KALW. 102/8  
TKP 383

LAR 120455

LAR 120413

OUD/KALW. 11/8  
GEM. SI/KALW. 98/6

LAR 120026 HH(c)

LAR 080188 HH(c)

OUD/KALW. 13/8  
GEM. SI/KALW. 106/8Geboortegemak  
Waarde  
**78**Speenkalv  
Waarde  
**84**Vrugbaarheids-  
waarde  
**99**Onderhouds-  
waarde  
**94**Koeiwaarde  
**81**Groei-  
waarde  
**102**Karkas-  
waarde  
**100**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 78             | 97        | 99        | 90           | 100         | 100         | 98     | 99             | 107 | 107 | 105         | 111    | 114    | 105    | 93  | 91  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 96          | -           | -           | 106        | -          | 318     | 1.24 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 30

C. CILLIERS

CCW 230092 Pp(c)  
2023-10-03  
SP

Ouerskap Vaar Moer

DNS

Genomies

MCU 180180 PP(c)



CCW 160020

OUD/KALW. 10/7  
GEM. SI/KALW. 101/6  
TKP 430

MCU 150192 Pp(c)

OUD/KALW. 9/6  
GEM. SI/KALW. 93/6  
TKP 408

GBS 080132

CCW 090101

OUD/KALW. 12/8  
GEM. SI/KALW. 105/8  
TKP 419

MCU 160014 PP(c)

MCU 120006 PP

MCU 090012 PP(c)

OUD/KALW. 14/9  
GEM. SI/KALW. 102/8

JPL 090116 P

MCU 110028 PP(c)

OUD/KALW. 11/8  
GEM. SI/KALW. 103/7

GBS 060059

GBS 050134

OUD/KALW. 11/7  
GEM. SI/KALW. 100/7

MRW 030176

CCW 060075

OUD/KALW. 5/2  
GEM. SI/KALW. 104/2Geboortegemak  
Waarde  
**97**Speenkalv  
Waarde  
**87**Vrugbaarheids-  
waarde  
**98**Onderhouds-  
waarde  
**120**Koeiwaarde  
**88**Groei-  
waarde  
**82**Karkas-  
waarde  
**88**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 96             | 88        | 97        | 131          | 85          | 105         | 104    | 82             | 90  | 98  | 84          | 82     | 79     | 87     | 117 | 109 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 98          | -           | -           | 105        | -          | 386     | 1.20 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

| Dier Info                     |            |     |     | Actual Values |              |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-------------------------------|------------|-----|-----|---------------|--------------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                           | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average Auction Average |            |     |     | 36            | 214          | 8.07      | 1.19                | 339             | 1.00                     | -0.29          | 15.0          | 3.6           | 24             | 22                  | 79        | -37         | 12.7            | -3.0         | 14.0        | 103  | 105 | 112        | 102             | 5.0        | 93          |
| 1                             | CCW 230069 | M   | SP  | 34            | 210          | 7.49      | 1.22                | 330             | 0.86                     | -0.15          | 15.7          | 6.0           | 28.8           | 33.6                | 83        | -28         | 15.4            | -5           | 14          | 113  | 121 | 104        | 110             | 3          | 72          |
| 2                             | WEB 230065 | M   | SP  | 40            | 252          | -         | 1.19                | 341             | 1.78                     | -0.82          | 21.6          | -1.3          | 34.9           | 35.6                | 26        | -10         | 23.2            | -10          | 7           | 109  | 96  | 118        | 101             | 4          | 104         |
| 3                             | CCW 230072 | M   | SP  | 35            | 231          | 7.64      | 1.22                | 357             | 1.71                     | -0.22          | 13.2          | 4.5           | 22.1           | 4.0                 | 81        | -42         | 31.4            | -4           | 16          | 112  | 101 | 131        | 106             | 4          | 93          |
| 4                             | CCW 230085 | M   | SP  | 37            | 218          | 9.25      | 1.19                | 349             | 1.88                     | 0.29           | 12.8          | 5.4           | 23.4           | 9.1                 | 98        | -47         | 31.7            | -8           | 10          | 103  | 121 | 132        | 106             | 4          | 90          |
| 5                             | WEB 230060 | M   | SP  | 29            | 264          | -         | 1.19                | 389             | -1.26                    | -0.66          | 10.7          | 0.7           | 14.8           | 14.8                | 43        | -24         | 37.7            | -19          | -2          | 112  | 105 | 142        | 107             | 4          | 106         |
| 6                             | CCW 230049 | M   | SP  | 41            | 207          | 8.61      | 1.22                | 341             | 1.94                     | 0.59           | 17.3          | 3.6           | 31.2           | 35.9                | 86        | -34         | 19.9            | -4           | 17          | 107  | 124 | 112        | 99              | 7          | 88          |
| 7                             | CCW 230067 | M   | SP  | 32            | 209          | 8.04      | 1.16                | 354             | 2.49                     | -0.94          | 15.5          | 2.2           | 17.8           | 2.5                 | 54        | -44         | 30.1            | -9           | 1           | 122  | 108 | 129        | 119             | 3          | 93          |
| 8                             | WEB 230046 | M   | B   | 32            | 222          | -         | 1.23                | 325             | 1.12                     | -0.99          | 11.4          | 6.1           | 12.9           | 25.3                | 48        | -17         | 11.4            | -13          | 13          | 91   | 101 | 98         | 104             | 6          | 99          |
| 9                             | CCW 230030 | M   | SP  | 35            | 176          | 7.87      | 1.16                | 335             | 1.93                     | -0.71          | 14.8          | 0.3           | 26.5           | 18.3                | 52        | -21         | 12.7            | -9           | 9           | 91   | 97  | 100        | 103             | 5          | 85          |
| 10                            | CCW 230107 | M   | SP  | 36            | 172          | 9.14      | 1.17                | 344             | 1.75                     | -0.56          | 17.2          | 2.7           | 30.2           | 23.3                | 116       | -77         | 24.1            | 12           | 24          | 101  | 97  | 119        | 101             | 4          | 90          |
| 11                            | WEB 230015 | M   | SP  | -             | 226          | -         | 1.21                | 318             | -1.42                    | 0.27           | 8.5           | 2.8           | 17.8           | 9.4                 | 84        | -32         | 10.2            | -21          | 4           | 91   | 100 | 96         | 99              | 3          | 92          |
| 12                            | CCW 230091 | M   | SP  | 42            | 204          | 9.72      | 1.17                | 379             | 2.49                     | 0.22           | 9.6           | 1.0           | 13.4           | -5.1                | 67        | -46         | 28.9            | -12          | -3          | 92   | 116 | 127        | 98              | 5          | 98          |
| 13                            | CCW 230094 | M   | SP  | 32            | 229          | 6.71      | 1.20                | 352             | 1.11                     | -0.42          | 11.0          | 2.7           | 13.4           | -6.0                | 32        | -26         | 20.9            | -21          | -8          | 112  | 120 | 114        | 105             | 7          | 99          |
| 14                            | WEB 230045 | M   | SP  | 29            | 267          | -         | 1.22                | 326             | 1.74                     | -0.41          | 17.1          | 5.2           | 27.6           | 40.0                | 91        | -43         | 15.9            | -5           | 20          | 113  | 112 | 105        | 105             | 4          | 104         |
| 15                            | CCW 230058 | M   | SP  | 25            | 169          | 7.25      | 1.17                | 327             | -0.27                    | -0.79          | 7.1           | -2.5          | 7.2            | -19.7               | 46        | -31         | 18.6            | -20          | -11         | 99   | 101 | 110        | 99              | 1          | 94          |
| 16                            | CCW 230068 | M   | SP  | 31            | 193          | 6.42      | 1.16                | 349             | 0.48                     | -0.72          | 12.2          | 4.5           | 17.9           | 12.0                | 56        | -32         | 17.6            | -10          | 4           | 104  | 103 | 108        | 107             | 4          | 87          |
| 17                            | WEB 230049 | M   | B   | 40            | 250          | -         | 1.23                | 308             | 3.94                     | -0.39          | 19.9          | 5.7           | 34.4           | 41.8                | 96        | -41         | 5.7             | 8            | 30          | 100  | 108 | 88         | 100             | 5          | 96          |
| 18                            | CCW 230037 | M   | SP  | 38            | 186          | 8.43      | 1.15                | 335             | 1.46                     | -0.10          | 12.6          | 4.3           | 24.6           | 22.9                | 77        | -34         | 16.2            | 9            | 18          | 95   | 106 | 106        | 98              | 4          | 75          |
| 19                            | CCW 240018 | M   | SP  | 37            | 147          | 7.24      | -                   | -               | 0.79                     | 0.65           | 12.0          | 4.4           | 23.1           | 19.5                | 67        | -36         | 14.7            | -0           | 11          | 103  | -   | 103        | 102             | 5          | 91          |
| 20                            | WEB 230157 | M   | B   | 47            | 243          | -         | 1.17                | 309             | 3.28                     | -0.42          | 12.8          | 2.4           | 24.6           | 16.7                | 76        | -38         | 5.5             | 6            | 15          | 101  | 108 | 88         | 97              | 7          | 100         |
| 21                            | CCW 230052 | M   | SP  | 32            | 183          | 8.74      | 1.19                | 343             | 1.15                     | -0.48          | 17.0          | -2.3          | 33.4           | 24.5                | 109       | -46         | 16.8            | 5            | 21          | 104  | 101 | 107        | 88              | 3          | 93          |
| 22                            | CCW 230088 | M   | SP  | 43            | 239          | 8.05      | 1.20                | 365             | 4.56                     | 0.32           | 19.9          | 4.9           | 30.2           | 35.9                | 75        | -38         | 38.6            | 7            | 22          | 112  | 93  | 144        | 109             | 8          | 91          |
| 23                            | WEB 230128 | M   | B   | 36            | 209          | -         | 1.23                | 310             | 0.24                     | -0.54          | 6.6           | 5.2           | 14.0           | 0.2                 | 87        | -32         | 21.2            | -13          | 8           | 95   | 101 | 114        | 95              | 6          | 106         |
| 24                            | CCW 230073 | M   | SP  | 34            | 203          | 8.61      | 1.15                | 329             | 0.17                     | -0.64          | 14.5          | 3.0           | 24.1           | 14.8                | 96        | -53         | 17.4            | 7            | 16          | 109  | 105 | 108        | 100             | 4          | 90          |
| 25                            | CCW 230060 | M   | SP  | 30            | 186          | 8.43      | 1.15                | 344             | 1.71                     | -1.10          | 11.8          | -0.8          | 11.3           | -22.2               | 29        | -23         | 23.2            | -21          | -11         | 108  | 98  | 118        | 114             | 3          | 95          |

| Dier Info                         |            |        |     | Werklike Syfers |            |       |               |            | Verwagte Teelwaardes |                |              |            |          |             |          |            |              |            | Indekse    |      |     | Moeder     |                  |             |              |
|-----------------------------------|------------|--------|-----|-----------------|------------|-------|---------------|------------|----------------------|----------------|--------------|------------|----------|-------------|----------|------------|--------------|------------|------------|------|-----|------------|------------------|-------------|--------------|
| LOT                               | Dier ID    | Geslag | AFD | Geb. Gewig      | 205d Gewig | KKG   | Lengte Hoogte | Skr. Omtr. | Geb Dir              | Geb Mat        | Spn Dir      | Spn Mat    | Na-Spn   | Volw. Gewig | GDT      | VOV        | Skr. Omtr.   | Hoogte     | Lengte     | Spn. | GDT | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
|                                   |            |        |     | (kg)            | (kg)       | Verh. | Verh.         | (mm)       | (kg)                 | (kg)           | (kg)         | (kg)       | (kg)     | (g/d)       | (kg:kg)  | (mm)       | (mm)         | (mm)       |            |      |     |            |                  |             |              |
| Ras Gemiddeld<br>Aanbod Gemiddeld |            |        |     | 36              | 214        | 8.07  | 1.19          | 339        | 1.00<br>1.65         | -0.29<br>-0.32 | 15.0<br>13.7 | 3.6<br>2.9 | 24<br>22 | 22<br>15    | 79<br>69 | -37<br>-36 | 12.7<br>19.7 | -3.0<br>-6 | 14.0<br>10 | 103  | 105 | 112        | 102              | 5.0         | 93           |
| 26                                | WEB 230078 | M      | SP  | 44              | 251        | -     | 1.24          | 327        | 4.74                 | -0.04          | 22.1         | 6.9        | 37.9     | 40.0        | 83       | -41        | 12.4         | 6          | 28         | 99   | 98  | 99         | 96               | 2           | 84           |
| 27                                | CCW 230087 | M      | SP  | 34              | 232        | 7.23  | 1.15          | 308        | 1.43                 | -0.50          | 13.0         | 4.7        | 21.1     | 12.2        | 30       | -18        | 12           | -9         | 3          | 113  | 104 | 99         | 107              | 6           | 95           |
| 28                                | CCW 230070 | M      | SP  | 43              | 202        | 9.84  | 1.17          | 335        | 3.08                 | 0.33           | 10.5         | -1.7       | 12.1     | -8.1        | 41       | -30        | 20.9         | -16        | -5         | 91   | 96  | 114        | 92               | 5           | 90           |
| 29                                | WEB 230059 | M      | B   | 40              | 241        | -     | 1.24          | 318        | 3.33                 | -0.15          | 13.3         | 3.3        | 25.6     | 28.8        | 106      | -48        | 6.7          | 5          | 26         | 96   | 106 | 90         | 98               | 7           | 100          |
| 30                                | CCW 230092 | M      | SP  | 32              | 205        | 6.69  | 1.20          | 386        | 1.40                 | -0.45          | 8.5          | 2.7        | 9.1      | -2.1        | 41       | -33        | 31           | -18        | -5         | 98   | 105 | 131        | 101              | 7           | 101          |

| EXPLANATION OF CATALOGUE ABBREVIATIONS                  |                 | VERDUIDELIKING VAN KATALOGUS AFKORTINGS |                                                             |
|---------------------------------------------------------|-----------------|-----------------------------------------|-------------------------------------------------------------|
| Lot Number                                              | LOT             | LOT                                     | Lot Nommer                                                  |
| Estimated breeding value                                | EBV             | EBV                                     | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage       | Ouerskap                                | Ouerskap verifikasie                                        |
| Age in years / Number of calvings                       | AGE. / CALV.    | OOD. / KALF.                            | Ouderdom in jaar / Aantal kalwings                          |
| Average Wean index / Number of calves weaned            | Ave WI / CALV.  | GEM SI / KALF.                          | Gemiddelde speen indeks / Aantal kalwers gespeen            |
| Animal identification number                            | ID              | ID                                      | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC             | AFD                                     | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN             | PEN                                     | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR             | NFR                                     | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO              | FO                                      | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A               | A                                       | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B               | B                                       | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP              | SP                                      | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT              | GT                                      | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)           | HH(c)                                   | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)           | PP(c)                                   | Homosigotiets Poena (Celtic toets)                          |
| Heterozygous Polled (Celtic test)                       | Pp(c)           | Pp(c)                                   | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P               | P                                       | Fenotopies Poena                                            |
| Intercalving Period                                     | ICP             | TKP                                     | Tussen-Kalf Periode                                         |
| Birth Direct breeding value                             | Birth Dir.      | Geb. Dir                                | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.       | Spn. Dir.                               | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.       | SPn. Mat.                               | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.      | Skr. Omt.                               | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert.    | Vers Vrugb.                             | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.       | Koei Vrugb.                             | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.         | Lankl.                                  | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.        | Volw. Gewig                             | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG             | GDT                                     | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR             | VOV                                     | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA             | OSO                                     | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat             | Vet                                     | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar             | Mar                                     | Marmering (binne-spijse vet)                                |
| 365-day weight index                                    | 365D Index      | 365D Indeks                             | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index      | 540D Indeks                             | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH              | LH                                      | Lengte-Hoogte Verhouding                                    |
| Actual Birth weight                                     | Birth Wt.       | Geb. gewig                              | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.        | 205d gewig                              | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| Cow-Calf Birth Ratio                                    | CCG             | KKG                                     | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW             | KKS                                     | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. Wean Index | Gem. Spn. Indeks                        | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves      | Aant. Kalw.                             | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index     | Repr. Indeks                            | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F           | M / V                                   | Dier geslag: M - Manlik, V - Vroulik                        |