

27°27'48.9"S 28°17'41.2"E
-27.463583, 28.294778

FRANKFORT VEILING

Neels Cilliers 082 494 1178

Wessel Bibbey 082 787 4553



Vrydag - 11:00
28 AUG 2026
Plaas Merrivale



30 Geregistreeerde Bulle
3 Koeie (dragtig)
50 Verse (dragtig, naby kalf)
6 Verse (oop)



WEB 23-045



CCW23-085PP



AFSLAERS:
BKB Limited
61 Grahamstown Rd, Northend,
Port Elizabeth, 6001
BTW Nr.: 4100101338
REG Nr.: 1998/012435/06

NAVRAE:
Deon Stegmann 079 878 2109
Afslaer: Jan Mostert 083 306 8408
BKB, Frankfort: 058 813 1071



BKB
The Trusted Home of Agriculture
Die Betroubare Tuiste van Landbou



CCW23-058PP



CCW23-030Pp



CCW23-037



CCW23-049Pp



CCW23-072Pp



CCW23-067PP



WEB 23-015



WEB 23-046

Roete: Vanaf Frankfort righting Heilbron op R34, draai links Petrus Steyn grondpad R707, volg 23 km draai regs by Meryvale afdraai, ry 1.4 km tot by plaashek.

NOTA: BM-vry getoets. Dragtigheidsstatus sal dag van veiling bekend wees.





heet u welkom by

FRANKFORT BONSMARA TELERSGROEP VEILING

28 AUGUSTUS 2026

te

Plaas Merrivale


GENIET DIE DAG SAAM MET ONS!

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

FRANKFORT BONSMARA GROEP

Veilingsdatum / Auction Date:
28 August 2026

Data soos op / Data as on:
06 August 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1 1
 THE RED CATTLE FARM 2

3

ABC 150029 4

2015-02-03 5

SP 6

Parentage Sire Dam

DNA ✓

Genomic ✓

DEF 100066 P



ABC 080011

AGE/CALV. 13/9

AVG. Wt/CALV. 105/9

ICP 417

7

DEF 050022

8

GHI 070076 HH(c)

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

9

JKL 000077 P

10

MNO 030002

AGE/CALV. 19/10

AVG. Wt/CALV. 109/10

ICP 407

12

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ LQX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ LQX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ LQX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 ♀ LQX Cow Value
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value
Calf Growth Value
3 Fertility Value
Milk Value
4 Maintenance Value
EBVs Birth Direct & Maternal
EBV Wean Direct
EBVs Cow & Heifer Fertility,
EBV Longevity
EBV Wean Maternal
EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

CCW 230069
2023-08-31
SP

Parentage Sire Dam
DNA
Genomic

C. CILLIERS

CCW 170013
AGE/CALV. 7/3
AVG. Wt/CALV. 110/3
ICP 679

Parentage Sire Dam
DNA
Genomic

MCU 140048 Pp(c)
NFS 160011
AGE/CALV. 10/8
AVG. Wt/CALV. 98/6
ICP 361
LMR 080374
CCW 120021
AGE/CALV. 6/3
AVG. Wt/CALV. 114/3
ICP 552

MCU 100109 Pp(c)
MCU 110151 PP(c)
AGE/CALV. 10/7
AVG. Wt/CALV. 114/7
DKN 090345
ZVJ 110143
AGE/CALV. 12/10
AVG. Wt/CALV. 107/10
GCD 020109
LMR 020231
AGE/CALV. 12/8
AVG. Wt/CALV. 110/8
CCW 070048
CCW 030106
AGE/CALV. 11/7
AVG. Wt/CALV. 103/7

Calving Ease Value 101	Weaner Calf Value 101	Fertility Value 86	Maintenance Value 91	Cow Value 95	Growth Value 104	Carcass Value 118
----------------------------------	---------------------------------	------------------------------	--------------------------------	------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	101	108	104	78	101	95	101	101	95	108	98	100	98	144	126

Wean Index 113	365D Index -	540D Index -	ADG Index 121	FCR Index -	Scrotum 330	LH 1.22
-------------------	-----------------	-----------------	------------------	----------------	----------------	------------

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 2

WEB 230065
2023-08-14
SP

Parentage Sire Dam
DNA
Genomic

ADRIËL BONSMARAS

WEB 190240
AGE/CALV. 6/4
AVG. Wt/CALV. 101/3
ICP 426

Parentage Sire Dam
DNA
Genomic

JRP 110073
LAR 110113
AGE/CALV. 6/4
AVG. Wt/CALV. 100/3
ICP 405
LAR 150339
WEB 120240
AGE/CALV. 9/5
AVG. Wt/CALV. 100/5
ICP 358

LAR 060015
JRP 070008
AGE/CALV. 5/3
AVG. Wt/CALV. 106/3
WBB 070042
LAR 040209
AGE/CALV. 19/16
AVG. Wt/CALV. 98/15
LAR 120455
LAR 100162
AGE/CALV. 15/11
AVG. Wt/CALV. 103/10

Calving Ease Value 96	Weaner Calf Value 103	Fertility Value 98	Maintenance Value 91	Cow Value 98	Growth Value 87	Carcass Value 103
---------------------------------	---------------------------------	------------------------------	--------------------------------	------------------------	---------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	113	84	118	100	101	97	107	86	83	109	92	93	106	95	87

Wean Index 109	365D Index -	540D Index -	ADG Index 96	FCR Index -	Scrotum 341	LH 1.19
-------------------	-----------------	-----------------	-----------------	----------------	----------------	------------

Myostatin	
Q204X	0
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 3

CCW 230072 Pp(c)
2023-09-10
SP

Parentage Sire Dam
DNA
Genomic

C. CILLIERS

CCW 190008
AGE/CALV. 7/4
AVG. Wt/CALV. 106/3
ICP 498

Parentage Sire Dam
DNA
Genomic

MCU 160014 Pp(c)
MCU 150192 Pp(c)
AGE/CALV. 9/6
AVG. Wt/CALV. 93/6
ICP 408
MCU 160063 P
CCW 130133
AGE/CALV. 12/9
AVG. Wt/CALV. 100/8
ICP 418

MCU 120006 PP
MCU 090012 PP(c)
AGE/CALV. 14/9
AVG. Wt/CALV. 102/8
JPL 090116 P
MCU 110028 PP(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 103/7
MCU 140048 Pp(c)
MCU 130133
AGE/CALV. 11/9
AVG. Wt/CALV. 104/9
CAM 070141
CCW 050068
AGE/CALV. 13/9
AVG. Wt/CALV. 100/9

Calving Ease Value 93	Weaner Calf Value 97	Fertility Value 96	Maintenance Value 111	Cow Value 94	Growth Value 96	Carcass Value 108
---------------------------------	--------------------------------	------------------------------	---------------------------------	------------------------	---------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	97	103	131	82	104	105	95	101	103	88	99	103	101	133	123

Wean Index 112	365D Index -	540D Index -	ADG Index 101	FCR Index -	Scrotum 357	LH 1.22
-------------------	-----------------	-----------------	------------------	----------------	----------------	------------

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 4



CCW 230085 PP(c)
2023-09-22 SP

Ouerskap Vaar Moer

DNS

Genomies

C. CILLIERS

MCU 180180 PP(c)



CCW 180095
OUD/KALW. 7/4
GEM. SI/KALW. 106/4
TKP 500

MCU 160014 PP(c)

MCU 150192 Pp(c)
OUD/KALW. 9/6
GEM. SI/KALW. 93/6
TKP 408

MCU 160063 P

CCW 100059
OUD/KALW. 8/6
GEM. SI/KALW. 99/6
TKP 379

MCU 120006 PP

MCU 090012 PP(c)
OUD/KALW. 14/9
GEM. SI/KALW. 102/8

JPL 090116 P

MCU 110028 PP(c)
OUD/KALW. 11/8
GEM. SI/KALW. 103/7

MCU 140048 Pp(c)

MCU 130133
OUD/KALW. 11/9
GEM. SI/KALW. 104/9

TGR 050060

CCW 070044
OUD/KALW. 7/4
GEM. SI/KALW. 101/3

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids-waarde	Onderhouds-waarde	Koeiwaarde	Groei-waarde	Karkas-waarde
88	93	110	107	98	109	111

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	96	106	132	97	116	103	97	105	106	91	94	96	100	135	124

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	-	-	121	-	349	1.19

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-07-17

LOT 5



WEB 230060
2023-06-24 SP

Ouerskap Vaar Moer

DNS ✓

Genomies

ADRIËL BONSMARAS

LAR 150380



WEB 190280
OUD/KALW. 6/4
GEM. SI/KALW. 107/3
TKP 407

JRP 110073

LAR 110113
OUD/KALW. 6/4
GEM. SI/KALW. 100/3
TKP 405

CCW 120019

WEB 150280
OUD/KALW. 10/8
GEM. SI/KALW. 93/4
TKP 361

LAR 060015

JRP 070008
OUD/KALW. 5/3
GEM. SI/KALW. 106/3

WBB 070042

LAR 040209
OUD/KALW. 19/16
GEM. SI/KALW. 98/15

FCT 020082

CCW 080003
OUD/KALW. 8/4
GEM. SI/KALW. 94/4

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids-waarde	Onderhouds-waarde	Koeiwaarde	Groei-waarde	Karkas-waarde
124	93	94	104	96	84	96

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	92	90	142	105	93	93	87	90	92	95	80	82	102	96	88

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
112	-	-	105	-	389	1.19

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-07-17

LOT 6



CCW 230049 Pp(c)
2023-08-11 SP

Ouerskap Vaar Moer

DNS

Genomies

C. CILLIERS

NFS 190405 Pp(c)



CCW 140096 P
OUD/KALW. 11/7
GEM. SI/KALW. 99/7
TKP 498

MCU 140048 Pp(c)

NFS 160011
OUD/KALW. 10/8
GEM. SI/KALW. 98/6
TKP 361

MCU 110122 P

CCW 100064
OUD/KALW. 10/7
GEM. SI/KALW. 100/7
TKP 455

MCU 100109 Pp(c)

MCU 110151 PP(c)
OUD/KALW. 10/7
GEM. SI/KALW. 114/7

DKN 090345

ZVJ 110143
OUD/KALW. 12/10
GEM. SI/KALW. 107/10

MCU 070007 P

MCU 080082 P
OUD/KALW. 13/12
GEM. SI/KALW. 92/12

TGR 050060

CCW 070076
OUD/KALW. 4/1
GEM. SI/KALW. 111/1

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids-waarde	Onderhouds-waarde	Koeiwaarde	Groei-waarde	Karkas-waarde
86	94	110	90	98	106	120

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	104	100	112	96	118	102	104	102	98	109	99	104	91	144	128

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
107	-	-	124	-	341	1.22

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-07-17

BULLS

LOT 7

C. CILLIERS



CCW 230067 PP(c)
2023-08-29
SP

Parentage	Sire	Dam
DNA		
Genomic		



MCU 180180 PP(c)

MCU 160014 PP(c)
AGE/CALV. 14/9
AVG. Wt/CALV. 102/8

MCU 150192 Pp(c)
AGE/CALV. 9/6
AVG. Wt/CALV. 93/6
ICP 408

MCU 160210 PP(c)

CCW 200043
AGE/CALV. 6/3
AVG. Wt/CALV. 119/2
ICP 433

CCW 100031
AGE/CALV. 11/8
AVG. Wt/CALV. 105/7
ICP 413

MCU 120006 PP
AGE/CALV. 14/9
AVG. Wt/CALV. 102/8

JPL 090116 P

MCU 110028 PP(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 103/7

MCU 140134 Pp(c)

MCU 140065 Pp(c)
AGE/CALV. 9/7
AVG. Wt/CALV. 102/7

JMP 070119

CCW 040069
AGE/CALV. 10/7
AVG. Wt/CALV. 103/7

Calving Ease Value 90	Weaner Calf Value 100	Fertility Value 105	Maintenance Value 113	Cow Value 99	Growth Value 89	Carcass Value 96
--	--	--------------------------------------	--	-------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	101	95	129	87	115	104	91	93	104	87	93	85	98	119	105

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
122	-	-	108	-	354	1.16

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 8

ADRIËL BONSMARAS



WEB 230046
2023-05-04
B

Parentage	Sire	Dam
DNA	✓	
Genomic		



LAR 190170 HH(c)

LAR 160080

LAR 150111
AGE/CALV. 11/8
AVG. Wt/CALV. 102/8
ICP 383

LAR 120455
AGE/CALV. 11/8
AVG. Wt/CALV. 98/6

LAR 120413
AGE/CALV. 11/8
AVG. Wt/CALV. 98/6

LAR 120026 HH(c)

LAR 080188 HH(c)
AGE/CALV. 13/8
AVG. Wt/CALV. 106/8

Calving Ease Value 103	Weaner Calf Value 94	Fertility Value 102	Maintenance Value 96	Cow Value 97	Growth Value 97	Carcass Value 103
---	---------------------------------------	--------------------------------------	---------------------------------------	-------------------------------	----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	93	108	98	106	94	103	86	92	88	102	87	99	108	93	94

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
91	-	-	101	-	325	1.23

Myostatin	
Q204X	0
NT821	1
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 9

C. CILLIERS



CCW 230030 Pp(c)
2023-08-02
SP

Parentage	Sire	Dam
DNA		
Genomic		



NFS 190405 Pp(c)

MCU 140048 Pp(c)
AGE/CALV. 10/7
AVG. Wt/CALV. 114/7

NFS 160011
AGE/CALV. 10/8
AVG. Wt/CALV. 98/6
ICP 361

MCU 140023 P

CCW 170077
AGE/CALV. 8/5
AVG. Wt/CALV. 103/3
ICP 518

FCT 100049
AGE/CALV. 12/9
AVG. Wt/CALV. 101/9
ICP 417

MCU 100109 Pp(c)
AGE/CALV. 10/7
AVG. Wt/CALV. 114/7

MCU 110151 PP(c)
AGE/CALV. 10/7
AVG. Wt/CALV. 114/7

DKN 090345

ZVJ 110143
AGE/CALV. 12/10
AVG. Wt/CALV. 107/10

MCU 100127 HH(c)

MCU 100037 Pp(c)
AGE/CALV. 9/7
AVG. Wt/CALV. 95/6

FCT 070121

FCT 050147
AGE/CALV. 7/4
AVG. Wt/CALV. 94/4

Calving Ease Value 94	Weaner Calf Value 91	Fertility Value 110	Maintenance Value 101	Cow Value 95	Growth Value 94	Carcass Value 110
--	---------------------------------------	--------------------------------------	--	-------------------------------	----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	100	89	100	98	118	101	99	93	90	97	92	94	100	144	125

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
91	-	-	97	-	335	1.16

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 10



CCW 230107 Pp(c)
2023-11-19
SP

Ouerskap Vaar Moer

DNS

Genomies

C. CILLIERS



CCW 160109
OUD/KALW. 7/4
GEM. SI/KALW. 101/3
TKP 493

MCU 120006 PP

MCU 120145
OUD/KALW. 9/6
GEM. SI/KALW. 109/5
TKP 439

GBS 080132

CCW 090102
OUD/KALW. 10/7
GEM. SI/KALW. 99/7
TKP 409

VV 080060 P

MCU 090052 Pp(c)
OUD/KALW. 12/9
GEM. SI/KALW. 104/9

AEJ 100020

MCU 050092
OUD/KALW. 7/4
GEM. SI/KALW. 104/4

GBS 060059

GBS 050134
OUD/KALW. 11/7
GEM. SI/KALW. 100/7

TGR 050060

BHE 000072
OUD/KALW. 9/6
GEM. SI/KALW. 114/6

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids-waarde	Onderhouds-waarde	Koeiwaarde	Groei-waarde	Karkas-waarde
95	100	104	98	100	109	103

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	104	97	119	100	109	94	102	110	124	101	118	112	92	107	118

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
101	-	-	97	-	344	1.17

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-07-17

LOT 11



WEB 230015
2023-05-26
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

ADRIËL BONSMARAS



WEB 200074
OUD/KALW. 6/3
GEM. SI/KALW. 99/2
TKP 452

LAR 140173 HH(c)

LAR 110007
OUD/KALW. 11/9
GEM. SI/KALW. 96/8
TKP 381

LAR 160348

WEB 160188
OUD/KALW. 9/7
GEM. SI/KALW. 99/7
TKP 361

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11

WBB 070042

LAR 030266
OUD/KALW. 10/8
GEM. SI/KALW. 100/7

LAR 130032 HH(c)

LAR 120049
OUD/KALW. 9/6
GEM. SI/KALW. 101/5

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids-waarde	Onderhouds-waarde	Koeiwaarde	Groei-waarde	Karkas-waarde
120	89	99	107	96	105	100

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
123	87	97	96	114	86	107	91	101	97	91	78	90	107	89	101

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
91	-	-	100	-	318	1.21

Miostation	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-07-17

LOT 12



CCW 230091 PP(c)
2023-10-03
SP

Ouerskap Vaar Moer

DNS

Genomies

C. CILLIERS



CCW 160005 SC
OUD/KALW. 8/5
GEM. SI/KALW. 98/5
TKP 453

MCU 160014 PP(c)

MCU 180180 PP(c)

MCU 150192 Pp(c)
OUD/KALW. 9/6
GEM. SI/KALW. 93/6
TKP 408

JPL 120054 P

CCW 090020
OUD/KALW. 7/4
GEM. SI/KALW. 100/4
TKP 510

MCU 120006 PP

MCU 090012 PP(c)
OUD/KALW. 14/9
GEM. SI/KALW. 102/8

JPL 090116 P

MCU 110028 PP(c)
OUD/KALW. 11/8
GEM. SI/KALW. 103/7

JJ 050138

JPL 020055
OUD/KALW. 14/12
GEM. SI/KALW. 101/12

MRW 030176

RCO 920160
OUD/KALW. 17/14
GEM. SI/KALW. 103/11

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids-waarde	Onderhouds-waarde	Koeiwaarde	Groei-waarde	Karkas-waarde
83	83	93	123	78	92	88

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	90	91	127	88	103	96	88	97	106	82	89	82	93	118	112

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
92	-	-	116	-	379	1.17

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-07-17

BULLS

LOT 13

C. CILLIERS



CCW 230094 Pp(c)
2023-10-06
SP

Parentage	Sire	Dam
DNA		
Genomic		



MCU 180180 PP(c)
AGE/CALV. 10/7
AVG. Wt/CALV. 105/5
ICP 450

MCU 160014 PP(c)
AGE/CALV. 14/9
AVG. Wt/CALV. 102/8

MCU 150192 Pp(c)
AGE/CALV. 9/6
AVG. Wt/CALV. 93/6
ICP 408

GBS 080132

CCW 130051
AGE/CALV. 11/7
AVG. Wt/CALV. 108/7
ICP 474

MCU 120006 PP
AGE/CALV. 14/9
AVG. Wt/CALV. 102/8

MCU 090012 PP(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 103/7

JPL 090116 P

MCU 110028 PP(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 103/7

GBS 060059

GBS 050134
AGE/CALV. 11/7
AVG. Wt/CALV. 100/7

CCW 080124

CCW 040076
AGE/CALV. 9/7
AVG. Wt/CALV. 96/6

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
100	96	94	123	94	88	91

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	92	97	114	83	103	101	86	88	93	81	77	76	91	115	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
112	-	-	120	-	352	1.20

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 14

ADRIËL BONSMARAS



WEB 230045
2023-05-23
SP

Parentage	Sire	Dam
DNA	✓	
Genomic		



LAR 190170 HH(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 102/8
ICP 383

LAR 150111
AGE/CALV. 11/8
AVG. Wt/CALV. 102/8
ICP 383

CCW 120019

WEB 190256
AGE/CALV. 7/4
AVG. Wt/CALV. 105/2
ICP 399

WEB 150256
AGE/CALV. 4/2
AVG. Wt/CALV. 98/2
ICP 468

LAR 120455
AGE/CALV. 11/8
AVG. Wt/CALV. 98/6

LAR 120413
AGE/CALV. 11/8
AVG. Wt/CALV. 98/6

LAR 120026 HH(c)
AGE/CALV. 13/8
AVG. Wt/CALV. 106/8

LAR 080188 HH(c)
AGE/CALV. 13/8
AVG. Wt/CALV. 106/8

FCT 020082

CCW 080003
AGE/CALV. 8/4
AVG. Wt/CALV. 94/4

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
94	100	98	88	98	103	108

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	104	105	105	103	96	99	100	103	104	112	97	108	114	96	93

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
113	-	-	112	-	326	1.22

Myostatin	
Q204X	0
NT821	1
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 15

C. CILLIERS



CCW 230058 PP(c)
2023-08-21
SP

Parentage	Sire	Dam
DNA		
Genomic		



MCU 180180 PP(c)
AGE/CALV. 9/6
AVG. Wt/CALV. 93/6
ICP 408

MCU 150192 Pp(c)
AGE/CALV. 9/6
AVG. Wt/CALV. 93/6
ICP 408

MCU 160210 PP(c)

CCW 200053
AGE/CALV. 3/1
AVG. Wt/CALV. 99/1
ICP -

CCW 170075
AGE/CALV. 3/1
AVG. Wt/CALV. 96/1
ICP -

MCU 120006 PP
AGE/CALV. 14/9
AVG. Wt/CALV. 102/8

MCU 090012 PP(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 103/7

JPL 090116 P

MCU 110028 PP(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 103/7

MCU 140134 Pp(c)
AGE/CALV. 9/7
AVG. Wt/CALV. 102/7

MCU 140065 Pp(c)
AGE/CALV. 9/7
AVG. Wt/CALV. 102/7

JPL 120054 P

CCW 100068
AGE/CALV. 11/8
AVG. Wt/CALV. 98/8

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
115	87	104	134	94	88	86

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	85	80	110	93	114	98	80	91	97	72	79	72	89	121	105

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	101	-	327	1.17

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 16

C. CILLIERS



CCW 230068 Pp(c)
2023-08-31
SP

Ouerskap Vaar Moer

DNS

Genomies



CCW 180085
OUD/KALW. 7/4
GEM. SI/KALW. 107/3
TKP 533

MCU 140048 Pp(c)
OUD/KALW. 10/7
GEM. SI/KALW. 114/7

NFS 160011
OUD/KALW. 10/8
GEM. SI/KALW. 98/6
TKP 361

MCU 160071 P

CCW 140047 P
OUD/KALW. 9/5
GEM. SI/KALW. 105/4
TKP 514

MCU 100109 Pp(c)
OUD/KALW. 10/7
GEM. SI/KALW. 114/7

MCU 110151 PP(c)
OUD/KALW. 12/10
GEM. SI/KALW. 107/10

DKN 090345

ZVJ 110143
OUD/KALW. 12/10
GEM. SI/KALW. 107/10

MCU 130151 PP(c)
OUD/KALW. 11/7
GEM. SI/KALW. 100/7

MCU 130140 P
OUD/KALW. 11/7
GEM. SI/KALW. 100/7

CCW 100015

CCW 080044
OUD/KALW. 13/11
GEM. SI/KALW. 104/11

Geboortegemak Waarde
108

Speenkalf Waarde
98

Vrugbaarheids-waarde
106

Onderhouds-waarde
105

Koeiwaarde
103

Groei-waarde
91

Karkas-waarde
103

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	95	103	108	91	114	106	90	94	97	93	91	89	85	144	115

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	-	-	103	-	349	1.16

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 17

ADRIËL BONSMARAS



WEB 230049
2023-05-17
B

Ouerskap Vaar Moer

DNS ✓

Genomies



WEB 170232
OUD/KALW. 8/5
GEM. SI/KALW. 100/3
TKP 434

LAR 190170 HH(c)

LAR 150111
OUD/KALW. 11/8
GEM. SI/KALW. 102/8
TKP 383

MULTIPLE SIREs

WEB 090232
OUD/KALW. 9/2
GEM. SI/KALW. 115/2
TKP 398

LAR 120455

LAR 120413
OUD/KALW. 11/8
GEM. SI/KALW. 98/6

LAR 120026 HH(c)

LAR 080188 HH(c)
OUD/KALW. 13/8
GEM. SI/KALW. 106/8

Geboortegemak Waarde
80

Speenkalf Waarde
102

Vrugbaarheids-waarde
102

Onderhouds-waarde
87

Koeiwaarde
98

Groei-waarde
102

Karkas-waarde
106

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
72	109	107	88	101	108	92	107	104	103	113	114	118	109	92	95

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	-	-	108	-	308	1.23

Miostation	
Q204X	0
NT821	1
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 18

C. CILLIERS



CCW 230037
2023-08-05
SP

Ouerskap Vaar Moer

DNS

Genomies



CCW 150043
OUD/KALW. 8/4
GEM. SI/KALW. 98/4
TKP 572

MCU 140048 Pp(c)
OUD/KALW. 10/7
GEM. SI/KALW. 114/7

NFS 160011
OUD/KALW. 10/8
GEM. SI/KALW. 98/6
TKP 361

AG 910140

CCW 120021
OUD/KALW. 6/3
GEM. SI/KALW. 114/3
TKP 552

MCU 100109 Pp(c)
OUD/KALW. 10/7
GEM. SI/KALW. 114/7

MCU 110151 PP(c)
OUD/KALW. 12/10
GEM. SI/KALW. 107/10

DKN 090345

ZVJ 110143
OUD/KALW. 12/10
GEM. SI/KALW. 107/10

SID J 0028

AG L 0075
OUD/KALW. 9/8
GEM. SI/KALW. 100/8

CCW 070048

CCW 030106
OUD/KALW. 11/7
GEM. SI/KALW. 103/7

Geboortegemak Waarde
95

Speenkalf Waarde
90

Vrugbaarheids-waarde
100

Onderhouds-waarde
98

Koeiwaarde
91

Groei-waarde
100

Karkas-waarde
114

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	95	102	106	92	109	98	97	100	99	101	115	105	92	144	123

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
95	-	-	106	-	335	1.15

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

BULLS

LOT 19

CCW 240018
 2024-01-27
 SP
 Parentage Sire Dam
 DNA
 Genomic

C. CILLIERS

CCW 170028
 AGE/CALV. 9/5
 AVG. Wt/CALV. 102/4
 ICP 505

MCU 140048 Pp(c)
 NFS 190405 Pp(c)
 NFS 160011
 AGE/CALV. 10/8
 AVG. Wt/CALV. 98/6
 ICP 361
 JPL 120054 P
 CCW 110058
 AGE/CALV. 11/9
 AVG. Wt/CALV. 103/9
 ICP 391

MCU 100109 Pp(c)
 MCU 110151 PP(c)
 AGE/CALV. 10/7
 AVG. Wt/CALV. 114/7
 DKN 090345
 ZVJ 110143
 AGE/CALV. 12/10
 AVG. Wt/CALV. 107/10
 JJ 050138
 JPL 020055
 AGE/CALV. 14/12
 AVG. Wt/CALV. 101/12
 CAM 070141
 CCW 080059
 AGE/CALV. 11/9
 AVG. Wt/CALV. 106/7

Calving Ease Value 96	Weaner Calf Value 89	Fertility Value 101	Maintenance Value 100	Cow Value 92	Growth Value 94	Carcass Value 104
--	---------------------------------------	--------------------------------------	--	-------------------------------	----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	94	103	103	89	108	108	97	97	100	98	103	98	92	143	120

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
103	112	112	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 20

WEB 230157
 2023-09-04
 B
 Parentage Sire Dam
 DNA
 Genomic

ADRIËL BONSMARAS

WEB 130086
 AGE/CALV. 12/7
 AVG. Wt/CALV. 97/7
 ICP 361

LAR 150029
 LAR 180203
 LAR 080256
 AGE/CALV. 15/10
 AVG. Wt/CALV. 98/9
 ICP 431

ADV 100321 HH(c)
 LAR 120368
 AGE/CALV. 13/10
 AVG. Wt/CALV. 100/9
 LAR 060224
 LAR 040160
 AGE/CALV. 4/2
 AVG. Wt/CALV. 100/2

Calving Ease Value 80	Weaner Calf Value 85	Fertility Value 85	Maintenance Value 102	Cow Value 74	Growth Value 96	Carcass Value 93
--	---------------------------------------	-------------------------------------	--	-------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
78	96	96	88	91	90	91	97	99	101	96	112	102	101	92	92

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
101	-	-	108	-	309	1.17

Myostatin	
Q204X	0
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 21

CCW 230052
 2023-08-15
 SP
 Parentage Sire Dam
 DNA
 Genomic

C. CILLIERS

CCW 200028
 AGE/CALV. 6/3
 AVG. Wt/CALV. 88/2
 ICP 407

HDT 100131 P
 MCU 190256 Pp(c)
 MCU 150203 Pp(c)
 AGE/CALV. 4/2
 AVG. Wt/CALV. 102/2
 ICP 523
 MCU 160210 PP(c)
 CCW 080067
 AGE/CALV. 13/10
 AVG. Wt/CALV. 96/8
 ICP 386

HDT 070002
 HDT 070031 P
 AGE/CALV. 9/7
 AVG. Wt/CALV. 103/6
 MCU 120006 PP
 MCU 120112 Pp(c)
 AGE/CALV. 10/7
 AVG. Wt/CALV. 107/7
 MCU 140134 Pp(c)
 MCU 140065 Pp(c)
 AGE/CALV. 9/7
 AVG. Wt/CALV. 102/7
 MRW 030176
 RCO 010306
 AGE/CALV. 8/5
 AVG. Wt/CALV. 105/5

Calving Ease Value 100	Weaner Calf Value 93	Fertility Value 114	Maintenance Value 98	Cow Value 100	Growth Value 107	Carcass Value 107
---	---------------------------------------	--------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	104	80	107	106	122	93	106	108	106	102	111	108	99	107	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	-	-	101	-	343	1.19

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 22

C. CILLIERS

CCW 230088 Pp(c)
2023-09-25
SP

Ouerskap Vaar Moer

DNS

Genomies

MCU 180180 PP(c)



CCW 120055

OUD/KALW. 12/8
GEM. SI/KALW. 109/8
TKP 476

MCU 160014 PP(c)

MCU 150192 Pp(c)

OUD/KALW. 9/6
GEM. SI/KALW. 93/6
TKP 408

CCW 090133

CCW 030050

OUD/KALW. 15/12
GEM. SI/KALW. 96/11
TKP 402

MCU 120006 PP

MCU 090012 PP(c)

OUD/KALW. 14/9
GEM. SI/KALW. 102/8

JPL 090116 P

MCU 110028 PP(c)

OUD/KALW. 11/8
GEM. SI/KALW. 103/7

BHE 040215

NFS 950061

OUD/KALW. 14/12
GEM. SI/KALW. 98/12

BHE 010094

CCW 960004

OUD/KALW. 12/9
GEM. SI/KALW. 107/8Geboortegemak
Waarde
75Speenkalv
Waarde
100Vrugbaarheids-
waarde
98Onderhouds-
waarde
90Koeiwaarde
94Groei-
waarde
92Karkas-
waarde
112

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
66	109	104	144	93	104	99	104	99	101	109	112	110	102	128	121

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
112	-	-	93	-	365	1.20

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 23

ADRIËL BONSMARAS

WEB 230128
2023-10-30
B

Ouerskap Vaar Moer

DNS

Genomies

ABM 190455



WEB 170064

OUD/KALW. 8/6
GEM. SI/KALW. 95/4
TKP 394

LAR 140173 HH(c)

ABM 120246

OUD/KALW. 13/10
GEM. SI/KALW. 102/9
TKP 393

MULTIPLE SIRES

WEB 140064

OUD/KALW. 8/4
GEM. SI/KALW. 111/4
TKP 436

LAR 120033 HH(c)

LAR 100159

OUD/KALW. 15/11
GEM. SI/KALW. 105/11

LMR 080104 Pp(c)

LTS 070105

OUD/KALW. 8/5
GEM. SI/KALW. 98/6Geboortegemak
Waarde
109Speenkalv
Waarde
89Vrugbaarheids-
waarde
103Onderhouds-
waarde
116Koeiwaarde
96Groei-
waarde
97Karkas-
waarde
93

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	84	105	114	110	105	90	87	102	97	85	87	93	106	86	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
95	-	-	101	-	310	1.23

Miostatien	
Q204X	0
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 24

C. CILLIERS

CCW 230073 Pp(c)
2023-09-10
SP

Ouerskap Vaar Moer

DNS

Genomies

NFS 190405 Pp(c)



CCW 190009

OUD/KALW. 7/4
GEM. SI/KALW. 100/3
TKP 523

MCU 140048 Pp(c)

NFS 160011

OUD/KALW. 10/8
GEM. SI/KALW. 98/6
TKP 361

MCU 150145 Pp(c)

CCW 140024

OUD/KALW. 11/6
GEM. SI/KALW. 105/6
TKP 506

MCU 100109 Pp(c)

MCU 110151 PP(c)

OUD/KALW. 10/7
GEM. SI/KALW. 114/7

DKN 090345

ZVJ 110143

OUD/KALW. 12/10
GEM. SI/KALW. 107/10

MCU 120006 PP

MCU 120145

OUD/KALW. 9/6
GEM. SI/KALW. 109/5

RCO 980037

CCW 100005

OUD/KALW. 4/2
GEM. SI/KALW. 102/2Geboortegemak
Waarde
110Speenkalv
Waarde
101Vrugbaarheids-
waarde
113Onderhouds-
waarde
103Koeiwaarde
110Groei-
waarde
103Karkas-
waarde
109

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	99	98	108	102	116	107	96	105	110	95	113	103	89	144	128

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
109	-	-	105	-	329	1.15

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

BULLS


LOT 25

CCW 230060 Pp(c)
2023-08-22
SP

Parentage	Sire	Dam
DNA		
Genomic		

C. CILLIERS

MCU 180180 PP(c)


CCW 200047
AGE/CALV. 6/3
AVG. Wt/CALV. 114/2
ICP 435

MCU 160014 PP(c)
MCU 150192 Pp(c)
MCU 160210 PP(c)
CCW 170112

MCU 120006 PP
MCU 090012 PP(c)
JPL 090116 P
MCU 110028 PP(c)
MCU 140134 Pp(c)
MCU 140065 Pp(c)
MCU 140023 P
CCW 140011

Calving Ease Value 98	Weaner Calf Value 97	Fertility Value 116	Maintenance Value 135	Cow Value 104	Growth Value 82	Carcass Value 88
--	---------------------------------------	--------------------------------------	--	--------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	94	85	118	98	123	103	84	87	92	70	77	72	93	120	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
108	-	-	98	-	344	1.15

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17


LOT 26

WEB 230078
2023-05-06
SP

Parentage	Sire	Dam
DNA	✓	
Genomic		

ADRIËL BONSMARAS

LAR 190170 HH(c)


WEB 180243
AGE/CALV. 4/2
AVG. Wt/CALV. 96/2
ICP 783

LAR 160080
LAR 150111
ABM 140140
WEB 120243

LAR 120455
LAR 120413
LAR 120026 HH(c)
LAR 080188 HH(c)
WAT 050078 Pp(c)
ABM 100062

Calving Ease Value 78	Weaner Calf Value 109	Fertility Value 93	Maintenance Value 88	Cow Value 99	Growth Value 101	Carcass Value 111
--	--	-------------------------------------	---------------------------------------	-------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
64	114	111	99	98	91	100	111	101	103	112	111	116	112	96	86

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	98	-	327	1.24

Myostatin	
Q204X	0
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-07-17


LOT 27

CCW 230087 Pp(c)
2023-09-23
SP

Parentage	Sire	Dam
DNA		
Genomic		

C. CILLIERS

MCU 180180 PP(c)


CCW 160067
AGE/CALV. 9/6
AVG. Wt/CALV. 107/6
ICP 443

MCU 160014 PP(c)
MCU 150192 Pp(c)
FCT 120222
CCW 100114

MCU 120006 PP
MCU 090012 PP(c)
JPL 090116 P
MCU 110028 PP(c)
FCT 080218
FCT 100049
CCW 070053
CCW 060064

Calving Ease Value 97	Weaner Calf Value 96	Fertility Value 101	Maintenance Value 105	Cow Value 97	Growth Value 91	Carcass Value 100
--	---------------------------------------	--------------------------------------	--	-------------------------------	----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	96	104	99	90	106	105	94	87	88	93		89	99	124	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
113	-	-	104	-	308	1.15

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 28

C. CILLIERS

CCW 230070 Pp(c)
2023-09-01
SP

Ouerskap Vaar Moer

DNS

Genomies

MCU 180180 PP(c)



CCW 150028

OUD/KALW. 8/5
GEM. SI/KALW. 92/5
TKP 539

MCU 160014 PP(c)

MCU 120006 PP

MCU 090012 PP(c)
OUD/KALW. 14/9
GEM. SI/KALW. 102/8

MCU 150192 Pp(c)

OUD/KALW. 9/6
GEM. SI/KALW. 93/6
TKP 408

JPL 120054 P

JPL 090116 P

MCU 110028 PP(c)

OUD/KALW. 11/8
GEM. SI/KALW. 103/7

JJ 050138

JPL 020055

OUD/KALW. 14/12
GEM. SI/KALW. 101/12

CCW 070053

CCW 100104

OUD/KALW. 6/3
GEM. SI/KALW. 102/2
TKP 517

CCW 060043

OUD/KALW. 8/4
GEM. SI/KALW. 97/4Geboortegemak
Waarde
76Speenkalv
Waarde
79Vrugbaarheids-
waarde
85Onderhouds-
waarde
126Koeiwaarde
69Groei-
waarde
87Karkas-
waarde
87

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
80	91	82	114	82	92	100	87	90	96	80	83	79	93	116	108

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
91	-	-	96	-	335	1.17

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 29

ADRIËL BONSMARAS

WEB 230059
2023-05-22
B

Ouerskap Vaar Moer

DNS

Genomies

LAR 190170 HH(c)



WEB 140196

OUD/KALW. 11/7
GEM. SI/KALW. 98/7
TKP 387

LAR 160080

LAR 120455

LAR 120413

OUD/KALW. 11/8
GEM. SI/KALW. 98/6

LAR 150111

OUD/KALW. 11/8
GEM. SI/KALW. 102/8
TKP 383

LAR 120026 HH(c)

OUD/KALW. 13/8
GEM. SI/KALW. 106/8

LAR 080188 HH(c)

Geboortegemak
Waarde
78Speenkalv
Waarde
84Vrugbaarheids-
waarde
99Onderhouds-
waarde
94Koeiwaarde
81Groei-
waarde
102Karkas-
waarde
100

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
78	97	99	90	100	100	98	99	107	107	105	111	114	105	93	91

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
96	-	-	106	-	318	1.24

Miostation	
Q204X	0
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 30

C. CILLIERS

CCW 230092 Pp(c)
2023-10-03
SP

Ouerskap Vaar Moer

DNS

Genomies

MCU 180180 PP(c)



CCW 160020

OUD/KALW. 10/7
GEM. SI/KALW. 101/6
TKP 430

MCU 160014 PP(c)

MCU 120006 PP

MCU 090012 PP(c)
OUD/KALW. 14/9
GEM. SI/KALW. 102/8

MCU 150192 Pp(c)

OUD/KALW. 9/6
GEM. SI/KALW. 93/6
TKP 408

JPL 090116 P

MCU 110028 PP(c)

OUD/KALW. 11/8
GEM. SI/KALW. 103/7

GBS 060059

GBS 050134

OUD/KALW. 11/7
GEM. SI/KALW. 100/7

MRW 030176

CCW 090101

OUD/KALW. 12/8
GEM. SI/KALW. 105/8
TKP 419

CCW 060075

OUD/KALW. 5/2
GEM. SI/KALW. 104/2Geboortegemak
Waarde
97Speenkalv
Waarde
87Vrugbaarheids-
waarde
98Onderhouds-
waarde
120Koeiwaarde
88Groei-
waarde
82Karkas-
waarde
88

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	88	97	131	85	105	104	82	90	98	84	82	79	87	117	109

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	-	-	105	-	386	1.20

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				36	214	8.07	1.19	339	1.00	-0.29	15.0	3.6	24	22	79	-37	12.7	-3.0	14.0	103	105	112	102	5.0	93
1	CCW 230069	M	SP	34	210	7.49	1.22	330	0.86	-0.15	15.7	6.0	28.8	33.6	83	-28	15.4	-5	14	113	121	104	110	3	72
2	WEB 230065	M	SP	40	252	-	1.19	341	1.78	-0.82	21.6	-1.3	34.9	35.6	26	-10	23.2	-10	7	109	96	118	101	4	104
3	CCW 230072	M	SP	35	231	7.64	1.22	357	1.71	-0.22	13.2	4.5	22.1	4.0	81	-42	31.4	-4	16	112	101	131	106	4	93
4	CCW 230085	M	SP	37	218	9.25	1.19	349	1.88	0.29	12.8	5.4	23.4	9.1	98	-47	31.7	-8	10	103	121	132	106	4	90
5	WEB 230060	M	SP	29	264	-	1.19	389	-1.26	-0.66	10.7	0.7	14.8	14.8	43	-24	37.7	-19	-2	112	105	142	107	4	106
6	CCW 230049	M	SP	41	207	8.61	1.22	341	1.94	0.59	17.3	3.6	31.2	35.9	86	-34	19.9	-4	17	107	124	112	99	7	88
7	CCW 230067	M	SP	32	209	8.04	1.16	354	2.49	-0.94	15.5	2.2	17.8	2.5	54	-44	30.1	-9	1	122	108	129	119	3	93
8	WEB 230046	M	B	32	222	-	1.23	325	1.12	-0.99	11.4	6.1	12.9	25.3	48	-17	11.4	-13	13	91	101	98	104	6	99
9	CCW 230030	M	SP	35	176	7.87	1.16	335	1.93	-0.71	14.8	0.3	26.5	18.3	52	-21	12.7	-9	9	91	97	100	103	5	85
10	CCW 230107	M	SP	36	172	9.14	1.17	344	1.75	-0.56	17.2	2.7	30.2	23.3	116	-77	24.1	12	24	101	97	119	101	4	90
11	WEB 230015	M	SP	-	226	-	1.21	318	-1.42	0.27	8.5	2.8	17.8	9.4	84	-32	10.2	-21	4	91	100	96	99	3	92
12	CCW 230091	M	SP	42	204	9.72	1.17	379	2.49	0.22	9.6	1.0	13.4	-5.1	67	-46	28.9	-12	-3	92	116	127	98	5	98
13	CCW 230094	M	SP	32	229	6.71	1.20	352	1.11	-0.42	11.0	2.7	13.4	-6.0	32	-26	20.9	-21	-8	112	120	114	105	7	99
14	WEB 230045	M	SP	29	267	-	1.22	326	1.74	-0.41	17.1	5.2	27.6	40.0	91	-43	15.9	-5	20	113	112	105	105	4	104
15	CCW 230058	M	SP	25	169	7.25	1.17	327	-0.27	-0.79	7.1	-2.5	7.2	-19.7	46	-31	18.6	-20	-11	99	101	110	99	1	94
16	CCW 230068	M	SP	31	193	6.42	1.16	349	0.48	-0.72	12.2	4.5	17.9	12.0	56	-32	17.6	-10	4	104	103	108	107	4	87
17	WEB 230049	M	B	40	250	-	1.23	308	3.94	-0.39	19.9	5.7	34.4	41.8	96	-41	5.7	8	30	100	108	88	100	5	96
18	CCW 230037	M	SP	38	186	8.43	1.15	335	1.46	-0.10	12.6	4.3	24.6	22.9	77	-34	16.2	9	18	95	106	106	98	4	75
19	CCW 240018	M	SP	37	147	7.24	-	-	0.79	0.65	12.0	4.4	23.1	19.5	67	-36	14.7	-0	11	103	-	103	102	5	91
20	WEB 230157	M	B	47	243	-	1.17	309	3.28	-0.42	12.8	2.4	24.6	16.7	76	-38	5.5	6	15	101	108	88	97	7	100
21	CCW 230052	M	SP	32	183	8.74	1.19	343	1.15	-0.48	17.0	-2.3	33.4	24.5	109	-46	16.8	5	21	104	101	107	88	3	93
22	CCW 230088	M	SP	43	239	8.05	1.20	365	4.56	0.32	19.9	4.9	30.2	35.9	75	-38	38.6	7	22	112	93	144	109	8	91
23	WEB 230128	M	B	36	209	-	1.23	310	0.24	-0.54	6.6	5.2	14.0	0.2	87	-32	21.2	-13	8	95	101	114	95	6	106
24	CCW 230073	M	SP	34	203	8.61	1.15	329	0.17	-0.64	14.5	3.0	24.1	14.8	96	-53	17.4	7	16	109	105	108	100	4	90
25	CCW 230060	M	SP	30	186	8.43	1.15	344	1.71	-1.10	11.8	-0.8	11.3	-22.2	29	-23	23.2	-21	-11	108	98	118	114	3	95

Dier Info				Werklike Syfers					Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig	205d Gewig	KKG	Lengte Hoogte	Skr. Omtr.	Geb Dir	Geb Mat	Spn Dir	Spn Mat	Na-Spn	Volw. Gewig	GDT	VOV	Skr. Omtr.	Hoogte	Lengte	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
				(kg)	(kg)	Verh.	Verh.	(mm)	(kg)	(kg)	(kg)	(kg)	(kg)	(g/d)	(kg:kg)	(mm)	(mm)	(mm)							
Ras Gemiddeld Aanbod Gemiddeld				36	214	8.07	1.19	339	1.00 1.65	-0.29 -0.32	15.0 13.7	3.6 2.9	24 22	22 15	79 69	-37 -36	12.7 19.7	-3.0 -6	14.0 10	103	105	112	102	5.0	93
26	WEB 230078	M	SP	44	251	-	1.24	327	4.74	-0.04	22.1	6.9	37.9	40.0	83	-41	12.4	6	28	99	98	99	96	2	84
27	CCW 230087	M	SP	34	232	7.23	1.15	308	1.43	-0.50	13.0	4.7	21.1	12.2	30	-18	12	-9	3	113	104	99	107	6	95
28	CCW 230070	M	SP	43	202	9.84	1.17	335	3.08	0.33	10.5	-1.7	12.1	-8.1	41	-30	20.9	-16	-5	91	96	114	92	5	90
29	WEB 230059	M	B	40	241	-	1.24	318	3.33	-0.15	13.3	3.3	25.6	28.8	106	-48	6.7	5	26	96	106	90	98	7	100
30	CCW 230092	M	SP	32	205	6.69	1.20	386	1.40	-0.45	8.5	2.7	9.1	-2.1	41	-33	31	-18	-5	98	105	131	101	7	101

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik

FRANKFORT BONSMARA TELERS GROEP VROULIKE DIERE
28 AUGUSTUS 2026

LOT	VERKOPER	GETAL	BESKRYWING	OPMERKING	PRYS
1	C Cilliers	3	Dragtige Koeie	5 - 8 maande	
2	W Bibbey	6	Dragtige Koeie	5 - 8 maande	
3	Arundel	7	Dragtige Verse	Swaardragtig besig om te kalf	
4	C Cilliers	6	Dragtige Verse	5 - 8 maande	
5	Johan	4	Dragtige Verse	7 ½ maande	
6	W Bibbey	7	Dragtige Verse	5 - 8 maande	
7	Arundel	7	Dragtige Verse	Besig om te kalf	
8	C Cilliers	2	Dragtige Verse	2 - 3 maande	
9	Arundel	7	Dragtige Verse	Swaardragtig besig om te kalf	
10	Arundel	6	Dragtige Verse	Swaardragtig besig om te kalf	
11	W Bibbey	6	Oop Verse	Gereed vir bul	

NOTAS

This image shows a full page of a document template designed for handwritten notes or answers. It features approximately 28 evenly spaced, horizontal dashed lines across the entire width of the page, providing a guide for letter height and placement. The background is plain white, and there are no margins, headers, or footers visible.

RULE OF AUCTION TERMS AND CONDITIONS

1. This auction will be held under the control of BKB Limited whether directly or through a subsidiary company (hereinafter referred to as "the Auctioneer or BKB") with business premises situated at 63 Grahamstown Road North End Gqeberha:
2. The Auctioneer is hereby appointed by the Purchaser and Seller to act for and on behalf of the Purchaser and Seller as agent in accordance with section 54 of the Value Added Tax Act 1991, in respect of all tax invoices, credit and/or debit notes in respect of all livestock, game and/or goods offered at the auction or any costs of transport and insurance premiums paid for on behalf of the Purchaser and/or the Seller.
3. The rules of this auction shall comply with the provisions of Section 45 and all relevant regulations to the Consumer Protection Act 68 of 2008.
4. For greater clarity Section 45(1-4) states as follows:
 - 4.1 In this section, "auction" includes a sale in execution of or pursuant to a court order, to the extent that the order contemplates that the sale is to be conducted by an auction.
 - 4.2 When goods are put up for sale by auction, each lot is, unless there is evidence to the contrary, regarded to be the subject of a separate transaction.
 - 4.3 A sale by auction is completed when the auctioneer announces its completion by the fall of the hammer, or in any other customary manner, and until that announcement is made, a bid may be retracted.
 - 4.4 Notice must be given in advance that a sale by auction is subject to:
 - 4.4.1 A reserved or upset price; or
 - 4.4.2 A right to bid by or on behalf of the owner or Auctioneer, in which case the owner or Auctioneer, or any one person on behalf of the owner or Auctioneer may bid at the auction.
5. Until the fall of the hammer as contemplated in Section 45(3) of the Act, any bid may be retracted or declined by the Auctioneer if not compliant with the regulations of the Consumer Protection Act.
6. The auction is further subject to the APAC Biosecurity Rules for Livestock Agents published in Board Notice 135 of 2020. These rules can be accessed at www.bkb.co.za.
7. Unless so stated by the Auctioneer prior to commencement of the auction, the auction is not an absolute auction but subject to reserved prices settled by the Sellers and as pointed out by the Auctioneer prior to the sale of the specific asset or lot.
8. The Auctioneer provides no guarantee and makes no representation regarding sale prices and unless the Auctioneer's mandate states otherwise, the Sellers have the option to withdraw lots from the auction where reserve prices are not obtained. The Seller shall instruct the Auctioneer in this regard who shall announce the Seller's decision after bidding has closed relating to a relevant lot.
9. The auction shall take place at the date and time as advertised or published and will not be postponed or delayed, enabling any member or group of the public to partake in the auction.
10. Should the Auctioneer become aware of any fault on advertising material or any other publication or amendment to these Rules of Auction, the Auctioneer will prior to the auction point out and when necessary, amend such mistakes in the advertisement or publication.
11. Any person attending the auction to enter a bid, must prior to the auction register as a buyer on the bidders' roll and provide documentation that identifies the bidder as prescribed by FICA and the Risk Management Compliance Program (RMCP) adopted and amended by BKB from time to time. The RMCP can be accessed at www.bkb.co.za. The purchaser shall sign the bidders' roll.
12. Any person who attends the auction to enter a bid on behalf of another person must be duly authorised thereto by means of a written letter of authority from its principal and such a person together with his principal must provide both all necessary information as required by FICA and the RMCP regarding proof of their identity. The bidders' roll must be signed by such a person who will also sign on behalf of its principal duly authorised to do so.
13. Where the principal is a company the letters of authority shall appear on the letterhead of the company together with a certified copy of a resolution authorising the person to bid on behalf of the company

and to sign the bidder's roll on behalf of the principal. (For purposes of this rule any reference to a company will include any reference to juristic person including partnerships, trusts or incorporated entities)

14. All bidders have a right to inspect all goods put up for sale and the auctioneer shall provide reasonable time and access prior to the start of the auction for such an inspection.
15. All livestock is sold "voetstoots" and the purchasers do not enjoy the protection of Section 55 and 56 of the Consumer Protection Act.
16. Any information provided regarding the quality, breeding, age, date of insemination, condition, reproductive status or any information regarding health, production or mass or any other aspect of the livestock, is provided by the Seller and any misrepresentation by the Seller is without the cooperation or knowledge of the Auctioneer. Any right of recourse as a result of such misrepresentation shall be against the Seller who indemnifies the Auctioneer against any claim or damages suffered and the Purchaser nor registered buyers shall have any claim against the Auctioneer.
17. Any bid made does not include VAT which, where applicable, will be added to the bidding price for which a VAT invoice will be issued.
18. The purchase price, Auctioneer's commissions (if payable by the purchaser), all statutory levies, the transport costs (if any) and the insurance costs (if any) are immediately payable in cash by the purchaser to the Auctioneer upon entering into the transaction or payable by EFT within an agreed time period thereafter if so agreed before the auction. Any payment made in cash is further subject to cash or any other handling fees.
19. Should the purchaser not pay the purchase price on finalisation of the auction and fail to make arrangements for payment with the Auctioneer, then the Auctioneer may cancel the sale and treat the assets or lots as unsold lots which may again be presented on the auction for sale or be sold out of hand by means of liaison services, depending on the Seller's mandate to the auctioneer.
20. In the event that purchaser has made necessary finance arrangements with the Auctioneer or payment of the purchase price is only due within an agreed time period after the auction, the Purchaser hereby authorises the Auctioneer/BKB to pay the purchase price and/or costs of transport and/or cost of insurance and any other agreed cost on behalf of the purchaser to the Seller and other service providers. In such an event, payment of the purchase price is due by the Purchaser to BKB either on the expiry of the agreed time period calculated from the date of finalisation of the auction or on the terms of repayment agreed with the purchaser in a separate credit agreement or sale agreement entered into between the purchaser and the Auctioneer. Should the purchaser however fail to make payment within the agreed time, the Auctioneer will be entitled to add interest calculated at the current bank prime rate, plus 5% (five percent) from the due date to date of payment to the capital amount outstanding. The interest will be calculated monthly and capitalised.
21. All payments made by the Auctioneer to the Seller on behalf of the Purchaser in terms of this clause will be made no later than 5 (five) working days calculated from finalisation of the auction.
22. Where BKB lent and advanced monies to the purchaser for payment of the purchase price of any goods or livestock or payment of any transport costs or insurance premiums, no defense of whatsoever nature which the Purchaser may raise against the Seller or the transport contractor or the insurance company may be raised against BKB and the Purchaser shall still be obligated to pay all amounts owing, together with further interest and costs thereon raised as contemplated in clause 20, to BKB. The conditions of this clause shall not affect any rights, entitlement or remedies the purchaser may have against the Seller, transport contractor or insurance company.
23. Where the Seller is already indebted to BKB or any of its affiliate companies or any department of BKB prior to entering into this transaction, irrespective of the cause of such indebtedness, the Seller, by his signature hereto, irrevocably authorises BKB to credit the purchase price of this transaction against his account with BKB (less the Auctioneer's commission and agreed costs), such credit being payment of the purchase price on behalf of the Purchaser.
24. Ownership in the lot or assets is retained until the purchase price has been paid in full by the Purchaser to the Seller or BKB (where the Seller has been paid by BKB), with the provision that the risk in the assets or lot passes to the Purchaser at the fall of the hammer as set out in clause 28.
25. For as long as any amount is owing to BKB by the Purchaser in terms hereof, the Purchaser may not relinquish possession of the said asset, nor may he cede the asset(s) or any of its rights and obligations in terms of this agreement to a third party or otherwise encumber, sell or dispossess the said asset(s) or allow it to become the subject of any right of retention, hypothec, pledge or any encumbrance, whatever the cause thereof may be. BKB is entitled to cede or assign its rights and obligations in terms hereof without affecting its rights of recourse for any monies still due to BKB.
26. The Auctioneer shall pay all monies received from Purchasers into an account from where the Auctioneer shall account to the Seller the net proceeds, being the gross proceeds minus any Advance Amount, agreed commissions or agreed costs of auction.
27. Neither the purchaser, nor the Seller shall be entitled to apply set off.

28. Each lot shall immediately after the fall of the hammer deemed to be delivered to the Purchaser at which time all risk in and to the lot or asset sold will pass to the Purchaser who will at his own risk and cost remove the lots or assets from the auction terrain. Removal of any assets or loss, however, will not be allowed by the Auctioneer until payment of the purchase price by the Purchaser or acceptable arrangements for payment thereof have been made by the Purchaser with the Auctioneer.
29. The Auctioneer will only be obliged to give reasons of the auction if such reasons are other than the voluntary sale of goods by its owners.
30. The bidders' roll and vendor roll will be available for inspection by registered bidders during normal office hours at the business premises of the Auctioneer.
31. The rules of auction will only be read out at the auction if they are not available to the public at the place of business of the Auctioneer or at the auction facility. In the event of livestock and game auctions, the rules of auction remain unchanged and are in general available at the business premises of the Auctioneer or on the website of the Auctioneer.
32. Under no circumstances will BKB be held liable for any loss or damage of any cause whatsoever albeit direct or indirect damages suffered by anyone if the livestock accepted at the auction premises must be placed under quarantine during or after the auction because of the presence of a livestock disease present. In such an event BKB will have the right to cancel the auction as well as any already complete sales and no party will be entitled to or have a right of recourse against BKB.
33. Any party requiring permits, removal certificate, documentation of identification or any other statutory prescribed document will solely be responsible for obtaining same. Any instructions to an Auctioneer with regards to the loading, transporting, choice of transport contractors, insurance or choice of insurers will be executed at the sole risk of the person acquiring such services and the Auctioneer will not be held responsible for any losses whether direct or indirect which may be suffered as a result of giving effect to the instructions by the Auctioneer. Any agreement entered by the Auctioneer with a transport company or insurer is done so in its representative capacity of the Seller or Purchaser. All transport costs or insurance premiums are therefore payable to the Auctioneer in cash except if acceptable alternative arrangements were made with the Auctioneer.
34. Both the Seller and the Purchaser consent to the jurisdiction of the Magistrate's Court as contemplated in Section 45 of Act 32 of 1944 having regard to any action which the Auctioneer may institute against the Purchaser or Seller irrespective of the cause of action. Notwithstanding the aforesaid the Auctioneer will have the sole and absolute discretion to institute action in any High Court with appropriate jurisdiction.
35. Any legal costs that BKB may have or will incur because of the non-compliance of the Purchaser or the Seller shall be recoverable on an scale as between attorney and own client scale, together with collection commission and interest on overdue amounts.
36. No relaxation or indulgence by the Auctioneer must be interpreted as a waiver of any of the Auctioneer's rights in terms hereof. Such relaxation or indulgence must also not be interpreted as a novation hereof.
37. Should any conditions of this agreement be unlawful or become retrospectively unlawful, that unlawful condition shall be deemed to be amended to the extent and in the manner as is necessary to make it lawful or should such an amendment be impossible, the unlawful conditions shall be deemed devisable from the remainder of the conditions of this agreement and pro non script.

BKB



The Trusted Home of Agriculture
Die Betroubare Tuiste van Landbou

**Baie dankie vir u
ondersteuning!**