


AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

AVELING BONSMARAS & VRIENDE

Veilingsdatum / Auction Date:
16 August 2024

Data soos op / Data as on:
24 July 2024



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde procedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.


Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgesiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.

ANIMAL AND PEDIGREE INFORMATION



1. Lot Number
2. Owner of the animal
3. Herd's logo (if available)
4. Animal Identification Number
5. Birth date
6. Herd book section - NFR / PEN / FO / A / B / SP
7. Four (4) generation pedigree
8. Genomic testing - it is indicated with the GT logo
9. Polled Status - the status will only be printed for animals that have been tested
10. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
11. QR Code - This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled


LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109 1 | 98 2 | 111 3 | 99 4 | 101 5 | 98 6 | 103 7 |

5 L \varnothing GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves




| | |
|----------------------|--|
| 1 Calving Ease Value | EBVs Birth Direct & Maternal |
| Calf Growth Value | EBV Wean Direct |
| 3 Fertility Value | EBVs Cow & Heifer Fertility, EBV Longevity |
| Milk Value | EBV Wean Maternal |
| 4 Maintenance Value | EBVs Mature weight & Milk |

2 L \varnothing GIX Weaner Calf Value

Selection of:

- Heavier weaning weights,
- with more milk,
- but restricted birth weight




7 L \varnothing GIX Carcass Value

Selection for higher meat yield on carcass




6 L \varnothing GIX Growth Value

Selection of efficient growers on veld & in the feedlot



INTERPRETATION OF BREEDING VALUE INDICES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits | | | Description/Measurement | | | Goal | | | General Guidelines | | | | | | |
|------------------|----|-------------------------|-------------------------|---|--|---------------------------|--|-------|--------------------|-----|--------|------|------|--|--------|
| | | | | | | | | | <80 | <90 | 90-110 | >110 | >120 | | |
| Selection Values | 5 | Cow Value | CV | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | | Profitable Cow | | Loss | | | | | | | Profit |
| | 1 | Calving Ease Value | CEV | Risk for calving problems (calf too heavy) vs calf too small | | Average birth weight | | High | | | | | | | Low |
| | | Calf Growth Value | CGrV | Calf's genetic ability for pre-weaning growth | | Heavy weaner calf | | Light | | | | | | | Heavy |
| | | Milk Value | MilkV | Cow's genetic mothering and milking ability | | Enough milk for the calf | | Less | | | | | | | More |
| | 4 | Maintenance Value | MntV | Maintenance requirements of cow (cow weight and milk) | | Low cow maintenance | | High | | | | | | | Low |
| | 3 | Fertility Value | FertV | Fertility and retention of cows and heifers | | Fertile cows | | Low | | | | | | | High |
| | 2 | Weaner Calf Value | WnCV | Combination of calf's weight and cow's milk | | Heavy weaner calves | | Light | | | | | | | Heavy |
| | 6 | Growth Value | GV | Efficient growth on veld and in feedlot (Rand-value) | | Profitable growth | | Loss | | | | | | | Profit |
| | 7 | Carcass Value | VarcV | Meat on carcass (Weight and RTU EBVs) | | More meat on the carcass | | Less | | | | | | | More |
| | | Production Value | PV | Combination of Cow- and Growth values (Rand-value) | | Profitable animals | | Loss | | | | | | | Profit |
| Cow & Heifer | 8 | Birth Weight Direct | BD | Birth weight (Calf's genetic ability) | | Average birth weight | | Heavy | | | | | | | Light |
| | | Birth Weight Maternal | BM | Birth weight (Cow's genetic ability) | | Easy calving | | Heavy | | | | | | | Light |
| | 9 | Weaning Weight Direct | WD | Weaning weight (Calf's genetic ability) | | Heavy weaner calves | | Light | | | | | | | Heavy |
| | 10 | Weaning Weight Maternal | WM | Weaning weight (Cow's genetic ability) | | Good mothers | | Poor | | | | | | | Good |
| | 18 | Mature Cow Weight | MW | Cow weight at weaning of first three calves | | Average mature cow weight | | Light | | | | | | | Heavy |
| | | Cow-Calf Birth | CCB | EBV Birth Direct / EBV Mature Cow weight | | Average | | Low | | | | | | | High |
| | | Cow-Calf Wean | CCW | EBV Wean Direct / EBV Mature Cow weight | | High calf-cow ratio | | Low | | | | | | | High |
| Fertility | 12 | Heifer Fertility | HF | Age at first calving | | Fertile heifers | | Less | | | | | | | More |
| | 13 | Cow Fertility | C.F.E. | First 3 inter-calving periods (ICPs) | | Fertile cows | | Less | | | | | | | More |
| | 11 | Scrotal Circumference | SC | Scrotal circumference as measured during the growth test | | Fertile bulls | | Less | | | | | | | More |
| | 14 | Longevity | LG | Retention of progeny | | Acceptable progeny | | Poor | | | | | | | Good |
| Growth & Frame | 15 | Post-Wean Weight | PWn | 12- and 18 month weights | | Good post-wean growth | | Low | | | | | | | * High |
| | 16 | Average Daily Gain | ADG | Average daily gain | | Good growth | | Poor | | | | | | | Good |
| | 17 | Feed Conversion Ratio | FCR | 100g feed intake / g weight gain | | Feed efficiency | | Poor | | | | | | | Good |
| | | Final Test Weight | FW | Final weight in the growth test | | Heavy carcass | | Light | | | | | | | Heavy |
| | 19 | Height | H | Shoulder / Hip height in growth test | | Average height | | Short | | | | | | | Tall |
| Carcass | 20 | Length | L | Length in growth test | | Longer for more muscle | | Short | | | | | | | Long |
| | 24 | Length-Height Ratio | LH | EBV Length / EBV Height | | Longer rather than tall | | <1 | | | | | | | >1 |
| | 21 | Eye Muscle Area | EMA | RTU measured eye muscle area | | Bigger steaks | | Small | | | | | | | Big |
| | 22 | Fat Thickness | Fat | RTU measured P8 backfat thickness | | Carcass quality | | Thin | | | | | | | Thick |
| | 23 | Marbling | Mar | RTU measured % of intra-muscular fat | | Juicy meat | | Low | | | | | | | High |
| | | Dressing Percentage | D% | Carcass weight / Live weight | | High dressing percentage | | Low | | | | | | | High |

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother | | | Fertility | | | Post-Wean Growth | | | Frame | | | Carcass | | | |
|-----------------|-----------|-----------|--------------|--------------|-----------|------------------|-----------|-----|-------|---------------|--------|---------|-----|-----|-----|
| Birth Dir. | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 99 | 99 | 90 | 97 | 75 | 92 | 85 | 100 | 94 | 93 | 92 | 123 | 110 | 104 | 100 | 79 |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|------|
| 109 | 104 | 105 | 122 | 117 | 327 | 1.22 |

- Wean, 365D, 504D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test



BONSMARA
SA



Bonsmara SA Cattle Breeders' Society
© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct



BULLS

REMARKS: Kalwingsgemak

LOGIX
SOLUTI観 SOUTI観 EBV Analysis: 2024-07-19

REMARKS: Kalwingsgemak

EBV Analysis: 2024-07-19

REMARKS: Kalwingsgemak. In stoet gebruik.

BULLE**LOT 4****MPOLA TRUST**

ABM 210409

2021-11-21
SP

Ouerskap Vaar Moer

DNS ✓

Genomics

NFS 170371 HH(c)ABM 130326
OUD/KALW. 11/8
GEM. SI/KALW. 98/8
TKP 398

NFS 080025

OUD/KALW. 14/13
GEM. SI/KALW. 103/12
TKP 382

LMR 080104 Pp(c)

ABM 100007

OUD/KALW. 6/3
GEM. SI/KALW. 91/3
TKP 401

FCT 120053

SSK 060043
OUD/KALW. 16/13
GEM. SI/KALW. 101/12

NFS 050213

NFS 060106
OUD/KALW. 8/5
GEM. SI/KALW. 102/5

G LMR 020173

LMR 020171
OUD/KALW. 12/9
GEM. SI/KALW. 108/9

G AG 030256

RCO 010117
OUD/KALW. 9/6
GEM. SI/KALW. 98/6Geboortegemak
Waarde

102

Speenkalf
Waarde

95

Vrugbaarheids-
waarde

104

Onderhouds-
waarde

97

Koeiwaarde

97

Groei-
waarde

103

Karkas-
waarde

98

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| Geb. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na- Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
|------|--------------|--------------|---------------|----------------|----------------|--------|--------------|-----|-----|----------------|--------|--------|-----|-----|-----|
| 101 | 105 | 79 | 118 | 105 | 108 | 97 | 101 | 102 | 108 | 102 | 85 | 94 | 108 | 78 | 85 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|------|
| 107 | - | - | 113 | - | 394 | 1.23 |

LOGIX EBV Analise: 2024-07-19

OPMERKINGS: Kalwingsgemak**LOT 5****MPOLA TRUST**

ABM 210362

2021-08-30
SP

Ouerskap Vaar Moer

DNS ✓

Genomics

CRV 130070
OUD/KALW. 11/9
GEM. SI/KALW. 100/8
TKP 388

FUZ 170109

FUZ 130096
OUD/KALW. 10/8
GEM. SI/KALW. 101/8
TKP 396

BPJ 090003

CRV 100469
OUD/KALW. 11/7
GEM. SI/KALW. 103/7
TKP 421

LMR 080188

LAR 030052
LMR 030288
OUD/KALW. 12/4
GEM. SI/KALW. 100/4

FUZ 100131

FUZ 090092
OUD/KALW. 5/3
GEM. SI/KALW. 106/3

G FCT 000065

BHE 050020
OUD/KALW. 7/3
GEM. SI/KALW. 98/3

JRB 010025

CRV 060200
OUD/KALW. 5/2
GEM. SI/KALW. 107/1Geboortegemak
Waarde

89

Speenkalf
Waarde

90

Vrugbaarheids-
waarde

104

Onderhouds-
waarde

87

Koeiwaarde

92

Groei-
waarde

100

Karkas-
waarde

107

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na- Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
|--------------|--------------|--------------|---------------|----------------|----------------|--------|--------------|-----|-----|----------------|--------|--------|-----|-----|-----|
| 91 | 98 | 105 | 119 | 102 | 106 | 99 | 101 | 107 | 108 | 113 | 92 | 103 | 121 | 91 | 105 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|------|
| 94 | - | - | 93 | - | 372 | 1.20 |

LOGIX EBV Analise: 2024-07-19

OPMERKINGS: Behou drie mede eienaarskappe, In stoet gebruik**LOT 6****MPOLA TRUST**

ABM 210393

2021-11-07
SP

Ouerskap Vaar Moer

DNS ✓

Genomics

ABM 170128
OUD/KALW. 6/4
GEM. SI/KALW. 99/2
TKP 426

LMR 170118

LMR 100103
OUD/KALW. 8/4
GEM. SI/KALW. 98/3
TKP 486

G FCT 080102

CEW 100058
OUD/KALW. 9/6
GEM. SI/KALW. 103/3

LMR 130098

LMR 030029
OUD/KALW. 12/9
GEM. SI/KALW. 106/7

G AG 030256

LMR 040061
OUD/KALW. 12/10
GEM. SI/KALW. 102/9

FCT 050041

FCT 050164
OUD/KALW. 7/5
GEM. SI/KALW. 123/4

ABM 130383

ABM 090338
OUD/KALW. 5/3
GEM. SI/KALW. 103/3Geboortegemak
Waarde

107

Speenkalf
Waarde

96

Vrugbaarheids-
waarde

84

Onderhouds-
waarde

109

Koeiwaarde

90

Groei-
waarde

109

Karkas-
waarde

115

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na- Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
|--------------|--------------|--------------|---------------|----------------|----------------|--------|--------------|-----|-----|----------------|--------|--------|-----|-----|-----|
| 110 | 97 | 91 | 110 | 92 | 82 | 98 | 108 | 121 | 115 | 92 | 109 | 117 | 137 | 106 | 98 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|------|
| 92 | - | - | 111 | - | 347 | 1.24 |

LOGIX EBV Analise: 2024-07-19

OPMERKINGS: Kalwingsgemak, In stoet gebruik



Bonsmara SA Cattle Breeders' Society

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct



BULLS

BULLE

OPMERKINGS: In stoet gebruik

LOGIX
SÖNTEK ZENTRA EBV Analise: 2024-07-19

OPMERKINGS

LOGIX
SISTEMI - SERVIZI

OPMERKINGS: Kalwingsgemak, In stoet gebruik

LOGIX EBV Analise: 2024-07-19

BULLS

| LOT 13 | | | MPOLA TRUST | AG 100008 | G AG 060481 | Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|--|--------------------------------------|-------------|------------|--------------------|--------------------|-------------------|-----------------|-------------------|-----------|-------------------|------------------|
| ABM 210334 | ABM 180093 | ABM 2021-05-01 B | ABM 100120 | AG 100008 | AG 060481 | 99 | 101 | 105 | 91 | 101 | 114 | 112 |
| AGE/CALV. 13/11 AVG. WI/CALV. 99/11 ICP 371 | AGE/CALV. 13/11 AVG. WI/CALV. 95/12 | AGE/CALV. 10/8 AVG. WI/CALV. 98/8 | ABM 090348 | AG 970106 | Calving Ease Value | 99 | Weaner Calf Value | 101 | Fertility Value | 105 | Maintenance Value | 91 |
| Parentage Sire Dam | DNA ✓ | Genomic | LAR 050016 | CAM 010172 | Calf and Mother | | Fertility | | Post-Wean Growth | | Frame | |
| | | | | | Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean |
| | | | | | 98 | 107 | 92 | 124 | 104 | 102 | 104 | 107 |
| | | | | | 109 | - | - | - | 107 | 112 | 105 | 108 |
| | | | | | Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH | 111 |
| | | | | | 109 | - | - | 107 | - | 364 | 1.18 | 110 |
| | | | | | | | | | | | | Myostatin |
| | | | | | | | | | | | | Q204X 0 |
| | | | | | | | | | | | | NT821 Not Tested |
| | | | | | | | | | | | | F94L Not Tested |

REMARKS:

LOGIX EBV Analysis: 2024-07-19

| LOT 14 | | | MPOLA TRUST | AG 100008 | G AG 060481 | Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|--|--------------------------------------|-------------|------------|--------------------|--------------------|-------------------|-----------------|-------------------|-----------|-------------------|------------------|
| ABM 210317 | ABM 180093 | ABM 2021-03-11 SP | ABM 090348 | AG 100008 | AG 060481 | 107 | 95 | 102 | 87 | 95 | 102 | 103 |
| AGE/CALV. 13/11 AVG. WI/CALV. 99/11 ICP 371 | AGE/CALV. 13/11 AVG. WI/CALV. 95/12 | AGE/CALV. 10/8 AVG. WI/CALV. 98/8 | LAR 050016 | CAM 010172 | Calving Ease Value | 107 | Weaner Calf Value | 95 | Fertility Value | 102 | Maintenance Value | 87 |
| Parentage Sire Dam | DNA ✓ | Genomic | PAD 100014 | CSW 010014 | Calf and Mother | | Fertility | | Post-Wean Growth | | Frame | |
| | | | | CEF 980117 | Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean |
| | | | | AGE 970223 | 104 | 105 | 83 | 108 | 98 | 104 | 104 | 106 |
| | | | | LMR 980061 | 109 | - | - | - | 107 | 105 | 108 | 115 |
| | | | | LMR 050145 | Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH | 104 |
| | | | | AGE 970223 | 100 | - | - | 99 | - | 325 | 1.18 | 102 |
| | | | | LMR 980061 | | | | | | | | Myostatin |
| | | | | LMR 050145 | | | | | | | | Q204X 0 |
| | | | | AGE 970223 | | | | | | | | NT821 Not Tested |
| | | | | LMR 980061 | | | | | | | | F94L Not Tested |

REMARKS:

LOGIX EBV Analysis: 2024-07-19

| LOT 15 | | | SPRINGBOKSPRUIT BONMARAS | FCT 120053 | FCT 080201 | Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|--------------------------------------|--|--------------------------|------------|--------------------|--------------------|-------------------|-----------------|-------------------|-----------|-------------------|------------------|
| JH 210019 | JH 160082 | JH 2021-03-03 B | LMR 110245 | FCT 080094 | Calving Ease Value | 105 | Weaner Calf Value | 106 | Fertility Value | 95 | Maintenance Value | 84 |
| AGE/CALV. 6/2 AVG. WI/CALV. 116/2 ICP 559 | AGE/CALV. 9/5 AVG. WI/CALV. 101/3 | AGE/CALV. 16/13 AVG. WI/CALV. 99/11 | LMR 070280 | LMR 080277 | Calf and Mother | | Fertility | | Post-Wean Growth | | Frame | |
| Parentage Sire Dam | DNA ✓ | Genomic | THE 130012 | THE 100023 | Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean |
| | | | | THE 090086 | 102 | 112 | 93 | 133 | 94 | 96 | 105 | 100 |
| | | | | NFS 060408 | 116 | - | - | - | 103 | 114 | 118 | 104 |
| | | | | JH 010083 | Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH | 98 |
| | | | | JH 010083 | 116 | - | - | 91 | - | 374 | 1.14 | 101 |
| | | | | JH 110005 | | | | | | | | Myostatin |
| | | | | JH 110005 | | | | | | | | Q204X 0 |
| | | | | JH 110005 | | | | | | | | NT821 Not Tested |
| | | | | JH 110005 | | | | | | | | F94L Not Tested |

REMARKS:

LOGIX EBV Analysis: 2024-07-19

BULLE**LOT 16****MPOLA TRUST**

ABM 210402

2021-11-17
SP

Ouerskap Vaar Moer

DNS ✓

Genomes

ABM 180093



NFS 140141

OUD/KALW. 10/8
GEM. SI/KALW. 102/8
TKP 388

AG 100008

G AG 060481

AG 970106
OUD/KALW. 15/13
GEM. SI/KALW. 95/12

LAR 050016

CAM 010172
OUD/KALW. 10/8
GEM. SI/KALW. 98/8

NFS 080032

G NFS 000257
OUD/KALW. 15/12
GEM. SI/KALW. 98/12

NFS 070163

NFS 060267
OUD/KALW. 9/7
GEM. SI/KALW. 109/6Geboortegemak
Waarde**88**Speenkalf
Waarde**101**Vrugbaarheids-
waarde**107**Onderhouds-
waarde**85**

Koeiwaarde

99Groei-
waarde**110**Karkas-
waarde**111**

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

Geb.
Dir.Skr.
Omtr.Vers
Vrugb.Koei
Vrugb.

Lankl.

Na-
Speen

GDT

VOV

Volw.
Gewig

Hoogte

Lengte

Spn.
Dir.Spn.
Mat.

126

103

111

99

118

126

118

120

115

Spn. Indeks

365D Indeks

540D Indeks

GDT Indeks

VOV Indeks

Skrotum

LH

100

-

-

94

-

394

1.16

Miostatien

Q204X 0

NT821 Nie Getoets

F94L Nie Getoets

OPMERKINGS:**LOGIX** EBV Analise: 2024-07-19**LOT 17****MPOLA TRUST**

ABM 210324

2021-04-03
SP

Ouerskap Vaar Moer

DNS ✓

Genomes

LMR 140226



ABM 120247

OUD/KALW. 11/8
GEM. SI/KALW. 103/7
TKP 444

WBB 100260

G AG 030256

GBS 050060
OUD/KALW. 9/7
GEM. SI/KALW. 94/6

G VV 030346

LMR 030218
OUD/KALW. 11/9
GEM. SI/KALW. 98/7

LAR 000084

LAR 970251
OUD/KALW. 14/12
GEM. SI/KALW. 107/10

LMR 040276

CAM 080139
OUD/KALW. 9/6
GEM. SI/KALW. 102/6
TKP 411CAM 040165
OUD/KALW. 10/8
GEM. SI/KALW. 98/8Geboortegemak
Waarde**93**Speenkalf
Waarde**105**Vrugbaarheids-
waarde**104**Onderhouds-
waarde**100**

Koeiwaarde

104Groei-
waarde**111**Karkas-
waarde**109**

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

Geb.
Dir.Skr.
Omtr.Vers
Vrugb.Koei
Vrugb.

Lankl.

Na-
Speen

GDT

VOV

Volw.
Gewig

Hoogte

Lengte

93

111

90

119

98

106

107

98

117

115

Spn. Indeks

365D Indeks

540D Indeks

GDT Indeks

VOV Indeks

Skrotum

LH

109

-

-

107

-

363

1.19

Miostatien

Q204X 0

NT821 Nie Getoets

F94L Nie Getoets

OPMERKINGS:**LOGIX** EBV Analise: 2024-07-19**LOT 18****MPOLA TRUST**

ABM 210399

2021-11-08
SP

Ouerskap Vaar Moer

DNS ✓

Genomes

ABM 180093



ABM 160146

OUD/KALW. 7/5
GEM. SI/KALW. 98/3
TKP 378

AG 100008

G AG 060481

AG 970106
OUD/KALW. 15/13
GEM. SI/KALW. 95/12

LAR 050016

CAM 010172
OUD/KALW. 10/8
GEM. SI/KALW. 98/8

PAD 080146

AG 010258

EI 020119
OUD/KALW. 17/12
GEM. SI/KALW. 101/12

FUZ 090081

CAM 000019
OUD/KALW. 12/8
GEM. SI/KALW. 99/8Geboortegemak
Waarde**94**Speenkalf
Waarde**96**Vrugbaarheids-
waarde**85**Onderhouds-
waarde**93**

Koeiwaarde

86Groei-
waarde**105**Karkas-
waarde**100**

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

Geb.
Dir.Skr.
Omtr.Vers
Vrugb.Koei
Vrugb.

Lankl.

Na-
Speen

GDT

VOV

Volw.
Gewig

Hoogte

Lengte

103

96

80

81

93

103

102

106

105

109

Spn. Indeks

-

-

-

98

-

310

1.24

Miostatien

Q204X 0

NT821 Nie Getoets

F94L Nie Getoets

OPMERKINGS:**LOGIX** EBV Analise: 2024-07-19



Bonsmara SA Cattle Breeders' Society

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct



BULLS

REMARKS:

LOGIX EBV Analysis: 2024-07-19

REMARKS:

EBV Analysis: 2024-07-19

REMARKS:

BULLE**LOT 22 VAN JAARSVELD BONSMARAS**

VJ 220001
2022-01-04
B

Ouerskap Vaar Moer

DNS

Genomics



VJ 130043
OUD/KALW. 11/3
GEM. SI/KALW. 108/3
TKP 514

VV 160268

VJ 180054

VV 060058
OUD/KALW. 13/11
GEM. SI/KALW. 101/10
TKP 386

VV 030346
VV 030170
OUD/KALW. 5/2
GEM. SI/KALW. 112/2

VV 120139 HH(c)

VV 080301
OUD/KALW. 12/10
GEM. SI/KALW. 91/12

VV 030170

Geboortegemak
Waarde

93

Speenkalf
Waarde

113

Vrugbaarheids-
waarde

108

Onderhouds-
waarde

94

Koeiwaarde

113

Groei-
waarde

123

Karkas-
waarde

126

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| | | | | | | | | | | | | | | |
|------|------|------|-------|--------|--------|-------|-----|-----|-------|--------|--------|-----|-----|-----|
| Geb. | Spn. | Spn. | Skr. | Vers | Koei | Na- | GDT | VOV | Volw. | Hoogte | Lengte | OSO | Vet | Mar |
| Dir. | Dir. | Mat. | Omtr. | Vrugb. | Vrugb. | Speen | 127 | 127 | 104 | 119 | 117 | 114 | 104 | 103 |
| 97 | 113 | 108 | 116 | 114 | 103 | 94 | | | | | | | | |

| | | | | | | |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
| 116 | - | - | 106 | - | 335 | 1.19 |

Miostatien

Q204X 1

NT821 0

F94L Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2024-07-19

LOT 23 MPOLA TRUST

ABM 210354
2021-08-24
SP

Ouerskap Vaar Moer

DNS

Genomics



ABM 180075
OUD/KALW. 5/3
GEM. SI/KALW. 107/3
TKP 390

AG 130115 PP(c)

AG 160712

AG 130414

OUD/KALW. 4/1
GEM. SI/KALW. 102/1
TKP -

AG 100008

ABM 120246

OUD/KALW. 11/9
GEM. SI/KALW. 101/7
TKP 393

MCU 070007 P

MCU 100005 P
OUD/KALW. 10/7
GEM. SI/KALW. 103/7

AG 090751

AG 060121
OUD/KALW. 14/11
GEM. SI/KALW. 94/9

AG 060481

AG 970106
OUD/KALW. 15/13
GEM. SI/KALW. 95/12

LMR 080104 Pp(c)

LTS 070105

Geboortegemak
Waarde

106

Speenkalf
Waarde

117

Vrugbaarheids-
waarde

103

Onderhouds-
waarde

90

Koeiwaarde

113

Groei-
waarde

107

Karkas-
waarde

111

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| | | | | | | | | | | | | | | |
|------|------|------|-------|--------|--------|-------|-----|-----|-------|--------|--------|-----|-----|-----|
| Geb. | Spn. | Spn. | Skr. | Vers | Koei | Na- | GDT | VOV | Volw. | Hoogte | Lengte | OSO | Vet | Mar |
| Dir. | Dir. | Mat. | Omtr. | Vrugb. | Vrugb. | Speen | 107 | 110 | 110 | 103 | 108 | 116 | 102 | 96 |
| 100 | 117 | 94 | 101 | 103 | 101 | 104 | | | | | | | | |

| | | | | | | |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
| 111 | - | - | 90 | - | 340 | 1.20 |

Miostatien

Q204X 1

NT821 Nie Getoets

F94L Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2024-07-19

LOT 24 MPOLA TRUST

ABM 210403
2021-11-27
SP

Ouerskap Vaar Moer

DNS

Genomics



ABM 160025
OUD/KALW. 7/5
GEM. SI/KALW. 93/5
TKP 403

AG 100008

ABM 180093

ABM 090348

OUD/KALW. 13/11
GEM. SI/KALW. 99/11
TKP 371

CEF 130330

ABM 130418

OUD/KALW. 4/1
GEM. SI/KALW. 108/1
TKP -

AG 060481

AG 970106
OUD/KALW. 15/13
GEM. SI/KALW. 95/12

LAR 050016

CAM 010172

OUD/KALW. 10/8
GEM. SI/KALW. 98/8

AG 090762

CEF 020105

OUD/KALW. 12/10
GEM. SI/KALW. 101/10

LMR 080104 Pp(c)

Geboortegemak
Waarde

97

Speenkalf
Waarde

97

Vrugbaarheids-
waarde

93

Onderhouds-
waarde

91

Koeiwaarde

90

Groei-
waarde

108

Karkas-
waarde

113

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| | | | | | | | | | | | | | | |
|------|------|------|-------|--------|--------|-------|-----|-----|-------|--------|--------|-----|-----|-----|
| Geb. | Spn. | Spn. | Skr. | Vers | Koei | Na- | GDT | VOV | Volw. | Hoogte | Lengte | OSO | Vet | Mar |
| Dir. | Dir. | Mat. | Omtr. | Vrugb. | Vrugb. | Speen | 111 | 109 | 110 | 95 | 107 | 123 | 92 | 99 |
| 97 | 108 | 85 | 99 | 94 | 92 | 104 | | | | | | | | |

| | | | | | | |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
| 104 | - | - | 109 | - | 340 | 1.22 |

Miostatien

Q204X 1

NT821 Nie Getoets

F94L Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2024-07-19



Bonsmara SA Cattle Breeders' Society

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct



BULLS

BULLE**LOT 28 VAN JAARSVELD BONSMARAS**

VJ 210122
2021-11-24
B

Ouerskap Vaar Moer

| |
|----------|
| DNS |
| Genomics |



VJ 160020

LMR 120086

WAT 020144
OUD/KALW. 14/11
GEM. SI/KALW. 102/10
TKP 386

WAT 980245
OUD/KALW. 10/7
GEM. SI/KALW. 100/7

VJ 180155
OUD/KALW. 6/2
GEM. SI/KALW. 104/2
TKP 653

JL 070050

LMR 070091
OUD/KALW. 8/4
GEM. SI/KALW. 100/4

| |
|-------------------------|
| Geboortegemak Waarde |
| 109 |

| |
|---------------------|
| Speenkalf Waarde |
| 97 |

| |
|--------------------------|
| Vrugbaarheids- waarde |
| 105 |

| |
|-----------------------|
| Onderhouds- waarde |
| 109 |

| |
|------------|
| Koeiwaarde |
| 106 |

| |
|------------------|
| Groei- waarde |
| 93 |

| |
|-------------------|
| Karkas- waarde |
| 94 |

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| | | | | | | |
|--------------|--------------|--------------|---------------|----------------|----------------|--------|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. |
| 114 | 89 | 111 | 98 | 106 | 101 | 103 |

| | | |
|----------|-----|-----|
| Na-Speen | GDT | VOV |
| 90 | 95 | 93 |

| | | |
|----------------|--------|--------|
| Volw. Gewig | Hoogte | Lengte |
| 91 | 101 | 99 |

| |
|-------------------|
| Miostatien |
| Q204X Nie Getoets |
| NT821 Nie Getoets |
| F94L Nie Getoets |

| | | | | | | |
|-------------|-------------|-------------|------------|------------|---------|----|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
| 100 | 100 | 100 | - | - | - | - |

OPMERKINGS:

LOGIX EBV Analise: 2024-07-19

LOT 29 MPOLA TRUST

ABM 210397
2021-09-15
SP

Ouerskap Vaar Moer

| |
|----------|
| DNS |
| Genomics |



JFE 170077

DKN 090345

JFE 140116
OUD/KALW. 4/2
GEM. SI/KALW. 92/1
TKP 482

ABM 180146
OUD/KALW. 5/2
GEM. SI/KALW. 111/2
TKP 447

ABM 130367
OUD/KALW. 10/8
GEM. SI/KALW. 104/8
TKP 374

GJN 030098

DKN 040054
OUD/KALW. 10/7
GEM. SI/KALW. 103/7

| |
|-------------------------|
| Geboortegemak Waarde |
| 109 |

| |
|---------------------|
| Speenkalf Waarde |
| 104 |

| |
|--------------------------|
| Vrugbaarheids- waarde |
| 88 |

| |
|-----------------------|
| Onderhouds- waarde |
| 87 |

| |
|------------|
| Koeiwaarde |
| 96 |

| |
|------------------|
| Groei- waarde |
| 108 |

| |
|-------------------|
| Karkas- waarde |
| 111 |

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| | | | | | | |
|--------------|--------------|--------------|---------------|----------------|----------------|--------|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. |
| 108 | 105 | 100 | 106 | 84 | 100 | 94 |

| | | |
|----------|-----|-----|
| Na-Speen | GDT | VOV |
| 102 | 104 | 99 |

| | | |
|----------------|--------|--------|
| Volw. Gewig | Hoogte | Lengte |
| 113 | 107 | 110 |

| |
|-------------------|
| Miostatien |
| Q204X 0 |
| NT821 Nie Getoets |
| F94L Nie Getoets |

| | | | | | | |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
| 113 | - | - | 111 | - | 364 | 1.21 |

OPMERKINGS:

LOGIX EBV Analise: 2024-07-19

LOT 30 MPOLA TRUST

ABM 210408
2021-11-21
B

Ouerskap Vaar Moer

| |
|----------|
| DNS |
| Genomics |



ABM 180093

AG 100008

ABM 090348
OUD/KALW. 13/11
GEM. SI/KALW. 99/11
TKP 371

MULTIPLE SIRES

ABM 020016
OUD/KALW. 10/2
GEM. SI/KALW. 108/2
TKP 324

AG 060481

AG 970106
OUD/KALW. 15/13
GEM. SI/KALW. 95/12

| |
|-------------------------|
| Geboortegemak Waarde |
| 87 |

| |
|---------------------|
| Speenkalf Waarde |
| 92 |

| |
|--------------------------|
| Vrugbaarheids- waarde |
| 99 |

| |
|-----------------------|
| Onderhouds- waarde |
| 85 |

| |
|------------|
| Koeiwaarde |
| 89 |

| |
|------------------|
| Groei- waarde |
| 102 |

| |
|-------------------|
| Karkas- waarde |
| 105 |

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

| | | | | | | |
|--------------|--------------|--------------|---------------|----------------|----------------|--------|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. |
| 88 | 101 | 102 | 83 | 100 | 100 | 100 |

| | | |
|----------|-----|-----|
| Na-Speen | GDT | VOV |
| 102 | 104 | 102 |

| | | |
|----------------|--------|--------|
| Volw. Gewig | Hoogte | Lengte |
| 115 | 120 | 117 |

| |
|-------------------|
| Miostatien |
| Q204X 1 |
| NT821 Nie Getoets |
| F94L Nie Getoets |

| | | | | | | |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
| 106 | - | - | 107 | - | 323 | 1.21 |

OPMERKINGS:

LOGIX EBV Analise: 2024-07-19

BULLS

REMARKS:

LOGIX EBV Analysis: 2024-07-19

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|--------------------|-------------------|------------------|-------------------|---------------------|-----------------|----------------|------------------|------------|------------|----------------------|--------------------------|---------------|---------------------|--------------------|-----------|
| LOT 32 | MPOLA TRUST | | | | | | | | | | | | | | | | | | |
|  | ABM 180093 | AG 100008 | AG 060481 | Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value | | | | | | | | | |
| ABM 210319 2021-03-13 SP |  | ABM 090348 AGE/CALV. 13/11 AVG. WI/CALV. 99/11 ICP 371 | AG 970106 AGE/CALV. 15/13 AVG. WI/CALV. 95/12 | 102 | 102 | 105 | 83 | 100 | 108 | 103 | | | | | | | | | |
| Parentage Sire Dam | | LAR 050016 | CAM 010172 AGE/CALV. 10/8 AVG. WI/CALV. 98/8 | Calf and Mother | Fertility | Post-Wean Growth | Frame | | | | | | | | | | | | |
| DNA ✓ Genomic | | CEW 110177 | CEW 030256 CEF 060077 AGE/CALV. 16/13 AVG. WI/CALV. 104/14 | Birth Dir. 97 | Wean Dir. 113 | Wean Mat. 83 | Scr. Circ. 117 | Heifer Fert. 102 | Cow Fert. 98 | Longev. 118 | Post Wean 110 | ADG 104 | FCR 103 | Mature Weight 120 | Height 97 | Length 102 | EMA 130 | Fat 84 | Mar 79 |
| LMR 150177 AGE/CALV. 8/6 AVG. WI/CALV. 103/5 ICP 400 |  | LMR 100321 AGE/CALV. 10/7 AVG. WI/CALV. 102/7 ICP 366 | LMR 050108 LMR 040129 AGE/CALV. 13/8 AVG. WI/CALV. 100/8 | Wean Index 97 | 365D Index - | 540D Index - | ADG Index 107 | FCR Index - | Scrotum 365 | LH 1.20 | | | | | Myostatin | Q204X 0 | NT821 Not Tested | F94L Not Tested | |
| REMARKS: | | | | | | | | | | | | | | | EBV Analysis: 2024-07-19 | | | | |

REMARKS:



Bonsmara SA Cattle Breeders' Society

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct



| Dier Info | | | | Werklike Syfers | | | | | | | | Verwagte Teelwaardes | | | | | | | | Indekse | | | Moeder | | | |
|-----------|------------|------------------|-----|-----------------|------------|------|------|---------------|------------|--------------|----------------|----------------------|------------|----------|-------------|------------|------------|--------------|--------|------------|------|-----|------------|------------------|-------------|--------------|
| LOT | Dier ID | Geslag | AFD | Geb. Gewig | 205d Gewig | KKG | KKS | Lengte Hoogte | Skr. Omtr. | Geb Dir | Geb Mat | Spn Dir | Spn Mat | Na-Spn | Volw. Gewig | GDT | VOV | Skr. Omtr. | Hoogte | Lengte | Spn. | GDT | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
| | | Ras Gemiddeld | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Aanbod Gemiddeld | | 37 | 229 | 7.66 | 44.6 | 1.20 | 360 | 1.08 0.78 | -0.25 -0.45 | 14.9 16.5 | 3.8 2.0 | 24 31 | 9 16 | 111 149 | -48 -60 | 13.4 22.0 | - 3 | 18.0 25 | 104 | 104 | 114 | 103 | 6.0 | 103 |
| 26 | JH 220023 | M | B | 34 | 198 | - | 45.1 | 1.20 | 356 | -0.54 | -1.15 | 13.7 | -3.7 | 22.1 | 15.7 | 93 | -55 | 21.4 | -16 | 3 | 99 | 102 | 113 | 98 | 6 | 114 |
| 27 | ABM 210367 | M | SP | 40 | 271 | - | 45.3 | 1.21 | 381 | 2.81 | -0.20 | 24.2 | 4.7 | 50.3 | 28.8 | 243 | -77 | 34.8 | 31 | 57 | 111 | 119 | 135 | 106 | 8 | 99 |
| 28 | VJ 210122 | M | B | 30 | 224 | 9.01 | 58.4 | - | - | -0.41 | 0.58 | 9.9 | 7.1 | 19.6 | -0.7 | 89 | -36 | 12.2 | 1 | 18 | 100 | - | 98 | 104 | 2 | 50 |
| 29 | ABM 210397 | M | SP | 36 | 258 | - | 46 | 1.21 | 364 | 0.20 | -0.35 | 17.4 | 3.7 | 29.5 | 23.7 | 129 | -46 | 16.8 | 5 | 29 | 113 | 111 | 106 | 111 | 2 | 88 |
| 30 | ABM 210408 | M | B | 42 | 269 | - | 41.8 | 1.21 | 323 | 2.36 | -0.08 | 15.6 | 4.4 | 28.8 | 26.2 | 128 | -50 | 3.1 | 16 | 38 | 106 | 107 | 83 | 103 | 7 | 109 |
| 31 | ABM 210330 | M | SP | 42 | 188 | - | 42.2 | 1.19 | 359 | 2.70 | -0.63 | 19.0 | 6.8 | 35.0 | 16.6 | 148 | -62 | 21.1 | 7 | 30 | 108 | 107 | 113 | 109 | 8 | 109 |
| 32 | ABM 210319 | M | SP | 36 | 167 | - | 33.7 | 1.20 | 365 | 1.43 | -1.20 | 20.7 | -1.2 | 36.5 | 31.8 | 129 | -53 | 23.8 | -3 | 20 | 97 | 107 | 117 | 103 | 6 | 102 |

| EXPLANATION OF CATALOGUE ABBREVIATIONS | | VERDUIDELIKING VAN KATALOGUS AFKORTINGS | |
|---|-----------------|---|---|
| Lot Number | LOT | Lot Nommer | |
| Estimated breeding value | EBV | Beraamde teelwaarde | |
| Parentage verification | Parentage | Ouerskap | Ouerskap verifikasie |
| Age in years / Number of calvings | AGE. / CALV. | OUD. / KALF. | Ouderdom in jaar / Aantal kalwings |
| Average Wean index / Number of calves weaned | Ave WI / CALV. | GEM SI / KALF. | Gemiddelde speen indeks / Aantal kalwers gespeen |
| Animal identification number | ID | ID | Dier se identifikasie nommer |
| Herd Book Section | SEC | AFD | Kuddeboek Afdeling |
| Herd Book Section: Pending Registration | PEN | PEN | Kuddeboek Afdeling: Wag vir Registrasie |
| Herd Book Section: Not for Registration | NFR | NFR | Kuddeboek Afdeling: Nie vir Registrasie |
| Herd Book Section: Foundation Generation | FO | FO | Kuddeboek Afdeling: Fondasie Generasie |
| Herd Book Section: Appendix A | A | A | Kuddeboek Afdeling: Aanhangsel A |
| Herd Book Section: Appendix B | B | B | Kuddeboek Afdeling: Aanhangsel B |
| Herd Book Section: Studbook Proper, a registered animal | SP | SP | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested | GT | GT | Genomies Getoets |
| Homozygous Horned (Celtic test) | HH(c) | HH(c) | Homosigoties horings (Celtic toets) |
| Homozygous Polled (Celtic test) | PP(c) | PP(c) | Homosigoties Poena (Celtic toets) |
| Heterozygous Polled (Celtic test) | Pp(c) | Pp(c) | Heterosigoties Poena (Celtic toets) |
| Phenotypically Polled | P | P | Fenotipies Poena |
| Intercalving Period | ICP | TKP | Tussen-Kalf Periode |
| Birth Direct breeding value | Birth Dir. | Geb. Dir | Geboorte Direk teelwaarde |
| Wean Direct breeding value | Wean Dir. | Spn. Dir. | Speen Direk teelwaarde |
| Wean Maternal breeding value | Wean Mat. | SPn. Mat. | Speen Maternaal teelwaarde |
| Scrotal Circumference | Scr. Circ. | Skr. Omt. | Skrotum omtrek |
| Heifer Fertility | Heifer Fert. | Vers Vrugb. | Vers Vrugbaarheid |
| Cow Fertility | Cow Fert. | Koei Vrugb. | Koei Vrugbaarheid |
| Longevity | Longev. | Lankl. | Lanklewendheid |
| Mature Weight | Mat. Wt. | Volw. Gewig | Volwasse gewig |
| Average Daily Gain (g/day) | ADG | GDT | Gemiddelde Daagliks Toename |
| Feed Conversion Ratio (kg:kg) | FCR | VOV | Voeromset Verhouding |
| Eye Muscle Area | EMA | OSO | Oogspier grootte |
| Backfat Thickness | Fat | Vet | Rugvet Diepte |
| Marbling (intra-muscular fat) | Mar | Mar | Marmering (binne-spieperse vet) |
| 365-day weight index | 365D Index | 365D Indeks | 365-dae gewig indeks |
| 540-day weight index | 540D Index | 540D Indeks | 540-dae gewig indeks |
| Length-Height ratio | LH | LH | Lengte-Hoogte Verhouding |
| Actual Birth weight | Birth Wt. | Geb. gewig | Werklike Geboorte gewig |
| 205-day Dam-age corrected weight | 205d Wt. | 205d gewig | 205-dag Moeder-ouderdom gekorrigeerde gewig |
| Cow-Calf Birth Ratio | CCG | KKG | Koei-Kalf Geboorte Verhouding |
| Cow-Calf Wean Ratio | CCW | KKS | Koei-Kalf Speen Verhouding |
| Average Weaning Index | Avg. Wean Index | Gem. Spn. Indeks | Gemiddelde speen indeks |
| Number of Calves | Nr. Calves | Aant. Kalw. | Aantal kalwers |
| Reproduction Index | Repr. Index | Repr. Indeks | Reproduksie indeks |
| Animal sex: M - Male, F - Female | M / F | M / V | Dier geslag: M - Manlik, V - Vroulik |